








CONTENTS

OUR CORE VALUES	05	GARDENING	
FOREWORD	07	Cultivators & Garden Roller	107
AL-KO SMART GARDENING	08	Combi-Tool	110
AL-KO AND BATTERY TECHNOLOGY	12	Grass Trimmers & Brushcutters	112
LAWNCARE		Hedge Trimmers Multi-Cutters	116 119
Robolinho® Robotic Lawnmowers	20	Pruners and Long Reach Hedge Trimmers	120
Ride-On Mowers	36	Multi-Tool	122
Garden Tractors	40	Blowers & Leaf Vacuums	126
Lawnmowers	66	Hand Battery Tools	130
Battery Lawnmowers	72	Chainsaws	134
Electric Lawnmowers	80	Wood Splitters	138
Petrol Lawnmowers	82	Wood Ophilors	1 100
Mulch Lawnmowers	96	TECHNICAL DATA	142
Hand Mowers	100	SPARE PARTS	146
Scythe Mowers	102		-
Scarifiers	104		











MEMBER OF PRIMEPULSE

NOW PART OF THE INTERNATIONAL PRIMEPULSE GROUP

With business areas encompassing gardening equipment, air technology and automotive products, the AL-KO KOBER Group has become a global player amongst medium-sized enterprises in Germany. At the same time, the familyowned business has been operating in over 20 countries around the world, maintaining its headquarters in Kötz, Bavaria.

The AL-KO KOBER GROUP is also part of the PRIMEPULSE investment group. This high-performance network includes around 60 different associate firms around the world.


PRIMEPULSE pursues a long-term, value-based investment approach and acts as a strategic partner for its affiliated companies, giving them the support they need to achieve their growth ambitions.

Learn more at www.primepulse.com

FOUNDED IN 1931



OUR CORE VALUES





SUSTAINABILITY

ECOLOGICAL

- We use sustainable materials from production through to recycling
- We reduce energy consumption and our ecological footprint

SOCIAL





- We ensure local value added processes and sustainable sourcing strategies
- We achieve sustainable economic performance across all business sectors

ENGINEERED IN GERMANY – MADE IN AUSTRIA





QUALITY FOR LIFE AL-KO appliances are developed with precision in the Swabian region of Bavaria and our core product groups are produced in tranquil Obdach in Styria, Austria. With the flexibility and security of an owner-managed company, our goal is to meet the requirements of our customers every time. With typical German efficiency, our research and development engineers create pioneering garden tools from hundreds of individual parts.



HIGHEST STANDARDS Materials of the highest quality, ingenious technology, perfect ergonomics and a sure feel for form and detail are the unmistakable hallmarks of our garden tools.

The rigorous quality requirement that characterises the AL-KO brand is guaranteed through our comprehensive range of technologies that is consistently designed and implemented by AL-KO development engineers, designers and technicians - from the initial design and prototype construction right through to the end product.

SUSTAINABILITY As an innovative garden tool manufacturer, AL-KO connects people with nature. We therefore see it as our responsibility to integrate economic, ecological and social sustainability into our business activities and continuously optimise our processes. Our wide-ranging investments allow us to make an active contribution to reducing our ecological footprint. In fact we have already succeeded in saving around 200 tonnes of CO₂ in production over the past year.





At the company's Technology Centre at its facility in Kötz, the innovative AL-KO gardening appliances are subject to rigorous testing.



Many of our high-quality garden tools and components have been manufactured at the AL-KO factory in Obdach since 1966.











New technologies are being developed at an incredible pace in almost all walks of life. And the garden is no exception. What first started in 1966 with the production of the first lawn mower quickly developed into one of the market leaders in the garden tool sector. At AL-KO Gardentech, we are always on the cutting edge of technology, supplying you with intelligent appliances for your garden.

We've made it our mission to continuously develop new smart, digital and intelligent garden solutions. Driven by the spirit of innovation and an awareness of our responsibilities towards people and nature, we create convenient garden aids with sustainable technology. Whether it's robotic mowers, lawnmowers, water pumps, tools for soil cultivation or for tree and hedge care - our range has the ideal tool for every need and challenge you may face in the garden.

Come and join us in a new era of battery-powered garden tools:

There are also new features on the Robolinho® robotic mower which we are delighted to present on the following pages. You're in for a great surprise! We look forward to supporting you through this gardening year and say thank you for your continued trust in us.

Have fun browsing, discovering our new products and, of course, when working "smart" with the AL-KO garden tools.

Peter Kaltenstadler CEO of AL-KO KOBERSE

Pdo Unlunda.



SMART GARDENING INGENIOUS GARDENING SOLUTIONS

Sophisticated and intelligent solutions that will make tending to your garden a breeze.

Having your own garden is for many people an indicator of quality of life, since it provides a retreat away from the stress of everyday life. Gardening brings a lot of joy to many, especially when it's made more and more effortless through the use of intelligent solutions. That is the vision of our Smart Garden concept: Your garden in all its glory and the joy of gardening without unnecessary expense or effort. Right from the beginning, we have developed our gardening tools with a high degree of care, creativity and technical perfectionism, making sure to anticipate the needs of users ahead of time.

Now, with the AL-KO Smart Garden, we are going a step further, combining our sophisticated gardening tools with intelligent, wide-reaching solutions for keeping your garden looking its best.

With the AL-KO inTOUCH Smart Garden app, now very conveniently available on your Smart Watch, and our AL-KO Smart Cloud, for example, you can optimise tasks, automate routines to suit your preferences, manage compatible devices from anywhere, and get useful information about your devices and your garden. This saves not only effort and resources, but also your valuable time.

The AL-KO inTOUCH Smart Garden app is the smart way to control our smart-connected Robolinho® W robotic mower and automate various IFTTT routines. With our smart battery lawnmowers you can call up useful information about your device, such as battery level, and even define various smart scenarios which you then activate by pressing the Smart button.

For a simply wonderful garden. Simply smart!



AL-KO INTOUCH SMART GARDEN APP YOUR DIGITAL COMPANION





AL-KO INTOUCH SMART GARDEN APP MAIN FUNCTIONS







SMART WAY TO REGISTER A PRODUCT

Using the inTOUCH app you can easily add any AL-KO device to the app (even without smart-connect) by simply scanning the type label — the smart way to register a product.

USEFUL TIPS ON YOUR APPLIANCE

Get smart tips on installing, operating and servicing for all your appliances as push notifications and in your notification box.





Quickly find the details of your local AL-KO Official Dealer where you can purchase spare parts and accessories.



KEEPING YOUR APPLIANCE UP-TO-DATE

Regular updates are the convenient way to update and remotely maintain your smart-connected AL-KO appliance.




Using the inTOUCH app you can share your appliances with friends, family and your service partner (for remote support).



/

SMART SERVICE SUPPORT

The inTOUCH app reminds you in good time of maintenance intervals, supports you with questions about the appliance and allows remote access by the service partner.



TRYING IT OUT THE EASY WAY

Demo mode lets you test products in the inTOUCH app even without an appliance.

Demo mode






For example, to start up the appliance or receive instructions on the correct use of the product.

WARRANTY EXTENSION

Extend your warranty period up to a total of five years. By having your smart gardening tools serviced annually at your local Official AL-KO Dealer.

THE BENEFITS OF BATTERY POWER











II EAS

The battery fact sheet

State-of-the-art, high-performance batteries are used throughout our day-to-day lives - whether it's in our smartphones or laptops or in our digital cameras. But batteries are also increasingly used in gardening equipment, bringing many benefits. We have gathered here some of the most exciting facts in this area:

You can trim hedges with an area of 720 m² on a single charge of a 36 V (5.0 Ah) battery. This equates roughly to:

ping-pong tables



For the price of a pretzel, you can get

full battery charges

A single charge of the 36 V (5.0 Ah) battery costs roughly 4 pence

iPhone

batteries

A 36 V (5.0 Ah) battery can hold as much power as



Pssst: No motor

Longevity

18 V battery (2.5 Ah)

half-time in a



Lithium-ion batteries are used in...



football match



36 V battery (4.0 Ah)

Duration of a normal football match



Smartphones





Electric cars and hybrid vehicles





Cameras





champion: A 36 V battery weights just as much as a


A featherweight

week old golden



An 18 V battery weighs just as much as





Good resistance to high and low temperatures

Between +5°C and 35°C is the ideal temperature range for lithium-ion batteries

Charging a completely dead 18 V battery requires as much energy as is needed to heat 0.45 litres of water in a kettle to 100°C





Depending on the lawnmower and

the battery type, a single charge

E-bikes





FEATHERLIGHT BATTERY POWER

ALKO 18V III

EASY FLEX

CORDLESS ENERGY FOR MORE THAN A DOZEN DIFFERENT APPLIANCES

DISCOVER FLEXIBLE GARDENING PLEASURE!

The growing AL-KO Easy Flex range now includes over a dozen appliances which can be used with the same battery.



ALKO 18V III

BATTERIES AND CHARGERS

B 50 Li Battery

Lithium-ion, 20 V max. (2.5 Ah) Art. no. 113 559 EAN no. 400 371 805 7591 **B 100 Li Battery**

Lithium-ion, 20 V max. (5.0 Ah) Art. no. 113 698 EAN no. 400 371 805 9755

PERFECTLY EQUIPPED

Products from the AL-KO Easy Flex range perfectly equips you for small to medium-sized gardens.



C 30 Li Charger

Lithium-ion, 20 V max. (3.0 Ah) Art. no. 113 560 EAN no. 400 371 805 7607



C 30 Li Double Charger

Lithium-ion, 20 V max. (3.0 Ah) Art. no. 113 561 EAN no. 400 371 805 7614



C 60 Li Fast Charger

Lithium-ion, 20 V max. (6.0 Ah) Art. no. 113 858 EAN no. 400 371 806 1703



DISCOVER THE ENTIRE

ALKO 18 V III RANGE

EASY FLEX



LAWNMOWER PAGE 73





PLANT SPRAYER PAGE 130





HEDGE TRIMMER PAGE 118



LED SPOTLIGHT PAGE 131



HIGH-PRESSURE CLEANER PAGE 133

PAGE 131



PRUNER AND **LONG REACH HEDGE TRIMMER** FROM PAGE 120



HANDSAW PAGE 131

TRIMMER **PAGE 114**



HIGH-PERFORMANCE BATTERY POWER

ALKO 36 V III-

MAXIMUM PERFORMANCE AND FLEXIBILITY

POWERFUL MACHINES FOR THE PERFECT GARDEN

The wide selection of products in our AL-KO Energy Flex range is perfect for ambitious amateur gardeners looking for a broad appliance portfolio that uses a battery system.

Tip: The battery is also included with the lawnmower as well, allowing you to save money since you won't have to buy an extra battery for any additional AL-KO Energy Flex battery appliances.





READY FOR ANYTHING OPTIMUM COMPATIBILITY

The AL-KO Energy Flex range is perfect for all types of gardeners and is ideal for use on medium-sized to large gardens.

ALKO 36 V IIII ENERGY FLEX BATTERIES AND CHARGERS



B 150 Li battery Lithium-ion 36 V (max. 40 V) 4.0 Ah Art. no. 113 280 EAN no. 400 371 805 5283



B 200 Li battery Lithium-ion 36 V (max. 40 V) 5.0 Ah Art. no. 113 524 EAN no. 400 371 805 7096



C 130 Li charger Lithium-ion, 36 V (max. 40V) 3.0 A Art. no. 113 281 EAN no. 400 371 805 5290

DISCOVER THE ENTIRE

ALKO 36 V III RANGE

ENERGY FLEX





FROM PAGE 53



CHAINSAW PAGE 133



SCARIFIER PAGE 92











PERFECT POWER FOR YOUR GARDEN

WHY WE DELIBERATELY CHOOSE 18 V (MAX. 20 V) AND 36 V (MAX. 40 V)

Does high voltage mean high power? It sounds attractive, but unfortunately it's not right. The power of your gardening tool is not defined by the volts or ampere-hours alone. The volt is merely a way of measuring voltage – the tools' watt-hours specifications are much more important. Watt-hours are calculated by multiplying voltage with capacity (volts times ampere-hours) and describe the energy content and thus also the operating time until recharging will be necessary.

At AL-KO, we always keep your needs in mind, so we have deliberately decided to offer batteries with up to 40 V and up to 180 watt-hours. Because they offer advantages that are perfectly matched with the requirements of your gardening work:

- Optimal performance for professional demands
- Long operating times
- Perfectly lightweight construction
- Easy-to-handle size



Voltage

VOLTS × AMPERE-HOURS

Capacity

Ah

Capacity

WATT-HOURS

Wh

Higher voltages don't necessarily equate to higher usefulness. On the contrary, this can only be achieved by using more battery cells in the battery and is therefore inevitably associated with disproportionately higher weight, a larger, bulkier housing and significantly higher costs.

We want to make your gardening easier and more pleasant, which is why we only use the best solution for you: Smart battery technology up to max. 40 V, easy to use for pure gardening enjoyment.

So we always have exactly the right type of drive and the perfect power supply for your needs.


TIP OPTIMAL BATTERY STORAGE

The battery should be stored in a dry and frost-free place. Remember to check the battery charge level after extended storage (every 1-2 months). Lithium-ion batteries can discharge fully when not used and should therefore be charged on a regular basis.




Follow the instructions in the user manual.

WE HAVE THE RIGHT SOLUTION FOR EVERY NEED.



The nominal voltage (18 V / 36 V) is the voltage in normal operation. The maximum voltage (max. 20 V / 40 V) indicates the maximum measurable value reached at the end of charging.



AL-KO BATTERY BELT WITH THE BBA 40 ADAPTER

CARRY THE BATTERY COMFORTABLY ON THE BELT

Hand-held products are becoming lighter because the battery can be carried on the belt rather than in the tool.

MAKING GARDENING WORK EVEN EASIER

- Up to a 30% weight reduction
- Reduces strain on your arms
- Optimum freedom of movement thanks to one-click disconnection of the belt and tool
- Comfortable to carry thanks to the special padding
- Stress-free gardening work
- The most lightweight tools on the market
- Ready to use out-of-the-box





FOR THE FOLLOWING AL-KO ENERGY FLEX PRODUCTS:



Leaf blower LB 4060 Page 113



Hedge trimmers HT 4055 Page 115



Leaf blower/vacuum blower LBV 4090 Page 113



Chainsaw CS 4030 Page 133



GT 4030 Page 100



Multi-tool MT 40 From page 108

even more efficient gardening work thanks to the AL-KO battery belt.

INGENIOUSLY CLEVER GARDENING WITH THE ROBOLINHO® W

ACHIEVE THE PERFECT GARDEN IN 3 STEPS WITH THE ROBOLINHO® W:

Download the AL-KO inTOUCH Smart Garden app and launch the machine connection wizard.

Give your Robolinho® a name or nickname

> Enter your WiFi details to establish the connection between your home WiFi system and the AL-KO Smart Cloud.

> > AND YOU'RE DONE!

AL-KO

Harness the full digital potential of our sophisticated and powerful system - made easy thanks to the AL-KO in-TOUCH Smart Garden app and our Smart Cloud. Here are some of the key features:

Use a nickname

Add your Robolinho® W to your app and define a 'nickname' for it. Some of our favourites for your inspiration:

privacy at home is secure and protected.

Security fit for the future

You can rest assured that the transfer of data between the

Robolinho® W, the AL-KO inTOUCH Smart Garden app and the

AL-KO Smart Cloud is absolutely secure and is compliant with the most stringent statutory data protection standards. All data transfer is in encrypted form, and the cloud data is hosted in Europe. None of the AL-KO gardening tools has a camera or microphone, so your





Smart servicing and repairs*

Configure

and operate

Operate the Robolinho® W from anywhere with ease using the app,

and easily configure lawn mowing

times, the rain sensor, eco mode,

starting points and more.

The Robolinho® W's error reports can be sent to the dealer using the app so that remote support can be provided (similar to reading the fault





Updates Keeping

your appliance

With our software updates, you can keep your Robolinho® W up to date at all times and benefit from new and improved features.

Stay informed at all times

The Robolinho® W reports its status to the AL-KO inTOUCH Smart Garden app and immediately provides guidance when your input is needed through push notifications if desired.*



Voice control*

For example, when you're away or for servicing you can "lend" your Robolinho® W to family members, neighbours or your

retailer, in other words, grant virtual access to the appliance.

Control your Robolinho® hands-free using its nickname, add it to task groups and routines, query its status, and easily configure functions by voice command, for example mowing times.

"Alexa! Tell AL-KO that the Robolinho® needs to mow the lawn at 8 a.m. on Monday.





Integration*

You can now connect, automate and control your Robolinho $^{\circledcirc}$ W very easily with other devices and services, thanks to the AL-KO IFTTT service (IF THIS THEN THAT) - even across web services

- To the AL-KO IFTTT service: ifttt.com/alko_smart_garden
- More information and use cases on pages 24/25





The choice is yours

Your Robolinho® W can also be operated over IFTTT or Google Assistant by voice commands.

SMART SCENARIOS WITH THE AL-KO IFTTT SERVICE


NUMEROUS WAYS TO CONNECT

The smart connected Robolinho® W model robotic lawnmowers can be controlled and automated via IFTTT routines. There are two ways to connect the Robolinho® with other web services and devices:

- If Robolinho® receives a user-selected signal ("trigger") from another web service or device, the Robolinho® carries out a user-
- When Robolinho® reaches a user-defined state, a user-defined action of another web service or device is triggered.

Thanks to the underlying concept of IFTTT it is possible to define individual scenarios. Synchronise Robolinho® activities with any IFTTT service, e.g. with a weather channel (stop mowing during a storm) or with an irrigation service (stop mowing when the lawn is being watered).

PERSONALISED SMART HOME by connecting your Robolinho® with hundreds of web services and devices



EXAMPLE APPLICATIONS



CONTROLLING THE ROBOLINHO® BASED ON THE WEATHER

The moment the weather service reports a storm or thunderstorm, the Robolinho® receives the command to stop mowing and return to the base station. When the sun comes out again, the Robolinho® starts mowing.





Should your Robolinho® mow during the morning in daylight, it will receive a command from the weather service to start mowing as soon as the sun rises.

Should your Robolinho® mow only in the evening until sunset, it will receive a command from the weather service to stop mowing as soon as the sun sets.





CONTROLLING THE ROBOLINHO® DEPENDING ON THE IRRIGATION STATUS

By connecting the Robolinho® to a compatible irrigation system via IFTTT, you can instruct the Robolinho® to mow only at the end of the irrigation cycle.

When irrigation starts, the Robolinho® receives the command to stop mowing and return to the base station.





ROBOLINHO®, TAKE A BREAK NOW

KEEPING YOUR HANDS FREE FOR LIFE'S IMPORTANT THINGS



AL-KO INTOUCH SMART GARDEN APP

88

CONTROL YOUR ROBOLINHO® FROM ANYWHERE



Simply optimise tasks, automate routines to suit your preferences, manage appliances such as the Robolinho® W from anywhere, and get useful information about your appliances and your garden. This saves not only effort and resources, but also your valuable time.



Mowing pause time: 8 h

MON TUE WED THU FRI SAT SO

AL-KO in TOUCH



Mow operation

SMART MOWING TIME WINDOW

Adapts to actual needs (weather, temperature, etc.)

THE ROBOLINHO® 'SHARE' FEATURE

(for example when you're away or when your service partner carries out remote maintenance)

OPERATING AND CONFIGURING

{ô}

(mowing time window, rain sensor, Eco mode, starting points, updates and much more)

STAY INFORMED AT ALL TIMES

Status message and direct assistance – if you want, by push notification.


SMART MOWING WITH **OUR ROBOLINHO® W ROBOTIC MOWERS**



YOUR **ADVANTAGES**

- THE ROBOLINHO® DEVICES ARE VERY **OUIET WHEN IN OPERATION.**
- IT MAKES THE GRASS THICKER, STRONGER AND MORE ATTRACTIVE.
- THE ROBOLINHO® DEVICES ARE **INCREDIBLY ECO-FRIENDLY** THANKS TO THEIR LOW ENERGY CONSUMPTION.
- **EASY INSTALLATION AND** RELIABILITY PROVIDED BY EASY-**TO-USE USER INTERFACE OFFERS GREATER FREEDOM.**
- THE GRASS CLIPPING DON'T HAVE TO BE DISPOSED OF. AND THUS CAN **BE USED AS NATURAL FERTILISER** (MULCH)
- A COMPREHENSIVE SAFETY SYSTEM WITH SEVERAL SENSORS ENSURES PROTECTION IN ALL SCENARIOS.















THE VERY BEST IN SAFETY

Five independent sensors, in conjunction with a sophisticated safety concept, ensure comprehensive operational safety at all times. During day-to-day operation, the Robolinho® identifies obstructions and reliably evades them.

COMPATIBLE WITH ALEXA, IFTTT AND AL-KO INTOUCH

You can monitor and configure your Robolinho® easily using the AL-KO in-TOUCH app, Amazon Alexa and IFTTT. You can also use these to link up other services and appliances.





DOUBLE SHARPNESS ON BOTH SIDES

The two hardened blades are rotated alternately in clockwise and anti-clockwise operation, which keeps them sharp for twice as long. And by simply flipping over the blades, you can double their service life a further time. The unique double blade technology with clearing blades delivers a perfect cut.



The built-in rain sensor gives you the choice: mow the lawn in the rain or take a break. The integrated temperature sensor warns you of frost.

PERFECT CLIMBING ABILITY

Thanks to the device's powerful drive system and high-grip wheel tread, the Robolinho® can master gradients of up to 45% with ease. The two drives, with the robust wheel tread, ensure small turning radii and excellent traction.

EASY TO USE

The intuitive control panel makes programming of the Robolinho® simple. Simply enter the days and times you want the Robolinho® to be active, and you're done.

















EASY TO INSTALL, YOU'LL BE UP AND RUNNING IN NO TIME

YOUR PATH TO FULLY AUTOMATIC LAWN CARE

INSTALLATION SERVICE

The installation can be even more convenient if you have an installation partner come to do it.



DISCOVER OUR SMART ROBOLINHO® ROBOTIC MOWERS.

UNDISTURBED NIGHTS

Our prickly friends mostly move around in the dark. Out of consideration for them, it's better to leave your Robolinho® in its base station at night.

LAYING CABLE

MOVE

AROUND OBSTACLES

Exclude obstacles such

as beds and pools using

the boundary cable

Lay the boundary cable around the mowing area.



SMART GARDENING

Robolinho® connects to the AL-KO Smart Cloud over WiFi either directly with the inTOUCH app on your smartphone or through your WiFi home network over the internet. This allows you to monitor, configure and operate the Robolinho® from

anywhere in the world, whether by using the AL-KO inTOUCH app, using Amazon Alexa, or using the Smart Cloud service. In addition, you can benefit from regular software updates for your Robolinho® and the ability to share your Robolinho®

with family, neighbours and your preferred solo by AL-KO dealer, so that they can monitor or provide support to your Robolinho® when you're not around.









PROTECT BEES

There are fewer and fewer places that are safe for bees in the outdoors. You can help them by giving them a separate area of their own.

SETTING UP THE BASE STATION

Installation of the base station in a location which is protected from the weather. Now possible outside the lawn area.

NARROW PASSAGES

Narrow corridors of only 60 cm can be managed by the Robolinho® without any issues.




ROBOLINHO® 450 W



- | Ideal for smaller, complex gardens
- Gets into the smallest corners and through narrow passages thanks to its compact design and intelligent control
- Easy to install and operate
- Four-fold blade service life through geometry with right-hand and left-hand rotation



For areas of up to 450 m²




ROBOLINHO® 1200 W



- | Narrow passages from 60 cm in width
- | Six individual starting points can be configured.
- | Easy to reach far-away areas in complex gardens.
- Smart rain sensor
- Reliable and convenient



For areas of up to 1,200 m²



ROBOLINHO® 700 W




- | Small, compact and agile
- High ground clearance for effortless mowing in high, thick grass
- | Double-bladed mower deck with reversible blades
- Longer service life thanks to righthand/left-hand rotation

Art. no. 127 569



For areas of up to 700 m²



ROBOLINHO® 2000 W



- | Efficient operation with an large area coverage
- | Fully automatic operation
- Powerful and surprisingly quiet drive system in conjunction with high ground clearance and the tried-andtested mulching blade system
- Controlling the device from the simple display or your smartphone via inTOUCH couldn't be easier.

Art. no. 127 571



For areas of up to 2,000 m²





PREMIUM

ROBOTIC LAWNMOWERS	Robolinho® 450 W	Robolinho® 700 W	Robolinho® 1200 W	Robolinho® 2000 W
Working area*	Max. 450 m ²	Max. 700 m ²	Max. 1,200 m ²	Max. 2,000 m ²
Climbing ability	35 %	45%	45%	45%
Cutting width	20 cm	22 cm	23 cm	23 cm
Mowing time/charging time (max.)	50/45 min	60/50 min	140/90 min	240/170 min
Dimensions (L x W x H)	600 x 400 x 290 mm	600 x 400 x 290 mm	625 x 440 x 290 mm	625 x 440 x 290 mm
Cutting height adjustment	25–55 mm, manual	25–55 mm, manual	25-55 mm, manual	25–55 mm, manual
Volume in mowing mode	Max. 60 dB (A)			
Dual-bladed technology	✓	✓	✓	✓
Rain sensor	✓	✓	✓	✓
Freely selectable entry points	3	3	6	9
Installation option for 2nd base station	✓	✓	✓	✓
WiFi + Smart Cloud Connect**	✓	✓	✓	✓
Accessory included	1 unit base station			
Art. no. / EAN no.	127 618 / 400 371 806 1970	127 569 / 400 371 806 0515	127 570 / 400 371 806 0522	127 571 / 400 371 806 0539








^{*}The maximum area may be reduced by the layout of the garden as well as the number and size of the obstacles.

^{**} incl. integration with the AL-KO inTOUCH app (available for iOS and Android), Amazon Alexa, IFTTT









BASE STATION INCL. BASE PLATE

Robolinho® 700 W/1200 W/2000 W Art. no. 127 516 EAN no. 400 371 805 9571



CABLE REPAIR KIT

Robolinho® 700 W/1200 W/2000 W Art. no. 127 327 EAN no. 400 371 805 5139



REINFORCED LOOP WIRE

Roll (300 m) Art. no. 127 335 EAN no. 400 371 805 5924



LOOP WIRE

(150 m) Art. no. 119 462 EAN no. 400 371 835 1484



GROUND NAILS

(90-piece) Art. no. 119 461 EAN no. 400 371 835 1477



REPLACEMENT BLADES (3x2-piece)

Robolinho® 700 W/1200 W/2000 W Art. no. 127 465 EAN no. 400 371 805 8574



CUTTER DISC INCL. BLADE Robolinho® 450 W Ø 200

Art. no. 127 466 EAN no. 400 371 805 8581



Art. no. 127 467 EAN no. 400 371 805 8598

Robolinho® 1200 W/2000 W, Ø 230

Art. no. 127 544 EAN no. 400 371 806 0287



SET OF WHEEL CLAWS

Suitable for all Robolinho® models (450 W, 700 W, 1200 W and 2000 W) Art. no. 127 675 EAN no. 400 371 806 3615

NEW



LOW-VOLTAGE **CABLE EXTENSION**

1x5 m Art. no. 127 676 EAN no. 400 371 806 3622

CABLE LAYING KIT

1 x 150 m loop cable 1 x 90-piece ground nail set 5 x cable connectors Art. no. 127 513 EAN no. 400 371 805 9540

CABLE LAYING KIT

2 x 150 m loop cable 3 x 90-piece ground nail set 10 x cable connectors Art. no. 127 514 EAN no. 400 371 805 9557





LOW-EMISSION MOWING

BATTERY RIDE-ON LAWNMOWER





YOUR **ADVANTAGES**

- POWERFUL LITHIUM-ION
 BATTERY FOR UP TO 150
 MINUTES OF MOWING
- **CRUISE CONTROL**
- REVERSE MOWING AT FULL SPEED
- ✓ ERGONOMIC, ADJUSTABLE SEAT
- MULCH PLUG INCLUDED AND OPTIONAL REAR DEFLECTOR
- LARGE GRASS CATCHER BOX WITH TELESCOPIC LEVER
- FILL LEVEL INDICATOR WITH ACOUSTIC SIGNAL

PREMIUM

R 85.1 Li



- Now with a powerful battery drive
- Smooth electric drive
- Large lithium-ion battery for long-lasting operation
- Increased comfort through quiet mowing
- Close to edge mowing on both sides
- Adjustment of the blade speed in difficult conditions
- Optimised, responsive steering
- Adjustable seat for better ergonomics
- Grass catcher box fill level indicator
- Convenient recharging via a power socket

Art. no. 127 617

ACCESSORIES



DEFLECTOR

for the R 85.1 Li battery ride-on lawnmower Art. no. AK81EE08000 EAN no. 400 371 805 9793







YOUR **ADVANTAGES**

- COMFORTABLE, **ADJUSTABLE SEAT**
- **EASY-TO-USE CONTROLS**
- POWERFUL AL-KO PRO OR **BRIGGS & STRATTON ENGINE**
- FILL LEVEL INDICATOR WITH ACOUSTIC SIGNAL
- HYDROSTATIC DRIVE WITH **FOOT PEDAL***

- PATENTED REVERSE MOWING AT **FULL SPEED**
- LARGE GRASS CATCHER BOX WITH TELESCOPIC LEVER
- LOW OVERALL WIDTH OF MAX. 80 CM
- MANOEUVRABLE THANKS TO THE **GEARED STEERING***
- ANTI-SLIP STEERING WHEEL
- OPTIONAL DEFLECTOR



R 7-63.8 A



- Small is beautiful
- 62 cm cutting width
- Ideal for narrow garden passages with a total width of just 80 cm
- Highly manoeuvrable and compact
- Dynamic ride-on mower for angular areas and obstacles
- 4.2 kW AL-KO Pro engine
- | Precision mowing results and optimum grass catching even with dense and damp grass
- | Fill level indicator with acoustic signal





R 7-65.8 HD



Manoeuvrable and fun to use

- 62 cm cutting width
- Hydrostatic drive
- Ergonomic controls
- Geared steering
- Grass catcher box fill level indicator
- Powerful Briggs & Stratton engine
- Infinitely variable transmission
- Patented reverse mowing at full speed



DEFLECTOR

for the R 7 ride-on lawnmower Art. no. 127 534

EAN no. 400 371 805 9793



COMFORT

PREMIUM

	PEIKUL		BAITERY		
RIDE-ON Lawnmowers	R 7-63.8 A 1	R 7-65.8 HD 1	R 85.1 Li		
Engine	AL-KO Pro 225 (1 cylinder)	Briggs & Stratton 950 E (1 cylinder)	Brushless		
Power	224 ccm / 4.2 kW / 3,000 rpm	223 ccm / 4.0 kW / 3,000 rpm	72 V max. / 31 Ah / lithi- um-ion 2,232 Wh/hr		
Working width / mowing circle radius	62 / 63 cm	62 / 63 cm	81 / 50 cm		
Recommended area	2,500 m²	3,000 m²	6,000 m²		
Maximum operating time	-	-	150 mins (12 hour charging)		
Cutting height/height adjustment	2.5 – 7.5 cm / central, 4-stage	2.5 – 7.5 cm / central, 4-stage	2.5 – 13 cm / central, 10-stage		
Transmission (forward/ reverse)	Gearbox (F: 4 / R: 1)	Foot hydrostatic (T1)	E-Drive		
Speed forwards/reverse	0-4.5 / 0-1.5 km/h	0 – 6.2 / 0 – 3.8 km/h infinitely variable	0 – 6.5 / 0 – 5.0 km/h infinitely variable		
Mowing deck / blades	Sheet steel / 1 blade	Sheet steel / 1 blade	Sheet steel / 2 blades		
Grass catcher box	130 L	130 L	190 L		
Wheel Ø (mm front/rear)	11 x 4.0–5 / 13 x 5.0–6	11 x 4.0–5 / 13 x 5.0–6	11 x 4.0–5 / 13 x 5.0–6		
Art. no./EAN no.	127 486 / 400 371 805 9304	127 487 / 400 371 805 9298	127 617 / 400 371 806 1871		

EVERY THING AT A GLANCE





GARDEN TRACTORS

GET A LOT DONE, FAST AND EFFORTLESSLY





YOUR **ADVANTAGES**

- LARGE GRASS CATCHER BOX WITH TELESCOPIC LEVER / GAS SPRING SUPPORT* & ACOUSTIC FILL LEVEL INDICATOR
- OPTIONAL MULCH & REAR DISCHARGE FUNCTIONS

REAR DISCHARGE



SIDE DISCHARGE TRACTORS

- SIDE DISCHARGE WITH OPTIMAL DEPOSIT OF CUTTINGS
- CONVERT TO MULCHING FUNCTION WITHOUT NEEDING ANY TOOLS
 - * not available for all models

- PATENTED FRAME,
 ENSURING DURABILITY
- ERGONOMIC WORKING
 POSITION, WITH EASY ACCESS
 ON AND OFF THE TRACTOR
- MOWING RIGHT UP TO THE EDGES
- POWERFUL BRIGGS & STRATTON & AL-KO PRO ENGINES
- ANTI-SLIP STEERING WHEEL



- BROAD WHEELS FOR OPTIMAL TRACTION
- MOWER DECK CAN BE REMOVED IN JUST A FEW MINUTES
- PATENTED FREEWHEEL
 MECHANISM FOR PROTECTING
 THE TRANSMISSION UNIT
- ELECTROMAGNETIC BLADE
 BRAKE CLUTCH
- FOOT HYDROSTATIC



T 15-93.9 HDS-A



Compact and versatile

- 95 cm working width
- Powerful AL-KO Pro engine (8.5 kW)
- Hydrostatic drive
- Ideal for medium-sized lawns
- Mulching insert and numerous optional attachments
- An all-rounder during the summer and winter

Art. no. 127 574



SIDE **DISCHARGE** TRACTOR

DISCOVER INCREDIBLE MOWING PLEASURE



T 22-111.7 HDS-A V2



| Wide cut and powerful

- Powerful 2-cylinder AL-KO Pro engine
- 110 cm wide mowing deck
- With mulching function
- | Effective and fast results on large
- Large, wide tyres for excellent traction without leaving wheel ruts
- | Easy to activate and de-activate mower blades thanks to the electromagnetic blade brake clutch
- | Rapid conversion to winter usage with the mowing deck's quick-change system







YOUR ADVANTAGES

- Convert to mulching function without needing any tools
- Mower deck can be removed in a few minutes
- Side discharge with optimal deposit of cuttings



COMFORT

SIDE DISCHARGE TRACTORS	T 15-93.9 HDS-A	T 22-111.7 HDS-A V2
Engine	AL-KO Pro 450	AL-KO Pro 700 V2
ccm / kW / rpm	452 / 8.5 / 2,900	708 / 13 / 2,700
Working width	95 cm	110 cm
Area coverage	7,000 m²	10,000 m²
Cutting height / height adjustment	3-8 cm / central, 6-stage	3–8 cm / central, 6-stage
Blade brake clutch	Electromagnetic	Electromagnetic
Number of cylinders	1 cylinder	2 cylinder
Transmission	Foot hydrostatic (T2)	Foot hydrostatic (T3)
Wheels F/R (inches)	15×6.0–6 / 18×8.5–8	15 x 6.0–6 / 18 x 8.5–8
Grass catcher box	-	-
Grass catcher box emptying	-	-
Mulching	✓	✓
Bumper	Optional	Optional
Headlights	Optional	Optional
Length/width/height	190 / 102 / 114 cm	190 / 117 / 114 cm
Art. no. / EAN no.	127 574 / 400 371 806 0737	127 445 / 400 371 805 7751



PATENTED FREEWHEEL **MECHANISM FOR PRO-TECTING THE TRANS-MISSION UNIT**

- With this special mechanism, the forwards/backwards accelerator pedal is switched off while braking.
- This protects the transmission and increases the machine's service life when the accelerator pedal is operated at the same time as the brakes.



T 15-93.7 HD-A



- | Great performance and value for money
- Compact, entry-level tractor
- 93 cm mowing width
- Comfortable foot hydrostatic
- Large fabric grass catcher with 220 I
- | Powerful AL-KO Pro engine with 7.7 kW power rating and OHV technology

Art. no. 127 417



T 15-103.7 HD-A H



| For large areas

- | 103 cm working width
- Powerful 7.5 kW AL-KO Pro engine
- Ergonomic controls
- Comfortable mounting and dismounting thanks to the low and accessible access point

Art. no. 127 418



REAR COLLECT TRACTOR

THE PERFECT COLLECTOR FOR YOUR GRASS CLIPPINGS

T 13-93.7 HD



Ideal for level lawns

- 93 cm mowing width
- | Powerful 6.3 kW Briggs & Stratton engine
- I Effortless care for medium-sized to large lawns
- | The optimal pivot point in combination with the ergonomic telescopic lever ensure easy mechanical box emptying
- Optional mulching kit

Art. no. 127 416





T 16-93.7 HD V2 ¹



A powerhouse for every kind of terrain

- 93 cm working width
- Powerful, 2-cylinder, 9.6 kW Briggs & Stratton engine
- Extensive range of accessories
- Easy-to-dismantle mowing deck
- The quick release mower deck system allows for all year round use
- Bright LED headlights

Art. no. 127 443





300-LITRE GRASS CATCHER BOX WITH GAS SPRING SUPPORT

T 16-103.7 HD V2 1



| Workhorse with 2 cylinders

- 103 cm wide mowing deck
- Low-vibration, powerful, 9.1 kW, 2-cylinder engine from Briggs & Stratton
- Suitable for all terrains
- Torsion-resistant frame
- Easy to manoeuvre
- Easy-to-access controls
- Bright LED headlights

Art. no. 127 444





COMFORT

REAR DISCHARGE TRACTORS	T 15-93.7 HD-A	T 15-103.7 HD-A	T 13-93.7 HD	T 16-93.7 HD V2	T 16-103.7 HD V2
Engine	AL-KO Pro 450	AL-KO Pro 450	Briggs & Stratton 3130 Powerbuilt	Briggs & Stratton Intek 7160 V2	Briggs & Stratton Intek 7160 V2
ccm / kW / rpm	452 / 7.7 / 2,600	452 / 7.5 / 2,450	344 / 6.3 / 2,600	656 / 9.6 / 2,600	656 / 9.1 / 2,450
Working width	93 cm (2 blades)	103 cm (2 blades)	93 cm (2 blades)	93 cm (2 blades)	103 cm (2 blades)
Area coverage	up to 6,000 m ²	up to 7,000 m ²	up to 6,000 m ²	up to 6,000 m ²	up to 7,000 m ²
Cutting height / height adjustment	3-8 cm / central, 6-stage	3-8 cm / central, 6-stage	3-8 cm / central, 6-stage	3-8 cm / central, 6-stage	3–8 cm / central, 6-stage
Blade brake clutch	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
Number of cylinders	1 cylinder	1 cylinder	1 cylinder	2 cylinder	2 cylinder
Transmission	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)
Wheels F/R (inches)	15×6.0–6 / 18×8.5-8	15 x 6.0–6 / 18 x 8.5-8	15 x 6.0–6 / 18 x 8.5-8	15×6.0–6 / 18×8.5-8	15×6.0–6 / 18×8.5-8
Grass catcher box	220 I	220	220	220	300 I
Grass catcher box emptying	Telescopic lever	Telescopic lever	Telescopic lever	Telescopic lever	Telescopic lever / gas pressure
Mulching	Optional	Optional	Optional	Optional	Optional
Bumper	Optional	Optional	Optional	Optional	Optional
Headlights	Optional	Optional	Optional	LED	LED
Length/width/height	239 / 102 / 114 cm	239 / 110 / 114 cm	239 / 102 / 114 cm	239 / 102 / 114 cm	239 / 110 / 114 cm
Art. no. / EAN no.	127 417 / 400 371 805 7294	127 418 / 400 371 805 7300	127 416 / 400 371 805 7287	127 443 / 400 371 805 7737	127 444 / 400 371 805 7744









THE INTEK ENGINES

Many lawn tractors are fitted with highquality, air-cooled Intek engines from the US manufacturer Briggs & Stratton.

The reason: That's because it's one of the best power units available on the market in terms of lawn tractors.

Thanks to cast-iron cylinder liners, pressure lubrication with oil filter, antivibration system and state-of-the-art OHV technology with overhead valves, the series is extremely durable and reliable. What's more, it ensures excellent results in day-to-day demanding tasks.





OUR POWERFUL MACHINES

THE STRONGEST HORSES IN THE STABLE **PREMIUM TRACTORS**











Majestic view

You'll feel like rovalty in this comfort seat - it's so comfortable, you'll never want to leave it again!

Easy on, easy off

Thanks to the low entry level, getting on to the tractor is effortless, so you can start mowing right away.



The perfect trim

The central multi-step cutting height adjustment lets you work precisely and as you wish in all conditions.



Big wheels keep on turning

XXL wheels

for mowing that protects the lawn.



Everything in view*


With the smart-cockpit display you can simply look up data such as speed, previous mowing time, fuel gauge, etc. on your smart cockpit - while you mow.



Twice as sharp!

The two-part cutting mechanism with a cutting width of

can be dismantled in only two minutes! With no need for a mechanic!



2-cylinder engine with integrated cruise control allows uniform and effortless moving in all situations.*

Strong performance

The strong construction. reinforced frame and cast-iron axle ensure the durability of the tractor and enable high mowing precision.*

You can rely on our quality!

With our quality promise "Engineered in Germany & Made in Austria", there's nothing to stand in the way of years of enjoyable mowing.



Nimbly through the garden slalom

With the smooth steering you'll manoeuvre through your garden and around all obstacles both forwards and backwards.







YOUR **ADVANTAGES**

- PATENTED FRAME, ENSURING DURABILITY
- POWERFUL 4-STROKE ENGINE
- **ERGONOMIC, ADJUSTABLE** SEATING POSITION
- MOWER DECK CAN BE REMOVED IN JUST A FEW MINUTES
- 95, 105, 110, 125CM DECK WIDTHS
- LARGE GRASS CATCHER BOX WITH ACOUSTIC FILL LEVEL SIGNAL
- NON-SLIP FOOTREST WITH INTEGRATED RUBBER ELEMENTS
- MOWING RIGHT UP TO THE EDGES
- MULCH PLUG AND BUMPER **INCLUDED**
- SMART-COCKPIT DISPLAY**


- **BROAD WHEELS FOR OPTIMAL** TRACTION
- **BALL-BEARING-MOUNTED DRIVE** FOR VIBRATION DAMPING
- **ELECTROMAGNETIC BLADE** BRAKE CLUTCH
- **FORWARDS AND BACKWARDS** PEDALS ARRANGED NEXT TO **ONE ANOTHER**
- **EXTERNAL TANK NOZZLE**
- LOW STEP AND PLENTY OF **LEGROOM**
- **EASY-TO-USE CONTROLS**
- FOOT HYDROSTATIC
- **ELECTRIC TIP GRASS BOX** EMPTYING AT THE PUSH OF A **BUTTON***



SMART TRACTORS



KEEP AN EYE ON ALL FUNCTIONS WITH THE SMART-COCKPIT DISPLAY



Simply insert it in the robust holder on

- Download AL-KO inTOUCH app
- Link to the tractor

the tractor.

- Enhanced driving experience
- Convenient maintenance assistance



ENHANCED DRIVING EXPERIENCE



TRACTOR WITH LONGER SERVICE LIFE



MAKES YOUR WORK EASIER



ROBUST HOLDER FOR MAXIMUM SAFETY



SUITABLE FOR SMARTPHONES OF 4 TO 7"



BETTER MOWING RESULTS




APPLICATION TIPS IF PROBLEMS CROP UP


SMART COCKPIT

DIRECT OPERATION ON THE TRACTOR
















YOUR ADVANTAGES

- Notification of scheduled servicing times (e.g. blade change, oil change, etc.)
- Regular contact between retailer and end-customer via app
- Servicing logs and notes

YOUR ADVANTAGES

- | Servicing log for quick access to recommended future servicing actions
- | Easy to look up past services and inspections


SUPPORT DATA

- Contact a retailer of your choice
- Useful product videos
- List of accessories
- Spare parts lists
- File for electronic manuals

SMART TRACTORS



CUSTOMISED SETTINGS





INTELLIGENT FUTURE MOWING INTERVALS BASED ON

- Garden location
- Garden conditions
- Operating mode

✓ TRACTOR MOWING LOG*

- Hours per week or month
- Operating mode, e.g. driving time vs mowing time

* Requires link to smartphone while mowing

DISCOVER OUR SMART TRACTORS.



ACCESSORIES



TRACTOR WITH HIGH GRASS MOWER DECK

SCRUB OR HIGH GRASS?
OUR HIGH GRASS MOWER DECK HANDLES IT ALL!









T 15-95.6 HD-A



| Comfortable mowing pleasure

- 95 cm wide mowing deck
- 7.7 kW AL-KO Pro engine
- Foot hydrostatic
- Mulching kit and tow hitch included as standard
- Ergonomic pedals and controls in sight
- Non-slip footrest with integrated rubber elements

Art. no. 127 367





T 16-105.6 HD V2



| Suitable for hilly terrain

- 105 cm wide mowing deck
- Powerful, 2-cylinder, 9.1 kW engine from Briggs & Stratton
- For large and uneven lawns
- 8-litre fuel tank
- Fast and convenient tank refilling thanks to the external tank flap
- Ergonomic twin touch pedals
- LED headlights
- | With mulching kit & tow hitch

Art. no. 127 370



T 16-95.6 HD V2 H



2 cylinders under the bonnet

- 95 cm wide mowing deck
- 9.6 kW Briggs & Stratton engine
- Perfect for terrain with gradients and holes in the turf
- With mulching insert as standard
- Ergonomic pedals and controls in sight
- Non-slip footrest with integrated rubber elements

Art. no. 127 369




T 22-105.1 HD-A V2



NEW

| Perfect for large and hilly areas



- 105 cm wide mowing deck
- | Ergonomic twin touch pedals
- Wide rear tyres to protect the lawn as you mow
- Comfortable and adjustable drivers
- | Fast and convenient tank refilling thanks to the external tank flap
- With mulch kit & tow hitch

Art. no. 127 601



WITH SMART-COCKPIT

T 20-105.2 HD V2 SD



| smart-cockpit and G700 transmission

NEW

- 105 cm wide mowing deck
- 23" wide tyres for optimum traction
- 20-80mm cutting heights
- Powerful V-Twin 11.3 kW engine
- Cast axle
- Perfect for uneven terrain
- Semi-professional drive components
- With cruise control and mulching kit




WITH SMART-COCKPIT

T 20-105.2 HDE V2 SD



NEW

Electric tip and smart-cockpit



- 23" wide tyres for optimum traction
- Low centre of gravity for uneven terrain
- Powerful V-Twin 11.3 kW engine
- Front bumper and cast axle
- G700 transmission
- Semi-professional drive components
- With cruise control and mulching kit



WITH SMART-COCKPIT

T 23-125.2 HD V2 SD





| Largest and most powerful model in the range

- | Extra-wide, with a timed125 cm mowing deck
- | Extra powerful, 2-cylinder engine (14.4 kW)
- I Ideal for the quick cutting of large areas (of up to 10,000 m²)
- Robust, torsion-resistant C-profile frame
- Sturdy die-cast front axle
- Semi-professional drive components
- Bumper and cruise control





SMART MOWING Thanks to the intuitive smart-cockpit, the driver not only has constant access to operating hours but also additional information such as speed, mowing efficiency, remaining mowing time, battery charge level, reserve fuel level or relevant safety functions.



^{*}smart ready = All Premium tractor models as from 2014 can be retrofitted with the smart cockpit

MINIMAL TURNING CIRCLE FOR TOP MOWING RESULTS

High Grass Mower with with smart-cockpit smart-cockpit T 20-105.2 T 23-125.2 T 22-110.0 HDE V2 SD HDH-A V2 HD V2 SD **Briggs & Stratton** AL-KO Briggs & Stratton Intek 7200 V2 Pro 700 V2 Intek 8240 V2 656 / 11.3 / 2,450 708 / 13.4 / 2,900 724 / 14.4 / 2,900 125 cm 105 cm 110 cm (2 blades, synchro-(2 blades) (3 blades) nised) up to 8,000 m² up to 9,000 m² up to 10,000 m² 3-9 cm / 3-9 cm / 3-9 cm / central, 7-stage central, 7-stage central, 7-stage Electro-magnetic Electro-magnetic Electro-magnetic 2 cylinder 2 cylinder 2 cylinder Foot hydrostatic (G700) Foot hydrostatic (T3) Foot hydrostatic (G700) 16x6.5-8/ 16 x 6.5-8 / 16x6.5-8/ 23 x 10.5-12 23 x 10.5-12 20 x 10 0-8 310 I 310 I Telescopic lever, electric Electric emptying emptying available smart ready* 256/110/ 200/114/ 256/130/ 120 cm 117 cm 120 cm

127 575 /

400 371 806 0935

127 653 /

400 371 806 3196

127 683 /

400 371 806 3707



HYDRO DRIVE THANKS TO HYDRO-GEAR

As one of its key features, our tractors include a high-quality Hydro-Gear® transmission and thus can ensure the very best driving experience in even the most difficult situations. The hydrostatic transmission from Hydro-Gear® was developed, tested and built to ensure reliable, quiet and yet extremely precise performance for years to come. The star feature of our two top models - the T20 and T23 is the G700 transmission series. With its rugged cast aluminium

NEW

housing and improved internal components, as well as solid 1" wheel shafts, the G700 offers the best performance in all situations, and over a long period of time. An external oil filter makes maintenance easier, while the integrated oil pump ensures that the main hydraulic elements are always supplied with sufficient oil to ensure smooth, low-noise operation with less wear and tear on the components. In brief: Top on Top.





SMART-COCKPIT RETROFIT KIT

for all Premium tractors as from 2014

SMART-COCKPIT WIRELESS CHARGING EXTENSION MODULE





SPREADER SP 60*



LOADING RAMP COMPLETE STRAIGHT (PAIR)

2 m, 400 kg



RETROFITTING KIT FOR LED LIGHTS

BUMPER







COMBI TRAILER*

LOADING RAMP COMPLETE CURVED (PAIR)

2 m, 400 kg

 $\ensuremath{^{*}}\mbox{Use}$ only in conjunction with the matching tow hitch



TRACTOR	T 15-93.9 HDS-A	T 22-111.7 HDS-A V2	T 13-93.7 HD	15-93.7 HD-A	T 16-93.7 HD V2	T 15-103.7 HD-A	16-103.7 HD V2	15-95.6 HD-A	T 16-95.6 HD V2	T 16-105.6 HD V2	22-105.1 HD-A V2	T 20-105.2 HD V2 SD	T 20-105.2 HDE V2 SD	22-110.0 HDH-A V2	23-125.2 HD V2 SD
ACCESSORIES	I	Т2	T.	Ĭ,	T	Ξ	Ξ	Ξ	T	T1	Т2	Т2	Т2	T 2	T 2
Bumper Art. no. 119 658 / EAN no. 400 371 835 3464	0	0	0	0	0	0	0	~	~	~	~	~	~	~	~
Electric grass catcher box emptying Art. no. 119 602, EAN no. 400 371 835 2948	_	_	_	-	_	-	_	0	0	0	0	0	~	_	0
Mulching kit for 93/95 cm Art. no. 118 885, EAN no. 400 371 834 5643	_	_	0	0	0	-	_	~	~	_	_	_	_	_	_
Mulching kit for 103/105 cm Art. no. 119 656, EAN no. 400 371 835 3440	_	_	_	-	_	0	0	_	_	*	~	~	~	_	_
Premium deflector Art. no. 119 606, EAN no. 400 371 835 2986	-	_	_	-	_	_	_	0	0	0	0	0	0	_	0
Comfort deflector Art. no. 127 488, EAN no. 400 371 805 9281	-	_	0	0	0	0	0	-	_	-	_	_	-	_	_
Premium tow hitch Art. no. 119 608, EAN no. 400 371 835 3006	_	_	_	-	_	-	_	~	~	~	~	~	~	~	~
Comfort tow hitch Art. no. 119 831, EAN no. 400 371 835 5109	0	0	0	0	0	0	0	_	_	_	_	_	-	_	_
Lawn roller GW 100* Art. no. 130 539, EAN no. 576 972 033 0617	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Retrofitting kit for LED lights Art. no. 119 832, EAN no. 400 371 835 5116	0	0	0	0	~	0	~	0	~	~	~	~	~	~	~
Combi Trailer CT 300* Art. no. 27300C, EAN no. 506 036 621 2115	0	0	0	0	0	0	0	_	_	_	_	_	_	_	_
Combi Trailer CT 400* Art. no. 113 870, EAN no. 400 371 806 1895	-	_	_	-	_	_	_	0	0	0	0	0	0	0	0
Spreader SP 60* Art. no. 113 874, EAN no. 400 371 806 1932	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Straight loading ramp Art. no. 113 861, EAN no. 400 371 806 1949	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Curved loading ramp Art. no. 113 862, EAN no. 400 371 806 2038	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
smart-cockpit retrofit kit Art. no. 127 655, EAN no. 400 371 806 3332	-	-	_	-	_	-	_	0	0	0	0	~	~	0	~
smartcockpit induction charging extension module Art. no. 127 656, EAN no. 400 371 806 3349	_	-	-	-	-	-	-	0	0	0	0	0	0	0	0

 $[\]ensuremath{^{\star}}\xspace$ Use only in conjunction with the matching tow hitch

Included as standardOptionalNot Available

COMFORT

PREMIUM







2INONE function

Classic and proven - Mowing and grass catching



3INONE function

A versatile machine for the perfect lawnmowing, catching and mulching performance



The All-Inclusive package -Mowing, grass catching, mulching and side discharge

MAXAIRFLOW TECHNOLOGY

PERFECT AIR AND FLOW **CHARACTERISTICS**



IT'S A MATTER OF HEIGHT

Extra tall, extra large – that's the basis of MaxAirflow technology. Thanks to the extra-high steel plate housing and the extra-large discharge channel, airflow is increased by 42% compared to conventional steel plate housings.

So unlike in standard lawnmowers, the grass clippings are not thrown at a low angle into the grass catcher, but rather in a high arc. This means the grass catcher is effectively filled from the back, without the discharge channel becoming blocked.



FULL BOX, FEWER STOPS

MaxAirflow technology means that the lawn clippings are thrown to the back of the grass catcher box, meaning it can be filled to the top and doesn't have to be emptied so often.



OPTIMUM GRASS CATCHING

The perfectly filled box also collects grass cuttings from the discharge channel thanks to the integrated box tongue. This is an ideal way to collect the grass and leaves fewer grass clippings lying on the lawn.




NO MORE GREEN FINGERS

Thanks to MaxAirflow technology, it is possible to mow even long, damp grass, without leaving clumps behind on the ground or blocking the discharge channel. This way, you can avoid getting your hands dirty as well.

SMART BUTTON








SMART-CONNECTED

EVERYTHING IN VIEW WITH THE AL-KO INTOUCH APP



- DISPLAY CHARGE LEVELS OF BOTH BATTERIES
- **CONNECTIVITY STATUS**
- **✓** SELECTED MOWING SPEED
- SHOW DATE OF LAST MOWING OPERATION
- ACCESSORIES AND SPARE PARTS CAN BE PURCHASED DIRECTLY
- **FITNESS TRACKER**
- PUSH NOTIFICATIONS IN CASE OF PROBLEMS









SMART-COCKPIT

EASY CONTROL





- **✓** DISPLAY BATTERY CHARGE LEVEL
- **CONNECTIVITY STATUS**
- **✓**ERROR MESSAGES

SMART FUNCTION

CONVENIENT ELECTRONIC CONTROL
OF THE VARIO DRIVE WITH 7 SPEEDS
(from 2.5 to 4.5 km/h)

"MAXRUN" FUNCTION

✓ THE POWER SAVING MODE PROLONGS THE BATTERY RUNNING TIME, GIVING YOU MAXIMUM MOWING TIME











EVERYTHING UNDER CONTROL

You can check the battery's current charge level by simply pressing a button. Thanks to lithium-ion technology, it can be charged quickly at any time. A complete charge only takes about one and a half hours.



BE ON THE SAFE SIDE

To prevent the motor from starting unintentionally, all lawnmowers are fitted with a safety key. The motor will only start when you insert this key and turn it. After removing the key, you can switch off the mower without any worries.



EASY HANDLING

Thanks to the central cutting height adjustment, you can achieve perfect cutting results at the flick of a wrist. You can select the right cutting height easily using an integrated lever.









ENVIRONMENTALLY FRIENDLY AND QUIET IN THE GARDEN

COMFORT BATTERY LAWNMOWERS AL-KO 46.2 LI SP-W







Energy with stamina

The AL-KO Energy Flex lithium-ion battery is available with either 4 Ah or 5 Ah. As there is no memory effect, AL-KO Energy Flex lithium-ion batteries have a long service life. The fill level indicator on the battery shows when the battery has to be recharged.



Convenient charging

A full battery charge takes as long as a good film or two episodes of your favourite TV programme. Go on, take a break!



Smart Button

Using IFTTT routines, you can define up to three scenarios of your choice on AL-KO smart lawnmowers. For example, simply press the Smart Button to switch on the A/C system in the house after you've finished work.

Smart-Connect

Connect to the AL-KO InTouch Smart Garden app to view status messages, such as battery level or mowing speed, or to receive push notifications if a problem crops up.









A battery for versatile use

Whether mowing lawns, cutting hedges or blowing leaves — with the AL-KO Energy Flex range, you'll only need the one battery. And best of all, the lawnmower comes with a battery and a charger. So you can buy other AL-KO Energy Flex battery-operated tools affordably without an additional battery.

Relaxed mowing

Cordless battery lawnmowers combine the advantages of classic petrol lawnmowers with the quiet and exhaust-free operation of electrical versions – and without the irritating cable. The perfect combination!



Fit for your garden

A cutting width of up to 46 cm offers a truly efficient way to work on large lawns.



BATTERY LAWNMOWERS

COMFORT MODELS

COMFORT ADVANTAGES

- Central cutting height adjustment
- Height-adjustable handlebar
- Ergonomic handlebar with soft grip








ALKO 36 V III ENERGY FLEX

BALANCED DISCHARGING SYSTEM

You can run the AL-KO Energy Flex battery lawnmower either on one battery or two. The running time is increased accordingly when you use two batteries. The Balanced Discharging System controls the gentle discharge of the battery and ensures long service life.

BALANCED DISCHARGING OF BOTH BATTERIES





Battery compartment for up to two batteries with Balanced Discharging System for maximum running time, gentle discharging of the batteries and long service life.



PREMIUM MODEL

SMART + COCKPIT



AFKO 36 A III

ENERGY FLEX

512 Li VS-W

| Battery compartment fits up to two batteries

51 cm cutting width

For lawns up to 1,000 m²

With "Balanced Discharging" for maximum running time

Incl. Smart Button

maxRun Cockpit with LED battery level indicator, Eco mode and electrically controlled drive

Convenient handlebar control

Variable speed wheel drive

Art. no. 123 012

Batteries and charger

Page 20/21

PREMIUM ADVANTAGES

Includes cockpit

| Central cutting height adjustment

Height-adjustable handlebar

| Ergonomic handlebar with soft grip

Extra large, robust grass catcher boxes



	34.8 Li	3.29 Li	3.85 Li	Moweo 42.0 Li
Category	EASY	EASY	EASY	COMFORT
Battery type	AL-KO 18 V Easy flex	AL-KO 36 V Energy flex	AL-KO 36 V Energy flex	AL-KO 36 V Energy flex
Cutting width	34 cm	32 cm	37 cm	42 cm
For lawns of max. size	200 m ²	250 m ²	300 m ²	400 m ²
Function	2INONE function	2INONE function	2INONE function	2INONE function
Cutting height / cutting height adjustment	25 - 75 mm / Central, 6-stage	25 - 65 mm / Central, 5-stage	25 - 75 mm / Central, 6-stage	30 - 75 mm / Central, 7-stage
Battery Type Included	2x 18 V (max. 20 V) 2.5 Ah	1x 36 V (max. 40 V) 4.0 Ah	1x 36 V (max. 40 V) 4.0 Ah	1x 36 V (max. 40 V) 4.0 Ah
Battery charging takes up to	150 minutes	90 minutes	90 minutes	90 minutes
Wheel drive	-	-	_	-
Wheel diameter, front / rear	140/160 mm,	140/160 mm,	150/230 mm,	180/205 mm, ball-bearing mounted
Mower deck	Plastic PP	Plastic PP	Plastic PP	Steel plate
Volume of grass catcher box	30 I	30 I	45 I	65 I
Approx. weight	12 kg	12 kg	17 kg	23.7 kg
Mulching function	-	_	-	-
Smart-Connect	_	-	-	-
Art. no. / EAN no.	113 540 / 400 371 805 7584	113 663 / 400 371 805 9106	113 278 / 400 371 805 5009	119 933 / 400 371 835 5833

REPLACEMENT BLADE					
Art. no.	481 144	442 702	413 867	441 605	







NEW			NEW	NEW	NEW
42.2 Li	Moweo 42.1 Li SP	Moweo 46.0 Li SP	46.2 Li SP	46.2 Li SP-W	512 Li VS-W
COMFORT	COMFORT	COMFORT	COMFORT	COMFORT	PREMIUM
AL-KO 36 V Energy flex	AL-KO 36 V Energy flex	AL-KO 36 V Energy flex	AL-KO 36 V Energy flex	AL-KO 36 V Energy flex	AL-KO 36 V Energy flex
42 cm	42 cm	46 cm	46 cm	46 cm	51 cm
400 m ² - 800 m ²	400 m ²	500 m ²	400 m ² - 800 m ²	400 m ² - 800 m ²	500 m ² - 1,000 m ²
2INONE	2INONE	SINONE	SINONE	SINONE	4INONE
function	function	function	function	function	function
25 - 75 mm / Central, 7-stage	30 - 75 mm / Central, 7-stage	30 - 75 mm / Central, 7-stage	30 - 80 mm / Central, 7-stage	30 - 80 mm / Central, 7-stage	30–80 mm / Central, 7-stage
2x 36 V (max. 40 V) 4.0 Ah	1x 36 V (max. 40 V) 5.0 Ah	1x 36 V (max. 40 V) 5.0 Ah	2x 36 V (max. 40 V) 4.0 Ah	2x 36 V (max. 40 V) 4.0 Ah	2x 36 V (max. 40 V) 5.0 Ah
90 minutes per battery	120 minutes	120 minutes	90 minutes per battery	90 minutes per battery	120 minutes per battery
-	1-speed	1-speed	1-speed	1-speed	VarioSpeed
180/205 mm, ball-bearing mounted	180/225 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted
Steel plate	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate
65 I	65 I	70	70	70	70
24 kg	25.8 kg	31.2 kg	29.8 kg	29.8 kg	32 kg
-	_	✓	✓	✓	✓
-	-	-	_	✓	✓
123 009 / 400 371 835 6212	119 992 / 400 371 835 6281	119 934 / 400 371 835 5840	123 010 / 400 371 835 6502	123 011 / 400 371 835 6519	123 012 / 400 371 835 6526

441 605	441 605	441 505	441 505	441 505	442 857





LIGHT WEIGHT

Thanks to their carry handle and low weight, the 34 E and 40 E models can be transported easily. The ergonomic soft grip handlebar provides increased comfort during use.



MOWING NEAR TO THE EDGE

Thanks to the mower's special deck design which prevents the wheels protruding outwards, you can easily mow the lawn up to walls and edges. The single lever height of cut allows for simple adjustment for the desired finish.



PERFECTLY DESIGNED

The compact design and folding handle means our range of electric lawnmowers are manoeuvrable and easy to store away. The grass catcher box with aerodynamic air flow, large opening and a practical handle ensures easy, residue-free emptying.



YOUR ADVANTAGES

- Light and easy to manoeuvre
- Large tyres for optimal lawnmowing comfort
- Grass catcher box with integrated fill level indicator
- | 2INONE function (mowing, grass-catching)
- 3INONE function (mowing, grass-catching, mulching)

MULCHING ON DEMAND

Just mount the mulching insert without the need for tools and work the fine grass clippings into the lawn as a natural fertiliser (40 E Comfort).



	34 E Comfort	40 E Comfort
Category	COMFORT	COMFORT
Cutting width	34 cm	40 cm
For lawns of max. size	300 m ²	600 m ²
Function	2INONE function	3INONE function
Cutting height / cutting height adjustment	28-68 mm / central, 6-stage	28-68 mm / central, 6-stage
Induction motor	Electric, 1,200 W	Electric, 1,400 W
Cable length	12 M	16 M
Wheel diameter, front / rear	145 / 155 mm	155 / 190 mm
Mower deck	Plastic PP	Plastic PP
Volume of grass catcher box	37 L	43 L
Approx. weight	15 kg	19 kg
Mulching function	_	✓
Art. no. / EAN no.	112 857 / 400 371 804 3501	112 858 / 400 371 804 3594

REPLACEMENT BLADES		
Art. no.	463 800	463 915



40 E Comfort







CONVENIENT **HEIGHT ADJUSTMENT**

The central or individual wheel adjustment allows all models to be set to the desired cutting height in next to no time.



GET THE JOB DONE EASILY

The tyres on AL-KO petrol lawnmowers protect the lawn and ensure optimum mowing comfort. The drive of the XL/ XXL rear wheels also guarantees the best traction on the lawn.



THE BEST **RESULTS**

Whether you prefer mowing and collecting, mulching or side discharge: Our innovative mower decks guarantee you the best results in lawn care.

OUR RANGES

FIND YOUR PERFECT PETROL LAWNMOWER

The AL-KO range of petrol lawn mowers is separated into three different platforms - Easy, Comfort & Premium. This makes choosing a mower simple as you can make your decision based on the features you require.





- 42, 46, 51cm Cutting Width
- **Push & Self Propelled**
- 3 Year Domestic Warranty*
- **AL-KO Tech Engines**
- Simple Design



COMFORT



- 42, 46, 51cm Cutting Width
- **Push & Self Propelled**
- **60 Litre Collector**
- **Electric Start Option**
- **Soft Grip Handle**
- **Engineered in Germany Made in Austria**

- AL-KO PRO & Briggs & Stratton Engines
- MAXAIRFLOW Deck (46cm/51cm models)
- **Ball Bearing Wheels**
- **Sturdy Front Carry Handle**
- **3INONE or 4INONE Function**

PREMIUM



- 46 & 51cm Cutting Width
- **Automatic Choke Engines**
- **Large 70 Litre Collector**
- **XXL Ball Bearing Wheels**
- Flat OPC & Drive Levers
- Engineered in Germany Made in Austria

- AL-KO PRO, Briggs & Stratton & Honda **Engines**
- **Self Propelled & Vari-Speed**
- **MAXAIRFLOW Deck**
- **4INONE Function**
- **Soft Grip Handles**
- **Sturdy Front Carry Handle**

* Subject to annual service

PETROL LAWNMOWERS

EASY MODELS











EASY ADVANTAGES

- Optimum mowing and catching results thanks to the aerodynamic deck shape
- Front carry handle for easy portability*
- Steel plate deck
- Wheel drive*
- OHV engine with primer for easy starting
- Central cutting height adjustment
- * not available for all models







PETROL Lawnmowers	Easy 4.20 P-S	Easy 4.60 SP-S	Easy 5.10 SP-S
Category	EASY	EASY	EASY
Cutting width	42 cm	46 cm	51 cm
For lawns of max. size	800 m ²	1,400 m ²	1,800 m ²
Function	2INONE function	2INONE function	4INONE function
Cutting height / cutting height adjustment	30 – 75 mm / central, 7-stage	30 – 75 mm / central, 7-stage	30 – 75 mm / central, 7-stage
Engine ccm / kW / rpm	AL-KO Tech 140 140 / 2.0 / 2,900	AL-KO Tech 140 140 / 2.0 / 2,900	AL-KO Tech 160 160 / 2.3 / 2,900
Wheel drive	_	1-speed	1-speed
Wheel diameter, front / rear	175 / 200 mm	200 / 250 mm	200 / 250 mm
Mower deck	Steel plate	Steel plate	Steel plate
Volume of grass catcher box	50 L	60 L	60 L
Approx. weight	23.1 kg	28.1 kg	31.8 kg
Mulching function	_	-	✓
Side discharge	-	-	✓
Art. no. / EAN no.	113 794 / 400 371 806 0843	113 795 / 400 371 806 0850	113 796 / 400 371 806 0867

REPLACEMENT BLAD	ES			
Art. no.	492 242	492 208	492 209	

PETROL LAWNMOWERS

COMFORT MODELS





COMFORT ADVANTAGES

- Front carry handle for easy portability
- Ergonomic handlebar with comfort grip
- Central cutting height adjustment
- With MaxAirflow technology*
- Comfortable wheel drive for reduced strain*
- * not available for all lawnmower models







3INONE function









READY START/QUICK START

Thanks to the ready start/quick start system, the Briggs & Stratton EXi and the AL-KO Pro QSS engines can be started quickly and easily. No priming and no choke needed – simply pull and mow.

(Not on all lawnmower models)











FILL LEVEL INDICATOR

The high-capacity, aerodynamic plastic grass catcher box offers more than simply its size - the integrated fill level indicator also shows when the box is ready to be emptied. The built-in box tongue collects grass clippings from the discharge channel. (Not included in the Comfort 42.1 P-A & 42.1 SP-A)







					NEW		
	Comfort 42.1 P-A	Comfort 42.1 SP-A	Comfort 46.0 SP-A	Comfort 46.0 SP-B	Comfort 46.0 SPi-A	Comfort 51.0 SP-A	Comfort 51.0 SP-B
Category	COMFORT	COMFORT	COMFORT	COMFORT	COMFORT	COMFORT	COMFORT
Cutting width	42 cm	42 cm	46 cm	46 cm	46 cm	51 cm	51 cm
For lawns of max. size	800 m ²	800 m ²	1,400 m ²	1,400 m ²	1,400 m ²	1,800 m ²	1,800 m ²
Function	3INONE function	3INONE function	4INONE function	4INONE function	4INONE function	4INONE function	4INONE function
Cutting height / cutting height adjustment	25 – 75 mm / central, 7-stage	25 – 75 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage
Engine ccm / kW / rpm	AL-KO Pro 125 QSS 123 / 1.9 / 2,800	AL-KO Pro 125 QSS 123 / 1.9 / 2,800	AL-KO Pro 145 QSS 139 / 2.1 / 2,800	Briggs & Stratton 500 E 140 / 2.0 / 2,900	AL-KO Pro 170 Electric Start QSS 166 / 2.6 / 2,850	AL-KO Pro 145 QSS 139 / 2.1 / 2,800	Briggs & Stratton 625 EXi 150 / 2.3 / 2,900
Wheel drive	_	1-speed	1-speed	1-speed	1-speed	1-speed	1-speed
Wheel diameter, front / rear	180 / 205 mm	180 / 220 mm	200 / 280 mm	200 / 280 mm	200 / 280 mm	200 / 280 mm	200 / 280 mm
Mower deck	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate
Volume of grass catcher box	60 L	60 L	60 L	60 L	60 L	60 L	60 L
Approx. weight	25.9 kg	27.9 kg	34.0 kg	32.8 kg	37.2 kg	35.3 kg	34.7 kg
Mulching function	✓	✓	✓	✓	✓	✓	✓
Side discharge	_	-	✓	✓	-	✓	✓
Art. no. / EAN no.	119 998 / 400 371 835 5857	119 993 / 400 371 835 6298	119 938 / 400 371 835 5888	119 937 / 400 371 835 5871	119 940 / 400 371 835 5901	119 944 / 400 371 835 5949	119 943 / 400 371 835 5932

REPLACEMENT BLADES							
Art. no.	463 719	463 719	440 125	440 125	440 125	440 126	440 126

OUR POWERFUL MACHINES

ROBUST AND COMPACT PREMIUM



Perfect mowing results





The be

The perfect trim

The desired cutting height can be quickly set with the central and convenient height adjustment. So that your lawn also achieves perfection!

Ecological lawn care

With the mulching function for ecological lawn care – finely chopped grass clippings serve as organic fertiliser.



Comfortable handling

Ergonomically optimised controls and comfortable cockpit with soft grip handle.

Innovative engines

Enables lower oil consumption while at the same time maintaining optimal lubrication properties.



4INONE function

Multifunctionality

Flexible use for the perfect lawn: Mowing, collecting, mulching and side discharge.



Quick pit stop

The lawnmowers can be stored and cleaned vertically. So excellent space-saving storage is also possible until the next time the lawnmower is used.



The choice is yours

to 1,800 m².

Whether AL-KO, Briggs & Stratton or Honda – we have just the right quality engine for your needs!

Excellent construction! Functionality combined with

extreme durability and robustness

enable comfortable mowing of up

More mowing – fewer breaks!

MAX AIRFLOW

technology

The MaxAirflow technology ensures that the grass is transported optimally into the grass catcher and the grass catcher box is filled more effectively. So that you can carry on mowing for longer before having to empty the box.



Variable speed

The Variable Speed wheel drive lets you conveniently adjust the drive speed to suit your needs.





Integrated fill level display

Shows when the box has to be emptied.

PETROL LAWNMOWERS

PREMIUM MODELS

PREMIUM ADVANTAGES

- Front carry handle for easy portability
- Large, 70-litre grass catcher box
- Extremely powerful engines
- Central cutting height adjustment
- | Simple operation thanks to the cockpit* integrated into the handlebar on variable speed and electric start models
- | MaxAirflow technology for perfect grass collecting and optimal box filling
- 4INONE function (mowing, grass catching, mulching, side discharge)



MAX AIRFLOW

* For all models with the MaxAirflow logo





OPTIMUM CONTROL

Grip-optimised switch bracket and the comfortable cockpit with soft grip (depending on the model) make mowing so much easier for you. Thanks to the wheel drive and, depending on the model, the adjustable Variable Speed, cutting the grass has never been easier.













ACCESSORIES FOR ALL PETROL LAWNMOWERS



4-STROKE LAWNMOWER OIL SAE 30, 0.6 L Art. no. 112 888 / EAN no. 400 371 804 3952

PETROL Lawnmowers	Premium 470 SP-H	Premium 470 VS-B	Premium 520 SP-H
Category	PREMIUM	PREMIUM	PREMIUM
Cutting width	46 cm	46 cm	51 cm
For lawns of max. size	1,400 m ²	1,400 m²	1,800 m ²
Function	4INONE function	4INONE function	4INONE function
Cutting height / cutting height adjustment	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage
Engine ccm / kW / rpm	Honda GCVx 145 145 / 2.7 / 2,900	Briggs & Stratton 650 EXi 163 / 2.4 / 2,800	Honda GCVx 170 167 / 3.2 / 2,900
Wheel drive	1-speed	Variable speed	1-speed
Wheel diameter, front / rear	200 / 280 mm	200 / 280 mm	200 / 280 mm
Mower deck	Steel plate	Steel plate	Steel plate
Volume of grass catcher box	70 L	70 L	70 L
Approx. weight	35.2 kg	34.9 kg	36.5 kg
Mulching function	✓	✓	✓
Side discharge	✓	✓	✓
Art. no. / EAN no.	119 968 / 400 371 835 6137	119 947 / 400 371 835 6120	119 969 / 400 371 835 6144

REPLACEMENT BLADE	S			
Art. no.	440 125	440 126	440 126	



Premium 520 VS-B	Premium 520 VSI-B	Premium 521 VS-H
PREMIUM	PREMIUM	PREMIUM
51 cm	51 cm	51 cm
1,800 m ²	1,800 m ²	1,800 m ²
4INONE	4INONE	4INONE
function	function	function
30 – 80 mm /	30 – 80 mm /	30 – 80 mm /
central, 7-stage	central, 7-stage	central, 7-stage
Briggs & Stratton 675 EXi	B&S 675 iS InStart	Honda GCVx 170
163 / 2.6 / 2,800	163 / 2.6 / 2,800	167 / 3.2 / 2,900
Variable speed	Variable speed	Variable speed
200 / 280 mm	200 / 280 mm	200 / 280 mm
Steel plate	Steel plate	Steel plate
70 L	70 L	70 L
34.9 kg	38.2 kg	36.2 kg
✓	✓	✓
✓	✓	✓
119 949 /	119 948 /	119 994 /
400 371 835 5994	400 371 835 5987	400 371 835 6304
440 126	440 126	440 126

MULCH LAWNMOWER








MULCH MOWERS

ENVIRONMENTALLY FRIENDLY LAWNCARE

HOW DOES MULCHING WORK?

During mulch-mowing, the cut blades of grass are thrown upwards within the mower deck, finely shredded by a special blade and blown back onto the turf as a natural fertiliser - this returns natural nutrients to the lawn and protects it against drying out.



YOUR ADVANTAGES

- XL wheels that are gentle on your lawn
- Convenient cutting height adjustment
- Ergonomic handlebar
- **2INONE** function (mulch moving and side discharge)



QUICK **HEIGHT ADJUSTMENT**

The cutting height can be changed on each axle quickly and easily. The fullwidth axles offer stability and perfectly straight wheel motion.



MULCHING OR SIDE DISCHARGE

If necessary, e.g. when the grass is very long after returning from holidays, or when working on pastures or orchards, the mulch mower can easily be converted to the side discharge function.



FRONT-WHEEL **DRIVE**

The energy-saving alternative is useful primarily on hilly terrain. When manoeuvring, the front wheels can be lifted clear off the ground with the drive still activated, allowing the mower to be turned (SP-A model).

THE BIGGER, THE BETTER

The tyres protect the lawn and ensure optimal mowing comfort. The driven XL front wheels of the SP model also guarantee optimal traction on your lawn and help you get the job done with ease.







PIFORT 2 NE pon	46 cm 1,400 m ² 2INONE function 30 – 85 mm /
NE on	1,400 m ² 2INONE function
NE on	2INONE function
on .	function
,	30 – 85 mm /
mm / de, 4-stage	wheel axle, 4-stage
ro 125 Quick Start (QSS) 0 / 2,850	AL-KO Pro 145 Quick Start (QSS) 139 / 2.1 / 2,850
	1-speed
te	Steel plate
5 mm	220 / 205 mm, ball-bearing mounted at the front
	26.9 kg

REPLACEMENT BLAD	E		
Art. no. /	119 224 /	119 224 /	
EAN no.	400 371 834 8859	400 371 834 8859	





MANOEUVRABLE ON THE LAWN

The single-axle design of AL-KO hand lawnmowers ensures extreme manoeuvrability and is comfortable on uneven ground.



FIVE BLADE CYLINDER

The high quality 5 blade mowing cylinder made of hardened special steel ensures a perfect cut and uniform filling of the grass catcher box.



SIMPLE STORAGE

The hand lawnmower can be folded up easily to save space thanks to the integrated quick-release fastener (except on the 28.1 HM Easy).







FUNCTIONAL DESIGN

Lightweight, robust housing with a sleek design and XL wide tyres. The rubber bumper protects the housing from bumps and scratches.





High-precision trimming

With a hand lawnmower, you can cut the grass blades as precisely as if you were using scissors. The cutting technique plays an important role in this: The mowing cylinder and the lower blade don't touch each other, which makes the mower particularly gentle on the lawn.

	28.1 HM Easy	38.1 HM Comfort	38.1 HM Premium
Category	EASY	COMFORT	PREMIUM
Cutting width	28 cm	38 cm	38 cm
For lawns of max. size	150 m ²	250 m ²	250 m ²
Cutting height / cutting height adjustment	14 – 35 mm / 4-stage	14 – 35 mm / 4-stage	14 – 45 mm / variable
Mowing cylinder	128 mm / 5 steel blades	128 mm / 5 steel blades	128 mm / 5 steel blades
Blade technology	Cylinder, contactless	Cylinder, contactless	Cylinder, contactless
Wheel diameter	220 mm	220 mm	220 mm
Approx. weight	6.8 kg	7.8 kg	8.9 kg
Art. no. / EAN no.	113 864 / 400 371 806 1819	113 865 / 400 371 806 1826	113 866 / 400 371 806 1833



GRASS CATCHER BOX			
35	50 I	50 I	
113 867 / 400 371 806 1840	113 868 / 400 371 806 1857	113 869 / 400 371 806 1864	
	35 I 113 867 /	35 I 50 I 113 867 / 113 868 /	

SCYTHE MOWER IDEAL HANDLING ON ROUGH TERRAIN



	DINI 073 III
Cutterbar	87 cm
For lawns of max. size	2,000 m ²
Engine ccm / kW / rpm	B&S EXi series 625 150 / 2.3 / 3,200
Drive	1 forward gear (worm gear)
Tyre size (inches)	13 x 5.0-6
Track width	45 cm
Blade drive can be disengaged	✓
Approx. weight	52 kg
Art. no. / EAN no.	113 617 / 400 371 805 8536



COMFORT

YOUR **ADVANTAGES**

- WIDE PNEUMATIC TYRES FOR OPTIMAL TRACTION
- **✓** POWERFUL BRIGGS & STRATTON PETROL **ENGINE**
- INFINITELY **HEIGHT-ADJUSTABLE OUTSOLES**
- 1 FORWARD AND 1 **REVERSE GEAR**
- **MOVING GRASS** DEFLECTOR FOR PERFECT DISCHARGE
- HEIGHT-ADJUSTABLE & VIBRATION DAMPED **HANDLEBAR**







SCYTHE MOWERS
Fngine ccm / kW / rnm

B&S EXi series 625 150 / 2.3 / 3,200

5001-R III

Cutting	width
Cutting	wiuiii
-	

102 cm

ľ	I be high areas mandage, and applicated natural gardens, manhines each as this south		

MANOFUVRABILITY FOR A NATURAL GARDEN

- Forward/reverse gear **/**//
- In high-grass meadows and ecological natural gardens, machines such as this scythe mower, which can cut meadow grass just as well as thick, matted weeds, are in particular demand.
- Blade drive can be deactivated
- Tyre size (inches)
- 13 x 6.0-6

Weight

58.0 kg

Art. no. / EAN no.

127 469 / 400 371 805 8628

The moveable grass deflector and shorter distance between the wheel and the blades considerably improve grass depositing, while the enclosed drive system on the mower deck with its specially-hardened ESM blade and height-adjustable outsoles ensure a long service life.

SCARIFIERS

PERFECT PREPARATION FOR YOUR SUMMER OUTSIDE



A part of your lawncare routine



A practical solution – stowed away quickly and easily



Lightweight and comfortable





WHY SCARIFY?

In addition to regular mulching, lawns should always be scarified in the spring or autumn to allow the lawn to "breathe". The steel blades of the scarifier penetrate the turf and remove lawn thatch, moss and plant remains. After scarifying, the area should be fertilised directly, re-seeded and thoroughly watered. You can scarify and aerate your lawn with just one tool through a simple change of roller.









YOUR ADVANTAGES

| **2INONE** function: Scarifying and grass catching

3INONE function:

Scarifying, aerating and grass catching

Easy roller changing











	ELECTRIC	BATTERY	PETROL
	38 E Combi Care Comfort	SF 4036	38 P Combi Care Comfort
Category	COMFORT	COMFORT	COMFORT
or lawns of max. size	800 m ²	250 m²	1,200 m²
Drive	1,300 W	Lithium-ion 40 V max. 4.0 / 5.0 Ah (battery, charger not included)	AL-KO 144 F 53 ccm / 1.3 kW 6,100 rpm
Function	3INONE function	2INONE function	3INONE function
Scarifying roller	14 steel blades	12 steel blades	14 steel blades
Scarifying working width	38 cm	36 cm	38 cm
Aerator roller	24 steel spring tines	*Optional accessory (113 621)	24 steel spring tines
Aerating working width	37 cm	36 cm *accessory	37 cm
Depth adjustment	Central, 5-stage	Central, 5-stage	Central, 5-stage
Housing	Plastic	Plastic	Plastic
Volume of grass catcher box	55 L	50 L	55 L
Approx. weight	15.1 kg	11.7 kg	22 kg
Art. no. / EAN no.	112 910 / 400 371 804 2245	113 574 / 400 371 805 7775	112 799 / 400 371 804 2238







CULTIVATOR BLADES

For MH 350-9 LM / MH 4005 Art. no.106 676 EAN no. 400 371 801 2224



For MH 5007 R Art. no.113 275 EAN no. 400 371 805 4729



RIDGE PLOUGH

For MH 4005 / MH 5007 R Art. no.113 274 EAN no. 400 371 805 4712





	MH 350-9 LM	MH 4005	MH 5007 R
Category	EASY	COMFORT	PREMIUM
Working area	Small	Small-medium	Medium
Working width	35 cm	40 cm	50 cm
Engine ccm / kW / rpm	AL-KO Pro 140 OHV 139 / 2.7 / 3,200	B&S E-series 450 125 / 1.7 / 3,000	B&S EXi series 625 OHV 150 / 2.3 / 2,900
Cultivator blades	4-piece, 25 cm diameter	4-piece, 25 cm diameter	4-piece, 32 cm diameter
Forward gear	✓	✓	✓
Reverse gear	-	-	✓
Approx. weight	26 kg	32 kg	39 kg
Art. no. / EAN no.	113 727 / 400 371 806 0485	113 255 / 400 371 805 1643	113 620 / 400 371 805 8567



Lawn roller GW 50

- Handy and sturdy lawn roller made from steel plate
- ideal for working in seeds and also for compacting the earth PREMIUM
- Can be filled with water or sand
- Adjustable dirt scraper

Art. no. 119 104

GW 50 Category **PREMIUM** Working width 50 cm Weight filled with water 62 kg Weight filled with sand 108 kg **Empty weight** 13 kg 119 104 / 400 371 834 7654 Art. no. / EAN no.

COMBI-TOOL

ONE TOOL, MANY POSSIBILITIES





- **✓** POWERFUL PETROL ENGINE
- FORWARD & REVERSE GEAR
- **OPTIONAL ATTACHMENTS**
- WIDE PNEUMATIC TYRES FOR OPTIMAL TRACTION



ADVANTAGES

- HEIGHT-ADJUSTABLE AND SWIVELLING HANDLEBAR
- **WORM GEAR UNIT**
- **✓** SUITABLE FOR ALL YEAR ROUND
- **V**-BELT DRIVE



Combi BF 5002-R I

- The all-rounder
- Extra-powerful combi tool with cutterbar and deck, tiller and ridge plough
- I Ideal for lawn care, soil working and cleanliness
- Can be combined with four different attachments

Art. no. 127 470

COMFORT

COMBI-TOOL	Combi BF 5002-R I
Engine ccm / kW / rpm	B&S EXi Series 675 163 / 2.74 / 3,200
Forward/reverse gear	✓ / ✓
Speed (FG / RG)	2.2 / 1.1 km/h
Transmission	Oil-bath worm gear, V-belt drive
Tyre size (inches)	13 x 5.0–6 (pneumatic tyres)
Handlebar	Height-adjustable, pivoting 180°
Weight	45.0 kg
Art. no. / EAN no.	127 470 / 400 371 805 8635



POWER UNIT

ATTACHMENTS



CB 870 CUTTERBAR

Working width 870 mm Art. no. 110 494 / EAN no. 400 371 802 0038



MOWER ATTACHMENT FSM 530

Working width 530 mm Art. no. 110 739 / EAN no. 400 371 802 4630



CF 500 TILLER

Working width 500 mm Art. no. 110 495 / EAN no. 400 371 802 0045



RIDGE PLOUGH

Art. no. 110 742 / EAN no. 400 371 802 4661





TAKING ON ALL TASKS

Whether trimming along a flower bed, a fence, a wall, or even underneath a garden bench, our grass trimmers provide the ability to complete all these tasks in comfort.



VERSATILE IN ALL DIRECTIONS

The ability to turn the trimmer head through 180° means that all lawn edges can be cut accurately. The telescopic aluminium shaft and the flexible handle (depending on the model) ensure the right length and working position.



COMFORTABLE TO USE IN ANY TASK

Our grass trimmers are equipped with loop handles. This provides maximum control when carrying out precise trimming work

ELECTRIC GRASS TRIMMERS









BATTERY GRASS TRIMMERS & BRUSHCUTTER









Can be used with Energy Flex BBA 40 battery belt ▶ Page 17



A FLANDS		
	CTE 450 Comfort	CTE 550 Promium
		GTE 550 Premium
		Nylon double line
		Bump feed
-	✓	✓
Electric, 350 W	Electric, 450 W	Electric, 550 W
Telescopic, aluminium	Telescopic, aluminium	Telescopic, aluminium
✓ adjustable	✓ adjustable	✓ adjustable
-	<u>·</u>	✓ adjustable
-	✓	✓
12 M	12 M	12 M
2.3 kg	2.9 kg	3.0 kg
112 928 / 400 371 804 4928	112 929 / 400 371 804 4935	112 926 / 400 371 804 4904
	✓ adjustable ✓ adjustable – 12 M 2.3 kg 112 928 /	GTE 350 Classic 25 cm Nylon double line Nylon double line Bump feed Bump feed Bump feed Electric, 350 W Telescopic, aluminium adjustable adjustable adjustable adjustable 12 M 2.3 kg 112 928 / 12 929 /

REPLACEMENT LINE HEAD			
Art. no. /	112 966 /	112 966 /	112 966 /
EAN no.	400 371 804 5727	400 371 804 5727	400 371 804 5727

	DATTERY			
	BATTERY			
	GT 2025	GT 2025 Kit	GT4030	40 BCK
Range	Easy Flex	Easy Flex	Energy Flex	Energy Flex
Cutting width	25 cm	25 cm	30 cm	Nylon Line 30 cm / Blade 23cm
Line / Blade type	Nylon single line	Nylon single line	Nylon single line	Nylon double line / 3 tooth
Line feed	Bump feed	Bump feed	Bump feed	Bump feed
Spare line holder	✓	✓	✓	-
Drive	Battery, lithium-ion, 20 V max. (2.5 Ah / 5.0 Ah)	Battery, lithium-ion, 20 V max. (2.5 Ah / 5.0 Ah)	Battery, lithium-ion, 40 V max. (4.0 Ah / 5.0 Ah)	Battery, lithium-ion, 40 V max. (4.0 Ah / 5.0 Ah)
Max. battery charge time	2.5 Ah: 50 minutes / 5.0 Ah: 100 minutes	2.5 Ah: 50 minutes / 5.0 Ah: 100 minutes	4.0 Ah: 90 minutes / 5.0 Ah: 120 minutes	4.0 Ah: 90 minutes / 5.0 Ah: 120 minutes
Approx. battery run time	2.5 Ah: 30 minutes / 5.0 Ah: 50 Minutes	2.5 Ah: 30 minutes / 5.0A h: 50 Minutes	4.0 Ah: 60 Minutes 5.0 Ah 80 Minutes	4.0 Ah: 30 Minutes 5.0 Ah 40 Minutes
Battery / charger included	-/-	1 x 2.5 Ah battery / 1 charger	-/-	-/-
Shaft tube	Telescopic, aluminium	Telescopic, aluminium	Telescopic, aluminium	Aluminium
Extra handle	✓ adjustable	✓ adjustable	✓ adjustable	-
Height-adjustable handle	✓	✓	✓ adjustable	✓ adjustable
Pivoting cutting head	✓	✓	✓	✓
Accepts Other Attachments	-	-	-	✓
Approx. weight	2.1 kg (without battery) 2.4 kg (with battery)	2.1 kg (without battery) 2.4 kg (with battery)	2.4 kg (without battery) 3.9 kg (with battery)	2.4 kg (without battery) 3.9 kg (with battery)
Art. no. / EAN no.	113 535 / 400 371 805 7539	113 633 / 400 371 805 8840	113 608 / 400 371 805 8437	AK40BCK / -

REPLACEMENT LINE HEAD				
Art. no. / EAN no.	112 969 / 400 371 804 5758	112 969 / 400 371 804 5758	113 349 / 400 371 805 5627	113 478 - Line head 113 479 - Blade





PERFECT CUT AND PROTECTION

Permanently sharp, diamond-polished blades guarantee a clean cut. The safety guard protects the blade when cutting along floors and walls. The cover also serves as a wall mount.



RELAXED WORKING STYLE

Ergonomic controls and a perfectly balanced weight allow stress-free working. And with the battery models which can be combined with the optional BBA 40 battery belt and adapter, you can get the job done in a relaxed way by doing away with cables.



BEST QUALITY

The high-quality plastic housing is highly sturdy and robust, thus guaranteeing that the hedge trimmer has a long service life. The weight has been distributed perfectly so that the hedge trimmers always sit perfectly in your hand.

HEDGE TRIMMERS

ELECTRIC

HT 440 Basic Cut

- With cable strain relief
- With integrated spirit level
- Safety guard & blade cover
- Safety Lock
- Alternating, diamond-sharpened cutting blades
- Two-hand safety switch

Art. no. 112 679



HT 550 Safety Cut

- With cable strain relief
- With integrated spirit level
- | Additional cable sleeve (safety cable) prevents the cable from being cut unintentionally
- Safety guard & blade cover
- Counter-running cutting blade, diamondpolished

Art. no. 112 680





	ELECTRIC HEDGETRIMMERS	
	HT 440 Basic Cut	HT 550 Safety Cut
Power	440 W	550W
Cutting length	440 mm	520 mm
Max. tooth gap	16 mm	18 mm
Stroke rate	3400 rpm	3200 rpm
Blade type	Diamond-ground	Diamond-ground
Cutting mechanism	Counter-rotating safety blades	Counter-rotating safety blades
Safety cable	-	✓
Cable length	12 M	12 M
Approx. weight	3.2 kg	3.6 kg
Art. no. / EAN no.	112 679 / 400 371 804 0302	112 680 / 400 371 804 0319



HEDGE TRIMMERS

BATTERY





	BATTERY HANDHELD HEDGE TRIMMERS		
	HT 2050	HT 2050 Kit	HT4055
Range	Easy Flex	Easy Flex	Energy Flex
Power	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 40 V max. (4.0 / 5.0 Ah)
Battery / Charger Included	-/-	1 x 2.5 Ah battery / 1x Charger	-/-
Max. battery charge time	2.5 Ah: 50 minutes 5 Ah: 100 minutes	2.5 Ah: 50 minutes 5 Ah: 100 minutes	4 Ah: 90 minutes 5 Ah: 120 minutes
Approx. battery run time	2.5 Ah: 45 minutes 5 Ah: 80 minutes	2.5 Ah: 45 minutes 5 Ah: 80 minutes	4 Ah: 120 minutes 5 Ah: 140 minutes
Cutting length	510 mm	510 mm	550 mm
Max. tooth gap	15 mm	15 mm	20 mm
Stroke rate	2200 rpm	2200 rpm	1400 rpm
Blade type	Diamond-ground	Diamond-ground	Diamond-ground
Cutting mechanism	Counter-rotating safety blades	Counter-rotating safety blades	Counter-rotating safety blades
Approx. weight	2.5 kg (without battery) 2.8 kg (with battery)	2.5 kg (without battery) 2.8 kg (with battery)	2.5 kg (without battery) 3.9 kg (with battery)
Art. no. / EAN no.	113 536 / 400 371 805 7546	113 634 / 400 371 805 8857	113 609 / 400 371 805 8444



Multi-cutter GS 7.2 Li

Can be used for trimming grass and shrubs

Light and easy to manoeuvre

No memory effect – can be recharged at any time

Low battery self-discharge

Long service life

Including grass collector and charging cable

Art. no. 113 371



1, 2 - done!

Thanks to the quick-change system, the blades can be changed within just a few seconds — without tools and without having to get your hands dirty.




	Multicutter GS 7.2 Li
Battery type	Lithium-ion (7.2 V / 2.0 Ah)
Shrub cutting blade length	160 mm
Shrub cutting area coverage	32 m ²
Grass shears cutting width	80 mm
Grass shears cutting performance	450 m
Approx. weight	550 g
Art. no. / EAN no.	113 371 / 400 371 805 6136

Extension handle	
Art. no. / EAN no.	113 477 / 400 371 805 6655

Trim hard-to-reach spots in style


Thanks to the optional extension shaft, longer sections can also be trimmed very comfortably without tiring bending over.
















40 PPLRK Pruner & long reach hedge trimmer

- 20cm pruner cutter bar
- 450mm double sided hedge trimmer blade
- Telescopic extension shaft for working at heights up to 3.5m
- No trailing cables or exhaust fumes
- Incl. shoulder strap

Art. no. AK40PPLRK













MULTI-TOOL

BATTERY



ALKO 36 V III-

MT 40 multi-tool

Lithium-ion 36 V (max. 40 V) 4.0 Ah / 5.0 Ah

- | 1 kg without battery / 2.4 kg with battery
- Can be combined with BBA 40 battery belt

Art. no. 113 611 EAN no. 400 371 805 8468



Trimmer attachment **GTA 4030**

With extra handle and line spool with tap mechanism

Art. no. 113 614



Brushcutter and trimmer attachment **BCA 4030**

With extra handle, blade and line spool with tap mechanism

Art. no. 113 615



Batteries and charger

▶ Page 16/17



With 70 cm extension shaft and carry strap

Art. no. 113 612



Long reach hedge trimmer HTA 4045

With 70 cm extension shaft and carry strap

Art. no. 113 613



The product has been given awards and recommended by a German test institute and magazin





CLEAR AWAY LEAVES IN A SINGLE STEP



Ideal blowing and vacuuming results thanks to the powerful motor



Cable-free, portable and versatile



Manoeuvrable and comfortable to use









	LB 2060	LB 4060	LBV 4090
Category	EASY	COMFORT	PREMIUM
Battery type	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 40 V max. (4 Ah / 5 Ah)	Lithium-ion 40 V max. (4 Ah / 5 Ah)
Max. charging time of battery	2.5 Ah: 50 minutes 5.0 Ah: 100 minutes	4 Ah: 90 minutes 5 Ah: 120 minutes	4 Ah: 90 minutes 5 Ah: 120 minutes
Battery / charger included	-/-	-/-	-/-
Air speed	up to 200 km/h	115–250 km/h	150–250 km/h
Flow rate	200 m ³ /h	330 m³/h	350 m³/h
Pipe attachments	1 (included)	2 (included)	1 (included)
Control	Infinitely variable	Infinitely variable	Infinitely variable
Approx. weight	1.2 kg (without battery) 1.5 kg (with battery)	2.2 kg (without battery) 3.6 kg (with battery)	4.5 kg (without battery) 5.9 kg (with battery)
Art. no. / EAN no.	113 537 / 400 371 805 7553	113 610 / 400 371 805 8451	113 662 / 400 371 805 9090



PETROL LEAF VACUUM

750 P



PREMIUM



The power to handle wet leaves

- Leaf blower with 75 cm working width
- Powerful 2.0 kW engine
- XXL collecting bag with 200 L volume
- Zipper at the side for easy emptying
- Powerful air turbine
- Housing made from powder-coated steel plate
- Robust, 2-axis design
- Ball-bearing mounted wheels
- Ergonomic handlebar with safety switch

Art. no. 127 141

PREMIUM

LEAF VACUUM	750 P
Engine	140 ccm / 2.0 kW / 3,000 rpm
Working width	75 cm
Leaf vacuuming	✓
Fabric collector	200 L
Suction height adjustment	Individual wheel, 4-stage
Chopped material reduction	-
Turbine housing	Steel plate
Approx. weight	36.1 kg
Art. no. / EAN no.	127 141 / 400 371 805 1445







SUCTION HOSE WITH NOZZLE

3 meter suction hose, for the 750 P leaf vacuum

Removes leaves and dirt from the tightest corners

Art. no. 120 154 /

EAN no. 400 371 854 1731





Batteries/ chargers ▶ pages 14/15



ALKO 18V III

EASY FLEX

WR 2000 Site Radio

- USB port and Bluetooth
- 2x 5 W speakers
- 5 saved radio station settings, frequencies between FM 87.5 and 108 MHz
- Clock and alarm clock
- Including mains cable

Art. no. 113 631



Batteries/

chargers

Batteries/

chargers

▶ pages 14/15

▶ pages 14/15



Batteries/

ALKO 18V III

WL 2020 LED Spotlight

- 20 W rating
- 3 light settings (600, 1,000 and 1,600
- 360° adjustable spotlight

Art. no. 113 626







EASY FLEX

HS 2015 Handsaw

- Cutting length 120 mm, cutting thickness Ø 60 mm
- Stroke rate 2200 per minute
- Including 2 metal saw blades

Art. no. 113 625







REPLACEMENT SAW BLADES Set of 2 for HS 2015

Art. no. 113 679 / EAN no. 400 371 805 9274





BATTERY HAND TOOLS

NIMBLE TOOLS FOR YOUR GARDEN







	PS 2035 Plant Sprayer	WR 2000 Site Radio	WL 2020 LED Spotlight	
Battery type	Lithium-ion, 20 V max. (2.5 Ah)	Lithium-ion, 20 V max. (2.5 Ah)	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	
Approx. weight	2.0 kg (without battery) 2.3 kg (with battery)	4.5 kg (without battery) 4.8 kg (with battery)	1.7 kg (without battery) 2.0 kg (with battery)	
Art. no. / EAN no.	113 697 / 400 371 805 9748	113 631 / 400 371 805 8796	113 626 / 400 371 805 8659	











Art. no. 113 876 / EAN no. 400 371 806 1987

Handsaw Pressure Washer	•
Lithium-ion 20 V max. Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah) (2.5 Ah / 5.0 Ah)	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)
1.0 kg (without battery) 1.3 kg (with battery) 1.7 kg (with battery)	1.4 kg (without battery) 1.7 kg (with battery)
113 625 / 113 859 / 400 371 805 8642 400 371 806 1710	113 696 / 400 371 805 9731

CHAINSAWS

WE GIVE YOU OUR LEGENDARY SAWS







DOUBLE SAFETY

With the chain brake and hand protection bar with quick chain stop, the highest safety is ensured in any situation, for pleasant and accident-free working.



PERFECT HANDLING

AL-KO chainsaws sit well in the hand thanks to their balanced weight guarantees comfortable working.



EASY TO USE AND MAINTAIN

Automatic chain lubrication and the viewing pane on the oil tank make it easier to maintain the electric and battery chainsaws.

ALKO 36 V IIII

CS 4030 Battery Chainsaw

- Quick tensioning and setup
- Powerful and capable thanks to the brushless motor and proven Energy Flex battery technology
- No toxic exhaust or power cable

Art. no. 113 616





EKS 2000/35 Electric Chainsaw

- | Minimal weight, ensuring less strenuous operation
- Overload protection in the event of overheating
- Powerful and high-performance
- Easy maintenance
- | Quick check of the oil level through window on the oil tank

Art. no. 112 807



Can be used with Energy Flex BBA 40 battery belt page 19



EKS 2400/40 **Electric Chainsaw**

- Sleek shape and good results
- With 40 cm long bar
- Quick tensioning and setup
- | Powerful and high-performance
- Simple maintenance

Art. no. 112 808

EKI 2200/40 **Electric Chainsaw**


- With engine fitted lengthways
- 40 cm long bar
- Quick tensioning and setup
- Powerful and high-performance
- | Simple maintenance

Art. no. 112 809





	BATTERY	ELECTRIC		
	CS 4030	EKS 2000/35	EKS 2400/40	EKI 2200/40
Category	COMFORT	EASY	COMFORT	PREMIUM
Drive / power / engine	Battery, lithium-ion 40 V max. (4.0 Ah / 5.0 Ah)	Electric, 2,000 W 230 V / 50 Hz	Electric, 2,400 W 230 V / 50 Hz	Electric, 2,200 W 230 V / 50 Hz
Battery/charger included	-/-			
Tank volume (petrol/oil)	- / 180 ml	- / 150 ml	– / 150 ml	- / 200 ml
Engine layout		crossline	crossline	inline
Bar length	30 cm	35 cm	40 cm	40 cm
Saw chain	3/8" / 91P045E	3/8" / 91PJ052X	3/8" / 91PJ056X	3/8" / 91PJ056X
Chain speed	16.3 ± 0.7 m/s	13.5 m/s	13.5 m/s	13.5 m/s
Chain tension	tool-free	with tool	tool-free	tool-free
Chain lubrication	automatic	automatic	automatic	automatic
Chain brake	✓	✓	✓	✓
Approx. weight	4.45 kg (without battery) 5.81 kg (with battery)	4.8 kg	5.0 kg	5.4 kg
Art. no. / FAN no	113 616 / 400 371 805 8512	112 807 / 400 371 804 2436	112 808 / 400 371 804 2443	112 809 400 371 804 2450



WOOD SPLITTERS

EFFORTLESSLY SPLIT FIREWOOD FOR WINTER



Extraordinarily and effortlessly convenient for keeping a supply of firewood



Space-saving thanks to compact design



With our powerful motors, providing splitting force up to 6 tonnes







EXCEPTIONAL SAFETY

Hand protection, 2-handed operation, wood holding tool and a wood supports on the sides make using our log splitters not only incredibly safe they also make working with them an absolute pleasure.



PERFECTLY ADJUSTABLE

An upper guard, rapid return of the splitting blade and an adjustable holder provide the foundations for exceptional productivity.



TABLE INCLUDED

The wood supports on the splitting table keep the wood in the centre of the tool. The split wood is pushed onto the splitting table and from there it is easy and safe to remove. You can even allow the wood to drop into a wheelbarrow or similar container.

WOOD SPLITTERS

ROBUST AND POWERFUL

LSH 370/4 **Wood splitter**

- Incredibly safe, with protective cover
- Easy to use, with additional wood support
- A powerful tool with high splitting force

Art. no. 113 791



LSH 520/5 **Wood splitter**

- Comfortable working height
- Incredibly safe thanks to the protective cover
- High splitting force
- Stable, optimised splitting wedge


Art. no. 113 792



LSV 550/6 **Wood splitter**

- Sturdy, torsion-resistant frame
- High splitting force
- Adjustable splitting length
- Two-handed operation for safety







	HORIZONTAL		UPRIGHT
	LSH 370/4	LSH 520/5	LSV 550/6
Category	EASY	EASY	EASY
Power	1.5 kW / 230 V	2.2 kW / 230 V	3.0 kW / 230 V
Max. splitting force	4 T	5 T	6 T
Max. splitting length	130-370 mm	200-520 mm	100-550 mm
Cable length	6 M	6 M	6 M
Approx. weight	48 kg	60.5 kg	98.2 kg
Art. no. /	113 791 /	113 792 /	113 788 /
EAN no.	400 371 806 0768	400 371 806 0775	400 371 806 0744

ALL PRODUCTS, GARDENING EQUIPMENT



NAME	Art. no.	Category	Page	Sound pres- sure level measured LpA	Sound power level meas- ured LwA	Sound power level guar- anteed LwA	Uncertainty factor	Vibration value	K-value
				[dB(A)]	[dB(A)]	[dB(A)]	KpA [dB(A)]	ahw (m/s2)	(m/s2)
ROBOTIC	ΙΔ\Λ	/N////////////////////////////////////	FRS						
Robolinho® 450 W	127 618	PREMIUM	32/33	-	56	60	_	_	_
Robolinho® 700 W	127 569	PREMIUM	32 / 33		56	60		_	
Robolinho® 1200 W	127 570	PREMIUM	32 / 33		56	60			
Robolinho® 2000 W	127 570	PREMIUM	32 / 33		56	60			
TIODOIIIIIIO ZUUU W	121 31 1	PREMION	JZ / JJ			00			
1 1									
TRACTOR	S								
R 85.1 Li	127 617	PREMIUM	38 / 39	76.2	89.7	92	3	1.8 / 1.5	1.5
R 7-63.8 A	127 486	COMFORT	38 / 39	89	96	98	2	2/3.4	2
R 7-65.8 HD	127 487	PREMIUM	38 / 39	89	96	98	2	2/3.4	2
T 15-93.9 HDS-A	127 574	COMFORT	44 / 45	90	98	100	2	2/4	2
T 22-111.7 HDS-A V2	127 445	COMFORT	44 / 45	90	98	100	2	2/4	2
T 15-93.7 HD-A	127 417	COMFORT	46 / 48	90	98	100	2	2/4	2
T 15-103.7 HD-A	127 418	COMFORT	46 / 48	90	98	100	2	2/4	2
T 13-93.7 HD	127 416	COMFORT	46 / 48	90	98	100	2	2/4	2
T 16-93.7 HD V2	127 443	COMFORT	47 / 48	90	98	100	2	2/4	2
T 16-103.7 HD V2	127 444	COMFORT	47 / 48	90	98	100	2	2/4	2
T 15-95.6 HD-A	127 367	PREMIUM	60 / 62	90	98	100	2	2/4	2
T 16-95.6 HD V2	127 369	PREMIUM	60 / 62	90	98	100	2	2/4	2
T 16-105.6 HD V2	127 370	PREMIUM	60 / 62	90	98	100	2	2/4	2
T22-105.1 HD-A V2	127 601	PREMIUM	60 / 62	90	98	100	2	2/4	2
T 20-105.2 HD V2 SD	127 650	PREMIUM	61 / 62	90	98	100	2	2/4	2
T 20-105.2 HDE V2 SD	127 683	PREMIUM	61 / 63	90	98	100	2	2/4	2
T 22-110.0 HDH-A V2	127 575	COMFORT	58 / 63	87.1	97.1	98	2	2/4	2
T 23-125.2 HD V2 SD	127 653	PREMIUM	61 / 63	94	104	105	2	2/4	2





NAME	Art. no.	Category	Page	Sound pres- sure level measured LpA	Sound power level meas- ured LwA	Sound power level guar- anteed LwA	Uncertainty factor	Vibration value	K-value
				[dB(A)]	[dB(A)]	[dB(A)]	KpA [dB(A)]	ahw (m/s2)	(m/s2)
LAWNM(DWER	S							
Battery lawnmowers									
34.8 Li	113 540	EASY	73 / 78	77.0	87.0	90.0	3.0	3.4	1.5
3.29 Li	113 663	EASY	73 / 78	85.0	95.0	96.0	1.0	8.0	1.0
3.85 Li	113 278	EASY	73 / 78	85.0	95.0	96.0	1.0	8.0	1.0
Moweo 42.0 Li	119 933	COMFORT	76 / 78	79.9	91.4	92.0	0.6	2.5	1.5
12.2 Li	123 009	COMFORT	76 / 79	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
Moweo 42.1 Li	119 992	COMFORT	76 / 79	79.9	91.4	92.0	0.6	2.5	1.5
Moweo 46.0 Li SP	119 934	COMFORT	76 / 79	80.4	90.4	91.0	0.6	2.5	1.5
46.2 Li SP	123 010	COMFORT	77 / 79	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
46.2 Li SP-W	123 011	COMFORT	77 / 79	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
512 Li VS-W	123 012	PREMIUM	78 / 79	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
Electric lawnmowers									
34 E Comfort	112 857	COMFORT	81	80.0	88.0	90.0	2.0	8.0	1.0
40 E Comfort	112 858	COMFORT	81	84.0	92.0	94.0	2.0	8.0	1.0
Petrol lawnmowers									
Easy 4.20 P-S	113 794	EASY	84 / 85	84.5	94.5	96.0	3.0	8.16	1.5
Easy 4.60 SP-S	113 795	EASY	84 / 85	81.7	93.9	96.0	3.0	8.16	1.5
Easy 5.10 SP-S	113 796	EASY	84 / 85	84.6	94.6	98.0	3.0	7.51	1.5
Comfort 42.1 P-A	119 998	COMFORT	86 / 89	84.2	94.2	95.0	2.0	6.0	2.0
Comfort 42.1 SP-A	119 993	COMFORT	86 / 89	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
Comfort 46.0 SP-A Plus	119 938	COMFORT	86 / 89	84.3	94.3	95.0	2.0	6.0	2.0
Comfort 46.0 SPi-A	119 940	COMFORT	87 / 89	83.4	93.4	95.0	2.0	6.0	2.0
Comfort 51.0 SP-A	119 944	COMFORT	87 / 89	86.8	96.8	98.0	2.0	6.0	2.0
Comfort 46.0 SP-B	119 937	COMFORT	87 / 89	85.1	95.1	96.0	2.0	6.0	2.0
Comfort 51.0 SP-B Plus	119 943	COMFORT	87 / 89	85.8	95.8	96.0	2.0	6.0	2.0
Premium 470 VS-B	119 947	PREMIUM	92 / 94	85.1	95.1	96.0	2.0	6.0	2.0
Premium 470 SP-H	119 968	PREMIUM	92 / 94	84.6	94.6	96.0	2.0	6.0	2.0
Premium 520 VS-B	119 949	PREMIUM	93 / 94	87.0	97.0	98.0	2.0	6.0	2.0
Premium 520 SP-H	119 969	PREMIUM	93 / 95	86.8	96.8	98.0	2.0	6.0	2.0
Premium 521 VS-H	119 994	PREMIUM	93 / 95	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
Premium 520 VSI-B	119 948	PREMIUM	93 / 95	87.0	97.0	98.0	2.0	6.0	2.0
	// 0 \ / / [-DC							
MULCH N	VIUVVE	:K9							
168 P-A BIO Silver	119 836	COMFORT	99	86.0	95.0	96.0	2.0	6.0	2.0
168 SP-A BIO Silver	119 835	COMFORT	99	86.0	95.0	96.0	2.0	6.0	2.0

97.0

102

99.0

104

2.0

2.0

16.07

25.66

6.43

10.4

87.4

90

102

103

COMFORT

COMFORT

BM 875 III

5001-R III

113 617

127 300



NAME	Art. no.	Category	Page	Sound pres-	Sound power	Sound power	Uncertainty	Vibration	K-value
				sure level	level meas-	level guar-	factor	value	
				measured	ured LwA	anteed LwA			
				LpA [dB(A)]	[dB(A)]	[dB(A)]	KpA [dB(A)]		
								ahw (m/s2)	(m/s2)

SCARIFIERS

Electric scarifiers									
38 E Combi Care Comfort	112 910	COMFORT	105 / 106	86.0	93.0	99.0	6.0	8.0	1.5
Battery scarifiers									
SF 4036	113 574	COMFORT	105 / 106	82.0	90.0	96.0	6.0	5.0	1.5
Petrol scarifiers									
38 P Combi Care Comfort	112 799	COMFORT	105 / 106	88.0	97.0	99.0	2.0	10.0	1.5

I CULTIVATORS

MH 350-9 LM	113 727	EASY	108 / 109	79.1	92.0	93.0	1.0	5.5	_
MH 4005	113 255	COMFORT	108 / 109	78.9	91.9	93.0	1.1	8.6	4.3
MH 5007 R	113 620	PREMIUM	108 / 109	76.9	89.0	93.0	1.0	7.2	3.6

COMBI-TOOL

BF 5002 R 127 470 **PREMIUM** 111 80 92 93 2 5.5 0.7

TRIMMERS AND BRUSHCUTTERS

Electric trimmers/brushc	utters								
GTE 350 Classic	112 928	EASY	113 / 115	85.8	94.0	96.0	2.0	3.15	2.5
GTE 450 Comfort	112 929	COMFORT	113 / 115	85.4	94.0	96.0	2.0	3.15	2.5
GTE 550 Premium	112 926	COMFORT	113 / 115	83.6	94.0	96.0	2.0	3.15	2.5
Battery trimmer									
GT 2025	113 535	EASY	114 / 115	73.8	94.0	96.0	2.0	2.5	2.5
GT 4030	113 608	COMFORT	114 / 115	70.6	90.6	96.0	3.0	2.5	1.5
40 BCK	AK40BCK	COMFORT	114 / 115	80.0	93.0	96.0	3.0	≤ 4.4	1.5

HEDGE TRIMMERS & MULTI-CUTTER

Electric hedge trimmers									
HT 440 Basic Cut	112 679	EASY	117	86.0	99.0	100.0	-	2.2	-
HT 550 Safety Cut	112 680	COMFORT	117	86.0	97.0	98.0	_	2.9	_
Battery hedge trimmers									
HT 2050	113 536	EASY	118	90.0	84.5	87.0	2.5	1.5	1.5
HT 4055	113 609	COMFORT	118	64.2	84.2	87.0	3.0	2.5	1.5
Battery long reach hedge	trimmers & prui	ner							
40 LRK	AK40LRK	COMFORT	121	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
40 PPLRK	AK40PPLRK	COMFORT	121	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
CSA 2020	113 538	EASY	120 / 121	72.0	86.0	92.0	3.0	2.5	1.5
HTA 2050	113 539	EASY	120 / 121	80.0	91.0	93.0	2.0	2.5	1.5
Battery multi-cutters									
GS 7.2 Li	113 371	COMFORT	119	75.0	78.0	79.0	1.0	≤ 2.5	1.5



NAME	Art. no.	Category	Page	Sound pres- sure level measured LpA [dB(A)]	Sound power level meas- ured LwA [dB(A)]	Sound power level guar- anteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value	K-value
								ahw (m/s2)	(m/s2)
1 N // L L T I	TOOL								
MULTI	-IUUL								
	- I U U L	COMFORT	124 / 125	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
MT 40 GTA 4030		COMFORT	124 / 125 124 / 125	0.R.* 81.0	0.R.* 93.0	0.R.* 96.0	0.R.* 3.0	0.R.* ≤2.5	0.R.* 1.5
MT 40	113 611								
MT 40 GTA 4030	113 611 113 614	COMFORT	124 / 125	81.0	93.0	96.0	3.0	≤ 2.5	1.5

LEAF BLOWERS/BLOWER VACUUMS

Battery leaf blower	rs/blower vacuums	S								
LB 2060	113 537	EASY	127 / 128	74.0	85.0	88.0	3.0	2.0	0.5	
LB 4060	113 610	COMFORT	127 / 128	79.5	95.5	96.0	3.0	2.0	1.5	
LBV 4090	113 662	PREMIUM	128	86.9	99.5	102.0	3.0	< 1.91	1.5	
Petrol leaf vacuum										
750 P	127 141	PREMIUM	129	86	96	98	2	6	2	

I BATTERY HAND TOOLS

PW 2040	113 859	EASY	133	75.1	86.1	91.1	3.0	0.84	1.5	
PS 2035	113 697	EASY	130 / 132	45.4	56.4	_	3.0	0.182	1.5	
HS 2015	113 625	EASY	131 / 133	4.0	95.0	98.0	3.0	11.76	1.5	
MB 2010	113 696	EASY	132 / 133	62.5	82.5	_	3.0	1.85	1.5	

CHAINSAWS

Battery chainsaws									
CS 4030	113 616	COMFORT	136 / 137	87.0	98.5	101.0	2.5	2.1 / 2.4	2.0
Electric chainsaws									
EKS 2000/35	112 807	EASY	136 / 137	96.0	108.0	110.0	3.0	5.05	3.0
EKS 2400/40	112 808	COMFORT	136 / 137	95.0	108.0	110.0	3.0	5.95	3.0
EKI 2200/40	112 809	PREMIUM	136 / 137	94.0	106.0	108.0	3.0	5.06	3.0

LOG SPLITTERS

LSH 370/4	113 791	EASY	140 / 141	89.8	91.0	96.0	3.0	-	3.0
LSH 520/5	113 792	EASY	140 / 141	89.8	92.7	95.7	3.0	-	3.0
LSV 550/6	113 788	EASY	140 / 141	89.8	94.4	97.4	3.0	-	3.0

SPARE PARTS

OUR **EXPERTISE** IS IN YOUR SAFETY

COMFORT

AND

AL-KO Gardentech stands for the highest level of quality. For example, our products stand out with their impressive durability, even when they are in frequent use. However, wear and tear or repairs may require replacement of parts. In such cases, you should always choose AL-KO genuine spare parts and accessories. Because top quality and guaranteed safety can only be expected from components which match the technical and quality characteristics of every AL-KO product down to the finest detail.

That's why, in the UK most of the necessary genuine spare parts and accessories can be purchased at any time. This is a service which keeps downtimes for your equipment at a minimum. Moreover, using AL-KO genuine spare parts and accessories is the only way to ensure that all mutually optimised appliance components are at full functionality and to guarantee the high quality and reliability of the AL-KO product. Indeed, the product warranty is only effective, and in case of repair will only remain valid, provided AL-KO genuine spare parts and accessories are used.

Our AL-KO genuine spare parts have other benefits as well. Each improvement made to the series-produced products is conferred to the associated genuine spare parts. Whether it's a simple screw or a sophisticated control board, all genuine AL-KO and solo by AL-KO parts are designed based on a wealth of expertise acquired through many decades of manufacturing prowess.

Our authorised service partners can also benefit from using AL-KO genuine spare parts and accessories. Components that always fit perfectly ensure short repair times and enable cost-effective repair jobs.

In brief: Safe, high-quality and always right - with AL-KO genuine spare parts and accessories, you'll always make the right choice for repairs or maintenance. That forms the basis for the lasting and reliable use of the products.







Scan the QR code to find an AL-KO service agent near you









