





## **WHICH CATEGORY** IS THE RIGHT ONE FOR ME?

The right tools for every gardener: Choose which requirements and features are most important on your products. We differentiate here between Easy, Comfort, and Premium to make comparison easier.

## **CONTENTS**

FOREWORD	03	Lawn roller	126
SMART GARDENING	06	Composters	127
BATTERY TECHNOLOGY	12	Shredders	128
LAWNCARE		Chainsaws	132
Robolinho® robotic lawnmowers	32	Wood splitters	138
Lawnmowers	40	WATER TECHNOLOGY	142
Hand lawnmowers	74	Clean water submersible pumps	144
Mulch mowers	76	Wastewater submersible pumps	146
Tractors	78	Combi universal submersible pumps	150
Scarifiers	84	Submersible pressure and deep-well	152
Scythe mowers	88	pumps Ocades access	
GARDENING		Garden pumps	154
Trimmers and Brushcutters	90	Domestic water pumps	156
Multi-tool	100	Domestic water systems	158
Leaf blowers and blower vacuums	104	Petrol engine pumps	160
Hedge trimmers	108	Pump accessories	162
Multi-cutters	113	POWER GENERATORS	164
Pruners & long reach hedge trimmers	114	SNOWBLOWERS	166
Handy battery tools	116	FOR KIDS	170
Cultivators	122	TECHNICAL DATA	172
2 3 14(0) 0		SPARE PARTS	178









#### **EASY**

We recommend these products for when you want solid gardening tools that you can use to just get the job done reliably.

The products identified with the **EASY** label are ideal for smaller gardens. They are lightweight, manoeuvrable and easy to store away. Even though they have a simpler design, there are no compromises on quality.

> Quality for life at an affordable price

> > Perfect for first-time users

User-friendly tools

Lightweight and easy-to-store appliances

> Ideal for smaller gardens

#### COMFORT

AL-KO quality for more stringent standards. Ideal for medium-sized to large gardens – because when there's much to be done, the ease of use, versatility and innovative features that make your work easier are what really count. With our **COMFORT** class machines, you are always equipped to make your garden stunning.

> High level of comfort and user-friendliness

Particularly versatile and functional

A wide range of features and high durability

Beautiful gardening, the effortless and effective way

Perfect for medium-sized to large gardens

#### **PREMIUM**

With our **PREMIUM** class, you get only the best of the best from AL-KO. For the most pristine garden in the neighbourhood.

> Innovative products and features

Optimum comfort and user-friendliness

Features developed for the most discerning requirements

For use in demanding tasks multiple times a week

High-performance tools for large gardens





**QUALITY FOR LIFE** 

As we are always one step ahead, we bring the future directly to your garden. Digital, smart and battery-powered solutions raise gardening to the next level. From the very beginning we have worked with a distinct awareness of our responsibilities towards people and nature, in step with the motto "Quality for Life". As a leading manufacturer, we have made it our task to revolutionise gardening by continuously developing new and smart technologies. Our aim is to be able to offer our customers smart solutions which are tailored to their own requirements in any situation. We attach great importance to being able to accompany our customers throughout the entire operating life of their gardening tools.

## MEMBER OF PRIMEPULSE

With business areas encompassing gardening equipment, air technology and automotive products, the AL-KO Group has become a global player amongst medium-sized enterprises in Germany. At the same time, the family-owned business has been operating in over 20 countries around the world, maintaining its headquarters in Kötz, Bavaria, and is also part of the PRIMEPULSE investment group.

This high-performance network includes around 60 different associate firms around the world. PRIMEPULSE pursues a long-term, value-oriented investment approach and acts as a strategic partner for its group companies, actively supporting them in their growth ambitions.

Learn more at www.primepulse.com



#### **WE FOCUS** ON THE USER

- Ease of use
- Customer satisfaction
- Solution-based

#### **WF ARF A STRONG PARTNER**

- **✓** Durable
- Professional
- Trustworthy

#### **WE ARE ALWAYS ONE STEP AHEAD**

- ✓ Smartness
- ✓ Innovative technology
- Continuous progress



## **ENGINEERED IN GERMANY MADE IN AUSTRIA**





QUALITY FOR LIFE AL-KO appliances are developed with precision in Kötz. in the Swabian region of Bavaria, and subjected to rigorous testing. Our core product groups have been produced in tranquil Obdach in Styria, Austria since 1966. With the flexibility and security of an owner-managed company, our goal is to meet the requirements of our customers every time. With typical German efficiency, our research and development engineers create pioneering garden tools from hundreds of individual parts.

HIGHEST STANDARDS Materials of the highest quality, ingenious technology, perfect ergonomics and a sure feel for form and detail are the unmistakable hallmarks of our garden tools. The rigorous quality requirement that characterises the AL-KO brand is guaranteed through our comprehensive range of technologies that is consistently designed and implemented by AL-KO development engineers, designers and technicians - from the initial design and prototype construction right through to the end product. Here, we are placing particular emphasis on digital solutions, in order to intelligently connect a wide range of processes.

SUSTAINABILITY We therefore see it as our responsibility to integrate economic, ecological and social sustainability into our business activities and continuously optimise our processes. Our wide-ranging investments allow us to make an active contribution to reducing our ecological footprint. In fact, we have already succeeded in saving around 261 tonnes of CO<sub>2</sub> in production.



#### OUR **ECONOMICAL OBJECTIVES**

- added processes and sustainable sourcing strategies
- Sustainable economic performance across all business sectors

#### OUR **ECOLOGICAL OBJECTIVES**

- We use sustainable materials from production through to recycling
- Reduction in energy consumption and our ecological footprint

#### **OUR SOCIAL OBJECTIVES**

- Maximum safety to safeguard the health of our customers and
- Ensuring the best working conditions for our own staff and the staff of our partners

4 ALKO ALKO 5



#### **GARDENING MADE EASY**

Our AL-KO inTOUCH Smart Garden App optimises tasks, automates routines to suit your preferences and can be operated any time, from anywhere.

- The smart way to register a product -using the inTOUCH app you can easily add any AL-KO device to the app by scanning the type label

On your holidays? Not a problem. Share your appliance with friends, family or your service partner

- Smart support For example, to start up the appliance or receive instructions on the correct use of the product

No time-consuming searches - always know which spare part/wear part and accessories match your appliance and order them directly in the web shop









AL-KO **in**TOUCH





AL-KO in TOUCH

\* incl. integration with the AL-KO inTOUCH app (available for iOS and Android)



## **AL-KO inTOUCH SMART GARDEN APP**

**APPLIANCE-SPECIFIC FEATURES** 



- Tips and instructions relating to installation, operation and service
- ✓ Display and purchase spare parts and accessories
- ✓ 2 year warranty + optional extension



- ✓ Mowing time configuration for Robolinho® W models
- ✓ Apply the mowing settings to other days of the week
- ✓ Switch between various mowing modes





- Dashboard for smart lawnmowers
- ✓ Direct real-time display of mowing characteristics
- Control the brightness of the smart button










Our AL-KO inTOUCH APP is being continually further developed and new features are being continuously added.

- ✓ Configure interactions between smart appliances
- ✓ Automatic processes across appliances

**SMART HOME** 

INTEGRATION

Establish links between Smart Gardening and Smart Home



Alexa support for this device may be limited to Alexa availability in your country. Learn more at https://www.amazon.com/gp/help/customer/display.html/ref=hp\_left\_v4\_sib?ie=UTF8&nodeld=202206990

## **AL-KO inTOUCH SMART GARDEN APP**







## **GENERAL OPTIONS** FOR ALL APPLIANCES

## **ADDITIONAL OPTIONS FOR ROBOLINHO® W MODELS**







MY DEVICES


## AL-KO inTOUCH SMART GARDEN APP




# SMART GARDENING

# ADDITIONAL OPTIONS FOR SMART BATTERY AND SMART CHARGER

# ADDITIONAL OPTIONS FOR SMART AKKU LAWNMOWERS





**ALKO 36 V III** 



Zero maintenance

● 8889



State-of-the-art, high-performance batteries are used throughout our day-to-day lives - whether it's in our smartphones or laptops or in our digital cameras. But batteries are also increasingly used in gardening equipment, bringing many benefits.







Lightweight







Odour-free

**=** 

Batteries available

((CD

Quiet



The battery should be stored in a dry and frost-free place. Remember to check the battery charge level after extended storage (every 1-2 months). Lithium-ion batteries can discharge fully when not used and should therefore be charged on a regular basis.



Follow the instructions in the user manual



## PERFECT POWER FOR YOUR GARDEN

#### WHY WE SPECIFICALLY OFFER 18V (MAX. 20V) AND 36V (MAX. 40V) UNITS

Does high voltage mean high power? It sounds attractive, but unfortunately it's not right. The power of your garden tool isn't described by the volts or amperehours alone. The volt is merely a way of measuring voltage. The tools' Watthours specifications are much more important. Watt-hours (Wh) are calculated by multiplying voltage with capacity (volts times ampere-hours) and describe the energy content and thus also the operating time until the battery needs recharging.

Higher voltages don't necessarily equate to higher usefulness. On the contrary, this can only be achieved by using more battery cells in the battery and is therefore inevitably associated with disproportionately higher weight, a larger, bulkier housing and significantly higher costs.

At AL-KO, we always keep your needs in mind, so we have deliberately decided to offer batteries with up to 40V and up to 288 Watt-hours. Your advantages are therefore perfectly tailored to your own gardening:

- ✓ Optimal performance for professional demands
- Long operating times
- Optimal lightweight construction
- Easy-to-handle size



WE HAVE THE RIGHT SOLUTION

Capacity **VOLTS** × AMPERE-HOURS = WATT-HOURS

The **nominal voltage** (18V / 36V) is the voltage in normal operation. The **maximum voltage** (max. 20V / 40V) indicates the maximum measurable value reached at the end of charging.

**FOR EVERY NEED** RECOMMENDATION AL-KO AL-KO **18V 36V** (20V MAX.) (40V MAX.) approx. 90Wh approx. 180Wh + Perfectly balanced + Perfectly balanced + Optimised performance + Unrivalled performance + Lightweight and manoeuvrable + With one battery for the entire year + Value for money + Full power For small to medium-sized areas For medium-sized to large areas

OTHER **MANUFACTURERS** >40V - Big and heavy - Bulky - Strenuous to use Expensive

12 **AL-KO AL-KO** 13 |

# WHICH BATTERY RANGE IS THE RIGHT ONE FOR ME?

Whether mowing lawns, cutting hedges or blowing leaves — with our AL-KO battery ranges, you'll only need the one battery. And best of all, all battery lawnmowers also come with a battery and a charger.

So you can simply buy other AL-KO battery-operated tools affordably without an additional battery. Our batteries fit all tools of the AL-KO 18V, AL-KO 18V Bosch Home and Garden Compatible and AL-KO 36V ranges.



## ALKO 18V III

The AL-KO 18V range now includes over a dozen tools, which can be used with the same battery: Lawnmowers, hedge trimmers, grass trimmers, branch saws, pruners, leaf blowers and much more. Thanks to the lightweight AL-KO 18V battery, gardening is a breeze.



# CAT ROOGS

#### PERFECTLY EQUIPPED

Products from the AL-KO 18V range will leave you perfectly equipped for small to medium-sized gardens.



Manoeuvrable

Easy to use




## ALKO 18 V III-BOSCH HOME AND GARDEN COMPATIBLE

You will be perfectly equipped for any gardening tasks with the AL-KO 18V Bosch Home and Garden Compatible battery range. What's more, the batteries and chargers are compatible with all tools from different manufacturers who work with the Bosch 18V Home and Garden battery system.



The AL-KO 18V Bosch Home and Garden Compatible range offers utmost versatility. Suitable for small to medium-sized gardens.



Extremely versatile and 100% compatible

✓ One battery for plenty of tools - even from other manufacturers





## **ALKO 36 V III**

The great variety of the AL-KO 36V battery range provides the perfect support for ambitious amateur gardeners on the search for a wide selection of powerful battery-operated tools. All AL-KO 36V tools can be operated with the same battery.





#### **READY FOR ANYTHING**

The AL-KO 36V range is perfect for all types of gardener and is ideal for use on medium to large gardens.

✓ Long operating times

Robust design

Extremely powerful



| 14 **ALKO** 

## **DISCOVER THE ENTIRE** ALKO 18V III RANGE

## **BATTERIES AND CHARGERS**



#### **BATTERY B 100 Li**

Lithium-ion 18V (20V max.) 5.0Ah

Art. no. 113 698 EAN no. 400 371 805 9755



#### **BATTERY B 50 Li**

Lithium-ion 18V (20V max.) 2.5Ah Compatible with all AL-KO 18V

Art. no. 113 559 EAN no. 400 371 805 7591



#### **CHARGER C 30 Li**

Lithium-ion 18V (20V max.) 3.0Ah Compatible with all AL-KO 18V products

Art. no. 113 560 EAN no. 400 371 805 7607



#### **FAST CHARGER C 60 Li**

Lithium-ion 18V (20V max.) 6.0Ah Compatible with all AL-KO 18V

Art. no. 113 858 EAN no. 400 371 806 1703

## **CHARGING TIMES**





**CHARGER C 30 Li** Art. no. 113 560



**CHARGER C 60 Li** Art. no. 113 858



#### **PAGE OVERVIEW**

The various products from the AL-KO 18V range can be found on the following pages of this catalogue:







**TRIMMERS** 

**LEAF BLOWERS HEDGE TRIMMERS** 

**PAGE 110** 

LONG REACH

**HEDGE TRIMMERS** 

**PAGE 115** 



**HANDSAWS** 

**PAGE 118** 

**PAGE 92** 



**PAGE 106** 



**LED SPOTLIGHT PAGE 118** 

**WORK RADIO PAGE 118** 



**PAGE 40** 







**WEED SWEEPERS PLANT SPRAYER PAGE 119 PAGE 119** 

**HIGH-PRESSURE CLEANER PAGE 119** 

| 16 **AL-KO** 

**AL-KO** 17

## **DISCOVER THE ENTIRE**

## ALKO 18V III RANGE

**BOSCH HOME AND GARDEN COMPATIBLE** 



	3.22 Li IIII) Easy	3.82 Li IIII) Easy	38.2 Li Comfort	382 Li Premium
	EASY	EASY	COMFORT	PREMIUM
Cutting width	32 cm	38 cm	38 cm	38 cm
For lawns up to*	200 m <sup>2</sup>	300 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>
Power		Lithium-ion 18V (max. 20V	) 2.5Ah / 4.0Ah / 5.0Ah / 6.0	DAh
Wheel diameter front / rear	155 / 180 mm	155 / 220 mm	155 / 220 mm	155 / 220 mm
Cutting height / height adjustment	20-75 mm / central, 6-stage			
Mower deck	Plastic	Plastic	Plastic	Plastic
Volume of grass catcher box / material	35 I / plastic	45 I / plastic	45 I / fabric with hard-top	45 I / fabric with hard-top
Function	<b>2INONE</b> function	<b>2INONE</b> function	<b>3INONE</b> function	<b>3INONE</b> function
maxRun® Cockpit	-	-	-	✓
Mulching function	-	-	✓	✓
Approx. weight	11.7 kg	13.4 kg	13.7 kg	13.8 kg

WITHOUT BATTERY AND CHARGER   ADDITIONAL SETS CAN BE FOUND ON PAGES 44 / 45					
Art. no.	113 903	113 904	113 905	113 906	
EAN no.	400 371 806 2663	400 371 806 2670	400 371 806 2687	400 371 806 2694	



**ENDLESS POSSIBILITIES AROUND YOUR GARDEN** 



**SAVE SPACE AND MONEY** AND GO EASY ON THE **ENVIRONMENT** 



**COMPATIBLE WITH ALL TOOLS WHICH USE THE BOSCH 18V HOME & GARDEN BATTERY SYSTEM** 



**CAN BE USED WITH NUMEROUS AL-KO TOOLS AS WELL AS ADDITIONAL** PRODUCTS FROM OTHER **MANUFACTURERS** 



#### HT 1845 W

#### COMFORT

Cutting length	450 mm
Max. tooth gap	15 mm
Power	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah
Stroke rate	2600 per min.
Blade type	Diamond-ground
Cutting mechanism	Counter-rotating safety blade
Approx. weight	2.0 kg (without battery) 2.3 kg (with battery)

#### WITHOUT BATTERY AND CHARGER **ADDITIONAL SETS CAN BE FOUND ON PAGE 111**

Art. no.	113 920		
EAN no.	400 371 806 2441		



#### CS 1825 III

#### COMFORT

Bar length	25 cm
Power	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah
Tank volume petrol / oil	- / 110 ml
Saw chain	3/8" / 90PX040X
Chain speed	4.7 m/s
Chain tension	with tool
Chain lubrication	automatic
Chain brake	✓
Approx. weight	2.8 kg (without battery) 3.1 kg (with battery)

#### WITHOUT BATTERY AND CHARGER **ADDITIONAL SETS CAN BE FOUND ON PAGE 134**

Art. no.	113 919
EAN no.	400 371 806 2434



#### LB 1860 III

#### **COMFORT**

ower	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah
ir speed	45 m/s
low rate	450 m³/h
ripe attachments (incl.)	2
ontrol	ECO mode, Power mode
pprox. weight	1.8 kg (without battery) 2.1 kg (with battery)

#### WITHOUT BATTERY AND CHARGER **ADDITIONAL SETS CAN BE FOUND ON PAGE 106**

Art. no.	113 922
EAN no.	400 371 806 2465



#### GT 1825 III COMFORT

Cutting width	25 cm
Power	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah
Line type	Nylon line
Line feed	Bump feed mechanism
Shaft tube	Telescopic, aluminium
Angle-adjustable handle	
Aligio adjustable lialiale	<b>~</b>
Height-adjustable handle	•
3 /	<b>*</b>
Height-adjustable handle	* * * * * * * * * * * * * * * * * * *

## WITHOUT BATTERY AND CHARGER ADDITIONAL SETS CAN BE FOUND ON PAGE 93

Art. no.	113 924
EAN no.	400 371 806 2489

### **ALKO 18V III BOSCH HOME AND GARDEN COMPATIBLE**



Mini-	Handsaw	Lawn aera	itor	Cultivator	
chainsaw CSM 1815	PS 1815	AR 1835	(III)	TL 1820	

	COMFORT	COMFORT	COMFORT	COMFORT
Technical data	Cutting length 150 mm / maximum cut Ø 130 mm	Cutting length 150 mm / maximum cut Ø 80 mm	Working width 350 mm / working depth 20 mm	Working width 200 mm
Battery power	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah			
Power	Chain speed: 7 m/s	Stroke rate: 2500 per min.	250 rpm	250 rpm
Special feature	SDL (Smart Dynamic Lubrication)	LED work light	Detachable shaft, 24 steel spring tines	4x4 robust metal blades, with detachable shaft
Included in delivery	Carry case, 60 ml chain oil	3 saw blades for wood, metal and plastic	-	-
Approx. weight	1.3 kg (without battery) 1.6 kg (with battery)	1.2 kg (without battery) 1.5 kg (with battery)	4.8 kg (without battery) 5.1 kg (with battery)	3.5 kg (without battery) 3.8 kg (with battery)

#### WITHOUT BATTERY AND CHARGER | ADDITIONAL SETS CAN BE FOUND ON PAGES 120 / 121

Art. no.	114 016	113 923	113 921	113 928
EAN no.	400 371 806 3943	400 371 806 2472	400 371 806 2458	400 371 806 2526



#### High-pressure cleaner PW 1850

#### COMFORT

22 bar

Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah

180 I per hour

ECO function, 5 in 1 water nozzle, can be used with any water source thanks to the water intake

Soap dispenser with spray nozzle, 4 m intake hose

1.3 kg (without battery)

1.6 kg (with battery)

113 929

400 371 806 2533



#### Pruner **CSA 1820**

ALKO 18V III

Art. no. 114 014 EAN no. 400 371 806 3608

**UPGRADE SET** 

**+ B 50 Li battery** (2.5Ah) + C 50 Li charger

> Long reach (III) hedge trimmer HTA 1845

#### COMFORT COMFORT

Cutting length	200 mm	450 mm
Max. tooth gap	-	15 mm
Power	Lithium-ion 18 2.5Ah / 4.0Ah /	3V (max. 20V) / 5.0Ah / 6.0Ah
Shaft tube	Telescopic	Telescopic
Pivoting head	✓	✓
Approx. weight	3.65 kg (without battery) 3.95 kg (with battery)	3.5 kg (without battery) 3.8 kg (with battery)

#### WITHOUT BATTERY AND CHARGER ADDITIONAL SETS CAN BE FOUND ON PAGE 115

Art. no.	113 926	113 925
AI t. IIV.	110 320	110 320
EAN no.	400 371 806 2502	400 371 806 2496

**BATTERIES AND CHARGERS** 



#### **B125 Li BATTERY**

Lithium-ion 18V 6.0Ah Compatible with all AL-KO 18V Bosch H&G products

Art. no. 113 896 EAN no. 400 371 806 2366

#### **B75 Li BATTERY**

Lithium-ion 18V 4.0Ah Compatible with all AL-KO 18V Bosch H&G products

Art. no. 113 894 EAN no. 400 371 806 2342



#### **B100 Li BATTERY**

Lithium-ion 18V 5.0Ah Compatible with all AL-KO 18V Bosch H&G products

Art. no. 113 895 EAN no. 400 371 806 2359



#### **B50 Li BATTERY**

Lithium-ion 18V 2.5Ah Compatible with all AL-KO 18V Bosch H&G products

Art. no. 113 893 EAN no. 400 371 806 2335



#### **FAST CHARGER** FC100 Li

**C50 Li CHARGER** 

Compatible with all AL-KO 18V

Lithium-ion 18V 3.0Ah

Bosch H&G products

Art. no. 113 897

Lithium-ion 18V 8.0A. Compatible with all AL-KO 18V Bosch H&G products

Art. no. 113 899 EAN no. 400 371 806 2397





ALKO 21

## ALKO 18V III **BOSCH HOME AND GARDEN COMPATIBLE**

## **OPERATING TIMES**










APPLICATIONS	NAME	ART. NO.	CATEGORY	2x B50 Li battery (2.5Ah)	2x B75 Li battery (4.0Ah)	2x B100 Li battery (5.0Ah)	2x B125 Li battery (6.0Ah)
LAWNMOWE	RS						
Mowing	3.22 Li Easy	113 857	EASY	25 min.*	35 min.	45 min.	55 min.
Mowing	3.82 Li Easy	113 842	EASY	25 min.	35 min.*	45 min.	55 min.
Mowing	38.2 Li Comfort	113 843	COMFORT	25 min.	35 min.*	45 min.	55 min.
Mowing	382 Li Premium	113 844	PREMIUM	25 min.	35 min.	45 min.*	55 min.
APPLICATIONS	NAME	ART. NO.	CATEGORY	1x B50 Li battery (2.5Ah)	1x B75 Li battery (4.0Ah)	1x B100 Li battery (5.0Ah)	1x B125 Li battery (6.0Ah)
TRIMMER							
Trimming	GT 1825	113 924	COMFORT	40 min.	65 min.	80 min.	100 min.
LEAF BLOWE	R						
Blowing	LB 1860	113 922	COMFORT	20 min.	32 min.	40 min.	48 min.
HEDGE TRIM	MER						
Hedge trimming	HT 1845	113 920	COMFORT	55 min.	90 min.	110 min.	135 min.
PRUNERS &	LONG REACH HE	EDGE TRI	MMERS				
Pruning	CSA 1820	113 926	COMFORT	26 cuts (square timber 10 x 10 cm)	45 cuts (square timber 10 x 10 cm)	55 cuts (square timber 10 x 10 cm)	65 cuts (square timber 10 x 10 cm)
Pruning	HTA 1845	113 925	COMFORT	40 min.	65 min.	80 min.	95 min.
CHAINSAW							
Sawing logs	CS 1825	113 919	COMFORT	40 cuts (logs Ø 15 cm)	60 cuts (logs Ø 15 cm)	75 cuts (logs Ø 15 cm)	90 cuts (logs Ø 15 cm)
Sawing logs	CSM 1815	114 016	COMFORT	27 cuts (square timber 10 x 10 cm)	43 cuts (square timber 10 x 10 cm)	54 cuts (square timber 10 x 10 cm)	65 cuts (square timber 10 x 10 cm)
Sawing materials	PS 1815	113 923	COMFORT	90 cuts (square timber 30 x 50 cm)	145 cuts (square timber 30 x 50 cm)	180 cuts (square timber 30 x 50 cm)	216 cuts (square timber 30 x 50 cm)
LAWN AERAT	OR						
Aerating	AR 1835	113 921	COMFORT	25 min.	40 min.	50 min.	60 min.
CULTIVATOR							
<b>Cultivating soil</b>	TL 1820	113928	COMFORT	20 min.	30 min.	40 min.	45 min.
HIGH-PRESS	URE CLEANER						
Pressure washing	PW 1850	113 929	COMFORT	20 min.	35 min.	40 min.	50 min.

The specified battery operating times are based on the maximum working time including work performed and basic maintenance work, which is required for general use. The values are guidelines, which may vary based on use and material cut.



22 **AL-KO AL-KO** 23 \*Included in delivery.

## **DISCOVER THE ENTIRE**

## ALKO 36 V III RANGE







	42.9 Li 🎹	42.9 Li SP 🎹	46.9 Li SP 🎹
	EASY	EASY	EASY
Cutting width	42 cm	42 cm	46 cm
For lawns up to**	650 m <sup>2</sup>	650 m <sup>2</sup>	650 m <sup>2</sup>
Power	Lithiun	n-ion 36V (max. 40V) 4.0Ah / 5.0A	h / 8.0Ah
Wheel drive	-	1-speed	1-speed
Wheel diameter front / rear	175 / 200 mm	175 / 210 mm	200 / 280 mm
Cutting height / height adjustment	30-75 mm / central, 7-stage	30-75 mm / central, 7-stage	30-75 mm / central, 7-stage
Mower deck	Steel plate	Steel plate	Steel plate
Collector volume / material	60 I / fabric	60 I / fabric	60 I / fabric
Function	<b>2INONE</b> function	<b>2INONE</b> function	<b>3INONE</b> function
Mulching function	-	-	✓
Approx. weight	23 kg	23 kg	26 kg
WITHOUT BATTERY AND CHA	ARGER  ADDITIONAL SETS CAN	BE FOUND ON PAGE 47	

 ${}^{**} \text{The maximum area coverage depends on the layout and special conditions of the garden as well as the battery capacity.} \\$ 

## **BATTERIES AND CHARGERS**

400 371 805 9311

113 688



Art. no.

EAN no.

#### **BATTERY B 800 Li**

Lithium-ion 36V (40V max.) 8.0Ah With Bluetooth technology

Art. no. 114 017 EAN no. 400 371 806 3950



#### **B 150 Li BATTERY**

Lithium-ion 36V (40V max.) 4.0Ah Compatible with all AL-KO 36V products

Art. no. 113 280 EAN no. 400 371 805 5283



113 689

400 371 805 9328

#### BATTERY B 200 Li

113 690

400 371 805 9335

Lithium-ion 36V (40V max.) 5.0Ah Compatible with all AL-KO 36V products

Art. no. 113 524 EAN no. 400 371 805 7096



#### DOUBLE BATTERY CHARGER C 200 Li

Lithium-ion 36V (40V max.) 2x 3.0A With W-LAN technology

Art. no. 114 018 EAN no. 400 371 806 3967



42.2 Li 📖	40 0 L' 0B III	46.2 Li SP-W 📖 512 Li VS-W 📖
//ソソ リ	//ドン   I   CD	- 116 ソ L L CD_VV   III   57 ソ L L VC_VV   III
46.6 LI	40.6 El 31 E.	40.2 LI 01 -W, JIZ LI VO-W,

	COMFORT	COMFORT	COMFORT	PREMIUM
Cutting width	42 cm	46 cm	46 cm	51 cm
For lawns up to**	400-800 m <sup>2</sup>	400-800 m <sup>2</sup>	400-800 m <sup>2</sup>	500 - 1000 m <sup>2</sup>
Power		Lithium-ion 36V (max.	40V) 4.0Ah / 5.0Ah / 8.0Ah	
Wheel drive	-	1-speed	1-speed	VarioSpeed
Wheel diameter front / rear	180 / 205 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted
Cutting height / height adjustment	25-75 mm / central, 7-stage	30-80 mm / central, 7-stage	30-80 mm / central, 7-stage	30-80 mm / central, 7-stage
Mower deck	Steel plate	Steel plate	Steel plate	Steel plate
Collector volume / material	65 I / plastic	70 I / plastic	70 I / plastic	70 I / plastic
MAX AIRFLO		✓	✓	<b>✓</b>
Function	<b>2INONE</b> function	<b>3INONE</b> function	<b>3INONE</b> function	4INONE function
Smart-Connected	-	-	✓	✓
maxRun® & Smart Cockpit	-	-	-	<b>✓</b>
Mulching function	-	✓	✓	✓
Side discharge	-	-	-	✓
Approx. weight	24 kg	29.8 kg	29.8 kg	32 kg

#### 1x B 150 Li 1x B 150 Li 1x B 150 Li 1x B 200 Li Included battery (4.0Ah) battery (4.0Ah) battery (4.0Ah) battery (5.0Ah) in delivery 1x C 130 Li 1x C 130 Li 1x C 130 Li 1x C 130 Li charger (3.0A) charger (3.0A) charger (3.0A) charger (3.0A) Art. no. 119 977 119 978 119 979 119 980

SET INCL. BATTERY AND CHARGER | ADDITIONAL SETS CAN BE FOUND ON PAGES 52 / 53

**EAN no.** 400 371 835 6212 400 371 835 6229 400 371 835 6236 400 371 835 6243



#### CHARGER C 130 Li

Lithium-ion 36V (40V max.) 3.0A Compatible with all AL-KO 36V products

Art. no. 113 281 EAN no. 400 371 805 5290



24 **AL-KO** 



#### COMFORT

Cutting length	550 mm
Max. tooth gap	20 mm
Power	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah
Stroke rate	2800 per min.
Blade type	Diamond-ground
Cutting mechanism	Counter-rotating safety blade
Approx. weight	2.5 kg (without battery) 3.9 kg (with battery)

## WITHOUT BATTERY AND CHARGER FURTHER INFORMATION CAN BE FOUND ON PAGE 111

Art. no.	113 609
EAN no.	400 371 805 8444



#### GT 4030 III

#### COMFORT

Cutting width	30 cm
Power	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah
Line type	Nylon line
Line feed	Bump feed mechanism
Shaft tube	Telescopic, aluminium
Spare line holder	✓
Angle-adjustable handle	✓
Height-adjustable handle	✓
Pivoting cutting head	✓
Plant guard	✓
Approx. weight	2.4 kg (without battery) 3.9 kg (with battery)

#### WITHOUT BATTERY AND CHARGER Additional sets can be found on page 93

Art. no.	113 608
EAN no.	400 371 805 8437



#### CS 4030 III

#### COMFORT

Bar length	30 cm
Power	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah**
Tank volume petrol / oil	- / 180 ml
Saw chain	3/8" / 91P045E
Chain speed	16.3 ± 0.7 m/s
Chain tension	with tool
Chain lubrication	automatic
Chain brake	✓
Approx. weight	4.45 kg (without battery) 5.81 kg (with battery)

#### WITHOUT BATTERY AND CHARGER Additional Sets can be found on page 134

Art. no.	113 616
FAN no	400 371 805 8512





LB 4UbU W L	.BV 4U9U W
-------------	------------

#### COMFORT PREMIUM

**AL-KO** 27

115-250 km/h	150-250 km/h
Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah	
330 m³/h	350 m³/h
2	1
Infinitely variable	Infinitely variable, vacuuming, blowing
-	✓ / fabric
2.2 kg (without battery) 3.6 kg (with battery)	4.5 kg (without battery) 5.9 kg (with battery)
	Lithium-ion 3 4.0Ah / 5.0 330 m³/h 2 Infinitely variable - 2.2 kg (without battery)

#### WITHOUT BATTERY AND CHARGER Further information can be found on pages 106 / 107

Art. no.	113 610	113 662
EAN no.	400 371 805 8451	400 371 805 9090

## AL-KO BATTERY BELT WITH BBA 40 ADAPTER

## CARRY THE BATTERY COMFORTABLY ON THE BELT

Hand-held products are becoming lighter. By carrying the battery on the belt, operating the tools becomes much easier and more comfortable, as the weight of the battery is optimally distributed across one's body. For all hand tools of the AL-KO 36V range.



#### **BBA 40 BATTERY BELT**

AL-KO 36V belt with adapter

Art.no. 113 786 EAN no. 400 371 806 0706

#### MAKING GARDENING WORK EVEN EASIER

- ✓ Up to a 30% weight reduction
- Reduces strain on your arms
- Optimum freedom of movement thanks to one-click disconnection of the belt and tool
- Comfortable to carry thanks to the special padding
- Stress-free gardening work
- ✓ The most lightweight tools on the market
- Ready to use out-of-the-box



#### **OPTIMUM COMPATIBILITY**

You can use solo® by AL-KO tools with the AL-KO 36V battery in conjunction with AL-KO BBA 40 battery belt. More information is available online and from your retailer.







\*\*B 800 Li lithium-ion battery 36V (40V max.) 8.0Ah is only compatible with this device in conjunction with the BBA 40 battery belt.



## **SCARIFIERS**



## SF 4036 IIII

Working width / scarifying roller	36 cm / 12 steel blades
Working depth	+10 to -11 mm
For lawns up to**	350 m <sup>2</sup>
Working width / aerator roller	36 cm / 40 steel spring tines optional (see accessories)
Power	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah
Height adjustment	Central, 5-stage
Housing	Plastic
Collector volume / material	50 I / fabric optional (see accessories)

## WITHOUT BATTERY AND CHARGER FURTHER INFORMATION CAN BE FOUND ON PAGE 86

**3INONE** 

function

11.7 kg

Art. no.	113 574
EAN no.	400 371 805 775

## **SNOWBLOWER**



#### ST 4048 III

#### COMFORT

For working areas of max. size**	300 m <sup>2</sup>
Power	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah***
Starting system	E-start
Snow clearing width	48 cm
Intake height	20 cm
Max. discharge distance	6 m
Discharge adjustment	180°, manual
Conveyor technology	Paddle, 1-stage
Headlights	✓
Approx. weight	13.5 kg (without battery) 14.9 kg (with battery)

#### WITHOUT BATTERY AND CHARGER Further information can be found on page 168

Art. no.	113 591
EAN no.	400 371 805 7959

## **MULTI-TOOL**



#### COMFORT

Power	Lithium-ion 36V (max. 40 4.0Ah / 5.0Ah / 8.0Ah***
Material	Aluminium / plastic
Approx. weight	1 kg (without battery) 2.4 kg (with battery)

#### WITHOUT BATTERY AND CHARGER FURTHER INFORMATION CAN BE FOUND ON PAGES 100 - 103

ON PAGES	100 - 103
Art. no.	113 611
EAN no.	400 371 805 8468

## Pruner Long reach hedge trimmer attachment CSA 4020 Long reach hedge trimmer attachment HTA 4045

		UTU
<b>Cutting length</b>	20 cm	45 cm
Tooth gap	10 cm	2 cm
Working height	up to 4 m	up to 3.5 m
Speed	4.2 m/s	1,300 rpm
Cutting method	Chain	Counter-rotating safety blade
Included in delivery	70 cm shaft extension, carry strap	70 cm shaft extension, carry strap
Approx. weight	1.8 kg	1.8 kg
Art. no.	113 612	113 613
EAN no.	400 371 805 8475	400 371 805 8482

## Trimmer attachment GTA 4030

Brushcutter and
trimmer attachment
BCA 4030
00 1: /

Cutting width	30 cm	30 cm line / 23 cm blade
Line type	Nylon line	Nylon line
Adjustable auxiliary handle	✓	✓
Swivelling plant guard	✓	<b>✓</b>
Included in delivery	Front handle, line spool with bump feed mechanism	Front handle, blade, line spool with bump feed mechanism
Approx. weight	1.8 kg	1.8 kg
Art. no.	113 614	113 615
EAN no.	400 371 805 8499	400 371 805 8505

Function

Approx. weight

## **OPERATING TIMES**







1x battery B 800 Li

(8.0Ah)

55 min. 55 min.

55 min. 55 min.

55 min.

55 min.

55 min.

B 800 Li (8.0Ah)

110 min.

110 min.

110 min.

110 min.

1x battery B 800 Li (8.ÓAh)

40 min.

108 min.

90 min.

144 min. 72 min. 90 min.

50 min.

27 min.

180 min.

36 min.

40 min.




ttery	1x battery	2x battery

APPLICATIONS	NAME	ART. NO.	CATEGORY	1x dattery B 150 Li (4.0Ah)	B 150 Li (4.0Ah)	B 200 Li (5.0Ah)	B 200 Li (5.0Ah)
LAWNMOWE	RS						
Mowing	42.9 Li	113 694	EASY	35 min.*	-	45 min.	-
Mowing	42.9 Li SP	113 695	EASY	35 min.*	-	45 min.	-
Mowing	46.9 Li SP	113 714	EASY	35 min.*	-	45 min.	-
Mowing	42.2 Li	119 977	COMFORT	35 min.*	70 min.	45 min.	90 min.
Mowing	46.2 Li SP	119 978	COMFORT	35 min.*	70 min.	45 min.	90 min.
Mowing	46.2 Li SP-W	119 979	COMFORT	35 min.*	70 min.	45 min.	90 min.
Mowing	512 Li VS-W	119 980	PREMIUM	35 min.	70 min.	45 min.*	90 min.
APPLICATIONS	NAME	ART. NO.	CATEGORY	1x battery (4.0		1x battery (5.0	
SCARIFIERS							
Scarifying, aerating and grass catching	SF 4036	113 574	COMFORT	20 m	in.	30 n	nin.
TRIMMER							
Trimming	GT 4030	113 608	COMFORT	60 m	in.	80 n	nin.
MULTI-TOOL							
Trimming and cutting	MT 40 with BCA 4030	113 615	COMFORT	50 m	in.	63 n	nin.
Hedge trimming	MT 40 with HTA 4045	113 613	COMFORT	80 m	in.	100 ו	min.
Pruning	MT 40 with CSA 4020	113 612	COMFORT	20 m	in.	30 n	nin.
Trimming	MT 40 with GTA 4030	113 614	COMFORT	50 m	in.	63 n	nin.
LEAF BLOWE	RS AND BLOWE	R VACUU	MS				
Blowing	LB 4060	113 610	COMFORT	28 m	in.	35 n	nin.
Blow and vacuum	LBV 4090	113 662	PREMIUM	15 m	in.	20 n	nin.
HEDGE TRIM	MER						
Hedge trimming	HT 4055	113 609	COMFORT	100 n	nin.	125 ו	min.
CHAINSAW							
Sawing logs	CS 4030	113 616	COMFORT	20 m	in.	30 n	nin.
SNOWBLOWE	ER						
Clearing snow	ST 4048	113 591	COMFORT	20 m	in.	30 n	nin.

The specified battery operating times are based on the maximum working time including work performed and basic maintenance work, which is required for general use. The values are guidelines, which may vary based on use and material cut.

## **CHARGING TIMES**



| 30 **ALKO** 

\*Included in delivery.



# ADVANTAGES OF OUR ROBOTIC LAWNMOWERS



#### FULLY AUTOMATIC FOR THE PERFECTLY MOWED LAWN

Robolinho® robotic lawnmowers work quietly, safely and gently. Connecting the lawnmower to a Smart Home or Smart Gardening system offers further benefits. Indeed, you can use your free time to relax, catch up with family or devote your time to other tasks. Thanks to the Double-Cut system developed by AL-KO, they deliver a perfect cut. At the same time, the finely cut grass clippings can

be used as a biological lawn fertiliser. Robolinho® robotic lawnmowers not only mow your lawn fully automatically and reliably, they cope with extremely tight passages and gradients of up to 45%. For a perfectly manicured lawn and that's with the best test scores.



MANAGES NARROW PASSAGES FROM 60 CM





INCREDIBLY QUIET



OVERCOMES GRADIENTS UP TO 45%



SAFE IN ALL POSITIONS



SAVE SPACE BY PARKING IT ON THE EDGE

## A PERFECT CUT WITH THE HIGHEST LEVEL OF SAFETY

Five independent sensors, in conjunction with a sophisticated safety system, ensure comprehensive operational safety at all times. The Robolinho® identifies obstructions and reliably evades them. The two hardened blades are rotated alternately in clockwise and anti-clockwise direction, which keeps them sharp for twice as long. And by simply flipping over the blades, you can double their service life. Additional clearing blades ensure finely cut lawn trimmings.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



## EASY TO OPERATE, SERVICE AND MAINTAIN

The intuitive control panel makes programming the Robolinho® easy. Simply enter the days and times when you want the Robolinho® to mow the lawn, and you're done. Our knowledgeable service partners will be happy to assist you with installation, repair, winter storage and a personalised annual service.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



Thanks to the device's powerful drive system and high-grip wheel tread, the Robolinho® can master gradients of up to 45% with ease. The two drive wheels, with the robust wheel tread, ensure small turning radii and excellent traction. The integrated temperature sensor warns you of frost.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



#### **NARROW PASSAGES**

Thanks to its compact design and intelligent control, Robolinho® can also cope with passages as narrow as 60 cm. A regular trim keeps the lawn in perfect condition at all times. A special passage mode takes care of narrow patches of grass, leaving you with an impressively cut lawn.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.

32 ALKO 33

## **OUR SMART ROBOTIC LAWNMOWERS**



With the AL-KO inTOUCH Smart Garden App and our Smart Cloud, you can connect your Robolinho® W and other smart garden tools to create intelligent overall solutions that make gardening child's play.

Simply optimise tasks, automate routines to suit your preferences, manage your Robolinho® W from anywhere, and get useful information about your appliances and your garden. This saves not only effort and resources, but also your valuable time.

Available for all COMFORT and PREMIUM models.

THE ROBOLINHO® 'SHARE' FEATURE

For example when you're away or when your service partner

carries out remote maintenance.

#### STAY INFORMED AT -----**ALL TIMES**

Status message and direct assistance - if you want, by push notification.



**COMPATIBLE WITH** IFTTT, ALEXA,

**HOME CONNECT PLUS** AND AL-KO inTOUCH

You can operate and configure it, and also link up other services and appliances.







**in** TOUCH





**ANYWHERE** 

the lawn is being watered).



CONTROL YOUR ROBOLINHO® W FROM

The smart connected Robolinho® W robotic lawnmowers can be controlled and automated via IFTTT routines. Thanks to the underlying concept of IFTTT it is possible to define individual scenarios. Synchronise Robolinho® W activities with any

IFTTT service, e.g. with a weather channel (stop mowing during a storm) or with an irrigation service (stop mowing when

In many situations you may have your hands full or be pressed for time. Thankfully your diligent Robolinho® W can be controlled easily by voice command via Amazon Alexa. Simply say the command and your robot can start mowing the lawn,

pause, or go back to the base station. This way, you'll have more time to focus on more important things.

works alexa with

Alexa support for this device may be limited to Alexa availability in your country Learn more at https://www.amazon.com/gp/help/customer/display.html/ref=hp\_left\_ v4\_sih2ie=LITE8&nodeId=202206990

## PERSONALISED LOOK AND FEEL - WITH **ADHESIVE FOILS**

Personalised adhesive foils are available for all AL-KO Robolinho® models. They not only look good, they also protect the surface finish of your Robolinho® from UV radiation.



**DESIGN YOUR ADHESIVE FOIL** HERE







#### **HOW IT'S DONE**



Order the ideal Robolinho® for your garden



Upload your personalised design to our print partner



After receiving your adhesive foil, stick your personal design onto your Robolinho®



ROBOLINHO® ROBOTIC LAWNIMOWERS

## **OUR ROBOTIC LAWNMOWERS**







	Robolinho® 300 E III	Robolinho® 500 E IIII
	EASY	EASY
Lawn size* / gradient	max. 300 m² / max. 30%	max. 500 m² / max. 45%
Cutting width / heights	20 cm / 25-55 mm	20 cm / 25-55 mm
Power	Lithium-ion 18V / 2.2Ah	Lithium-ion 18V / 2.5Ah
Mowing time / charging time	45 min. / 45 min.	55 min. / 50 min.
Blade system	4 double blades	4 double blades
Blade speed	3400 rpm	3400 rpm
Entry points	random	3
Sound level	60 dB(A)	60 dB(A)
Wi-Fi + Smart Cloud Connect***	-	-
ECO mode	-	-
Included in delivery	1 x base station 90 x ground nails 100 m loop wire	1 x base station 90 x ground nails 130 m loop wire
Approx. weight	7 kg	7.6 kg
Art. no.	119 991	119 950
EAN no.	400 371 835 6274	400 371 835 6007

\*The maximum area coverage may be reduced by the layout of the garden as well as the number and size of the obstacles.







Robolinho® 500 W III	Robolinho® 1150 W III
COMFORT	PREMIUM
max. 500 m² / max. 45%	max. 1000 m <sup>2</sup> / max. 45%
20 cm / 25-55 mm	22 cm / 25-55 mm
Lithium-ion 18V / 2.5Ah	Lithium-ion 25.2V, 5.0Ah
55 min. / 50 min.	100 min. / 100 min.
4 double blades	4 double blades
3400 rpm	3400 rpm
3	3
60 dB(A)	60 dB(A)
✓	✓
-	✓
1 x base station 90 x ground nails 130 m loop wire	1 x base station 180 x ground nails 150 m loop wire
7.6 kg	12.3 kg
119 925	119 965
400 371 835 5758	400 371 835 6106



**GET CONNECTED WITH SMART** 









**AL-KO** 37

## **ROBOTIC LAWNMOWERS ACCESSORIES**





#### BASE STATION

With base plate, for all Robolinho® models

Art. no.127 516 EAN no. 400 371 805 9571



#### **BLADE DISC**

For Robolinho® 300 E. 500 E and 500 W: Art. no. 127 466 EAN no. 400 371 805 8581

For Robolinho® 1150 W: Art. no. 127 467 EAN no. 400 371 805 8598



#### **LOOP WIRE**

150 m long

Art. no. 119 462 EAN no. 400 371 835 1484



#### REPLACEMENT BLADE

3x2 pcs. for all Robolinho® models

Art. no. 127 465 EAN no. 400 371 805 8574



#### REINFORCED LOOP WIRE

300 m long, on roller

Art. no. 127 335 EAN no. 400 371 805 5924



#### **LOW-VOLTAGE CABLE**

extension (5 m long)

Art. no. 127 676 EAN no. 400 371 806 3622



#### **QUICK HOMING KIT**

for quick return to base station

Art. no. 127 699 EAN no. 400 371 806 4308



#### **SET OF WHEEL CLAWS**

For all Robolinho® models

Art. no. 127 675 EAN no. 400 371 806 3615





#### **ROBOTIC LAWNMOWER GARAGE**

The canopy is made from UV-resistant plastic, perfectly protecting all Robolinho® robotic lawnmowers against the weather during charging and idle times without impeding functionality. What's more, the practical folding mechanism ensures easy access to the keypad and display at all times. The strong latch also holds the roof in the open position.

Suitable for all Robolinho® models (300 E, 500 E, 500 W and 1150 W), incl. fixing nails for anchoring it firmly to the lawn. L x W x H: 60 x 57 x 39 cm

Art. no.119 990 EAN no. 400 371 835 6267



#### **GROUND NAILS**

90 pcs

Art. no. 119 461 EAN no. 400 371 835 1477



#### **CABLE REPAIR KIT**

ROBOLINHO® ROBOTIC LAWNMOWERS

With 6 connectors, for all Robolinho® models

Art. no. 127 327 EAN no. 400 371 805 5139





#### **CABLE LAYING KIT**

Comprising:

1 x loop wire 150 m 1 x ground nails 90 pcs 5 x cable connectors

Art. no. 127 513 EAN no. 400 371 805 9540



#### **CABLE LAYING KIT**

Comprising: 2 x loop wire 150 m 3 x ground nails 90 pcs 10 x cable connectors

Art. no. 127 514 EAN no. 400 371 805 9557





# ADVANTAGES OF OUR BATTERY LAWNMOWERS



#### **RELAXED MOWING**

Cordless battery lawnmowers combine the advantages of classic petrol lawnmowers with the quiet and exhaust-free operation of electrical versions — and without the irritating cable. The perfect combination!

The grass boxes also feature an integrated fill level indicator, meaning you'll always know when it's time to empty it. Our battery lawnmowers have a cutting width of up to 51 cm, offering a truly efficient way to work, even on large lawns.

#### A REAL ALL-ROUNDER

Depending on the model, our battery lawnmowers are equipped with several functions. They can be easily recognised by the following logos in the tables: **2INONE**function, **3INONE**function and **4INONE**function. The functions are explained using the following graphics.



**2INONE**function

MOW AND COLLECT



3INONE function

MOW, COLLECT AND MULCH



4INONE function

MOW, COLLECT, MULCH AND SIDE DISCHARGE

## **ALKO 18V III**

The AL-KO 18V range now includes over a dozen appliances, which can be used with the same kind of battery: Lawnmowers, hedge trimmers, grass trimmers, branch saws, pruners, leaf blowers and much more. Thanks to the lightweight AL-KO 18V battery, gardening is a breeze.



All AL-KO 18V garden tools can be used with the batteries and chargers listed on page 16. Other garden tools and information on this battery range can be found on pages 16/17.



#### 34.8 Li 📖

#### **EASY**

Cutting width	34 cm
For lawns up to*	150 - 200 m <sup>2</sup>
Power	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah
Wheel diameter front / rear	140 / 160 mm
Cutting height / height adjustment	25 - 65 mm / central, 5-stage
Mower deck	Plastic
Grass collector volume / material	30 I / fabric with hard-top
Function	<b>2INONE</b> function
Approx. weight	12 kg

#### SET INCL. TWO BATTERIES AND CHARGER

Included in delivery	2 x B 50 Li battery (2.5Ah) 1 x TC 30 Li double battery charger (2 x 3.0A)
Art. no.	113 540
EAN no.	400 371 805 7584

#### REPLACEMENT BLADE

Art. no. 113 632

EAN no. 400 371 805 8802

## BATTERIES AND CHARGERS



#### BATTERY B 100 Li

Lithium-ion 18V (20V max.) 5.0Ah

Art. no. 113 698 EAN no. 400 371 805 9755



#### **BATTERY B 50 Li**

Lithium-ion 18V (20V max.) 2.5Ah Compatible with all AL-KO 18V products

Art. no. 113 559 EAN no. 400 371 805 7591



#### CHARGER C 30 Li

Lithium-ion 18V (20V max.) 3.0Ah Compatible with all AL-KO 18V products

Art. no. 113 560 EAN no. 400 371 805 7607



#### FAST CHARGER C 60 Li

Lithium-ion 18V (20V max.) 6.0Ah Compatible with all AL-KO 18V products

Art. no. 113 858 EAN no. 400 371 806 1703

\*The maximum area coverage depends on the layout and special conditions of the garden as well as the battery capacity

ALKO 41

### **ALKO 18V III BOSCH HOME AND GARDEN COMPATIBLE**

You will be perfectly equipped for any gardening tasks with the AL-KO 18V Bosch Home and Garden Compatible battery range. What's more, the batteries and chargers are compatible with all appliances from different manufacturers, who work with the 18V Bosch Home and Garden battery

Other garden tools and information on this battery range can be found on pages 18 - 23.



#### DOUBLE BATTERY COMPARTMENT FOR LONGER OPERATING TIMES

The double battery compartment allows larger areas to be mowed. Tip: Always use two batteries with the same Ah in order to fully utilise the battery capacity.

Available for all EASY, COMFORT and PREMIUM models.



#### **VISIBLE BATTERY INDICATOR**

All **EASY** and **COMFORT** models feature a clear LED battery level indicator, which makes it child's play to read the current charge level of both batteries. The **PREMIUM** model offers an LED charge level indicator directly on the maxRun® Cockpit, from which you can read the charge level of the batteries with even greater convenience.

Available for all EASY, COMFORT and PREMIUM

#### **FOLDED WITHOUT** TAKING UP MUCH SPACE

The handlebar on both the **COMFORT** and **PREMIUM** models can be fully folded for compact storage. Moreover, they can be stored upright, meaning they need minimal space and make cleaning easier.

Available for all **COMFORT** and **PREMIUM** models.



#### IT TICKS ALL THE BOXES: THE maxRun® COCKPIT

Everything at a glance and easy to use. The cockpit lets you keep an eye on the charge level of both batteries, and the ECO mode, which can be conveniently connected, enables the operating time of batteries to be increased by around 25%\*.

Available for **PREMIUM** model.



#### RELIABLE AND EASY TO CLEAN

The brushless motors, which offer a long operating time and maintenancefree operation, are fitted in all battery lawnmowers of the AL-KO 18V Bosch Home and Garden Compatible series.

Available for all EASY. COMFORT and PREMIUM models.

#### HIGH LEVEL OF WORKING COMFORT

Thanks to the central cutting height adjustment, you can achieve perfect cutting results at the flick of a wrist. It's even more practical setting the cutting height on the **PREMIUM** model using the height adjustment button. The handlebar can be set to several different heights so it is always comfortable to use (all **EASY** and **COMFORT** models). What's more, the **PREMIUM** model boasts an infinitely variable telescopic handlebar.

Available for all EASY. COMFORT and PREMIUM models.



#### STURDY YET LIGHTWEIGHT

The **EASY** model comes fitted with a lightweight plastic grass collector. The **COMFORT** and **PREMIUM** models feature a sophisticated fabric box with hard-top and an additional loop to make it even easier to empty. All the grass collector boxes offer a long box tongue, ensuring that the discharge channel always remains free of grass.

Available for all EASY, COMFORT and PREMIUM

42 **ALKO AL-KO** 43 \*Depending on grass height, density and quality (moisture etc.)

## **ALKO 18V III BOSCH HOME AND GARDEN COMPATIBLE**





3.22 Li Easy III 3.82 Li Easy III

113 904

113 842

114 011

400 371 806 2670

400 371 806 1475

400 371 806 3479

2 x B75 Li battery (4.0Ah)

1 x C50 Li charger (3.0A)



	EASY	EASY	
Cutting width	32 cm	38 cm	
For lawns up to*	200 m²	300 m <sup>2</sup>	
Power	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah	
Wheel diameter front / rear	155 / 180 mm	155 / 220 mm	
Cutting height / height adjustment	20-75 mm / central, 6-stage	20-75 mm / central, 6-stage	
Mower deck	Plastic	Plastic	
Grass collector volume / material	35 I / plastic	45 I / plastic	
Function	<b>2INONE</b> function	<b>2INONE</b> function	
maxRun® Cockpit	-	-	
Mulching function	-	-	
Approx. weight	11.7 kg	13.4 kg	
WITHOUT BATTERY AND CHARGER			

113 903

113 857

114 010

SET INCL. TWO BATTERIES AND CHARGER

REPLACEMENT BLADE

400 371 806 2663

400 371 806 1628

400 371 806 3462

2 x B50 Li battery (2.5Ah)

1 x C50 Li charger (3.0A)

8	*

38.2 Li Comfort W 382 Li Premium W

38 cm

400 m<sup>2</sup>

155 / 220 mm

20-75 mm / central, 6-stage

**3INONE** 

function

Plastic

**PREMIUM** 

Lithium-ion 18V (max. 20V)

45 I / fabric with hard-top

2.5Ah / 4.0Ah / 5.0Ah / 6.0Áh

## **CHARGERS**



#### **B125 Li BATTERY**

**BATTERIES AND** 

Lithium-ion 18V 6.0Ah Compatible with all AL-KO 18V Bosch H&G products

Art. no. 113 896 EAN no. 400 371 806 2366



#### **B100 Li BATTERY**

Lithium-ion 18V 5.0Ah Compatible with all AL-KO 18V Bosch H&G products.

Art. no. 113 895 EAN no. 400 371 806 2359



#### **B75 Li BATTERY**

Lithium-ion 18V 4.0Ah Compatible with all AL-KO 18V Bosch H&G products

Art. no. 113 894 EAN no. 400 371 806 2342



#### **B50 Li BATTERY**

Lithium-ion 18V 2.5Ah Compatible with all AL-KO 18V Bosch H&G products

Art. no. 113 893 EAN no. 400 371 806 2335



#### **C50 Li CHARGER**

Lithium-ion 18V 3.0Ah Compatible with all AL-KO 18V Bosch H&G products

Art. no. 113 897 EAN no. 400 371 806 2373



#### **CHARGER FC100 Li**

Lithium-ion 18V 8.0A Compatible with all AL-KO 18V Bosch H&G products

Art. no. 113 899 EAN no. 400 371 806 2397

COMFORT
38 cm
300 m <sup>2</sup>
Lithium-ion 18V (max. 20V 2.5Ah / 4.0Ah / 5.0Ah / 6.0A
155 / 220 mm
20-75 mm / central, 6-stage
Plastic
45 I / fabric with hard-top
<b>3INONE</b> function
-
✓
13.7 kg

114 011

400 371 806 3479

13.7 kg	13.8 kg
113 905	113 906
400 371 806 2687	400 371 806 2694
0. 0.000	0. P400411. 11. (5.041)
2 x B75 Li battery (4.0Ah) 1 x C50 Li charger (3.0A)	2 x B100 Li battery (5.0Ah) 1 x FC100 Li fast charger (8.0A)
113 843	113 844
400 371 806 1482	400 371 806 1499

114 011

400 371 806 3479

\*The maximum area coverage depends on the layout and special conditions of the garden as well as the battery capacity.

The great variety of the AL-KO 36V battery range provides the perfect support for ambitious amateur gardeners on the search for a wide selection of powerful battery-operated tools. All AL-KO 36V tools can be operated with the same battery.



## EASY TO TRANSPORT THANKS TO A CARRY HANDLE

This carry handle won't let you down! Thanks to the sturdy and ergonomic carry handle, the lawnmower can be carried or transported with ease.

Available for all **EASY** models.





#### **ENERGY WITH STAMINA**

The AL-KO 36V lithium-ion battery is optionally available with 4.0Ah, 5.0Ah or now with 8.0Ah. Because there is no memory effect, AL-KO 36V batteries have a long service life. The charge level indicator on the battery shows when the battery requires recharging.

Available for all **EASY** models.

## SIMPLE LAWNMOWING AT THE FLICK OF A WRIST

The sturdy and easily height-adjustable handle enables you to freely choose a cutting height from 30 to 75 mm in a single action. Thanks to the ergonomic handlebar control with soft foam grip, the lawnmower can be pushed across the lawn with very little effort.

Available for all **EASY** models.







	42.9 Li 🎹	42.9 Li SP 🎹	46.9 Li SP Ⅲ
	EASY	EASY	EASY
Cutting width	42 cm	42 cm	46 cm
For lawns up to**	650 m <sup>2</sup>	650 m <sup>2</sup>	650 m <sup>2</sup>
Power	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah
Wheel drive	-	1-speed	1-speed
Wheel diameter front / rear	175 / 200 mm	175 / 210 mm	200 / 280 mm
Cutting height / height adjustment	30-75 mm / central, 7-stage	30-75 mm / central, 7-stage	30-75 mm / central, 7-stage
Mower deck	Steel plate	Steel plate	Steel plate
Grass collector volume / material	60 I / fabric	60 I / fabric	60 I / fabric
Function	<b>2INONE</b> function	<b>2INONE</b> function	3INONE function
Mulching function	-	-	✓
Approx. weight	23 kg	23 kg	26 kg
WITHOUT BATTERY AND CH	HARGER		
Art. no.	113 688	113 689	113 690
EAN no.	400 371 805 9311	400 371 805 9328	400 371 805 9335
SET INCL. BATTERY AND C	HARGER		
Included in delivery	1 x B 150 Li battery (4.0Ah) 1 x C 130 Li charger (3.0A)	1 x B 150 Li battery (4.0Ah) 1 x C 130 Li charger (3.0A)	1 x B 150 Li battery (4.0Ah) 1 x C 130 Li charger (3.0A)
Art. no.	113 694	113 695	113 714
EAN no.	400 371 805 9595	400 371 805 9601	400 371 806 0218
REPLACEMENT BLADE			
Art. no.	113 722	113 722	113 723
EAN no.	400 371 806 0379	400 371 806 0379	400 371 806 0386

\*\*The maximum area coverage depends on the layout and special conditions of the garden as well as the battery capacity.

# SMART FEATURES ALKO 36 V IIII

#### **SMART BUTTON**

Thanks to the IFTTT service, you can very easily connect, automate and control your smart AL-KO battery lawnmower to other devices and services — even cross-web services. You can also define up to three automated actions for your lawnmower. Then just press the Smart Button to trigger the action (1 x for action one, 2 x for action two, 3 x for action three).

For example, you can start your sprinkler system automatically as soon as your lawnmower is safety stowed away. All you have to do is press the Smart Button when mowing is finished and sprinkling will start immediately. You can also use it to control your smart blinds, for example.





#### **SMART CONNECTED**

The AL-KO inTOUCH Smart Garden App connects you to all your AL-KO garden tools and takes you to the next level of gardening. The app is available on your smartphone

(Android and iOS) and the Apple Watch. Use our AL-KO Smart Cloud to simply optimise tasks, automate routines to suit your preferences, manage compatible appliances and get useful information about your appliances and your garden. From any location — whether you're on holiday or lounging on the sofa.

DISCOVER OUR SMART BATTERY LAWNMOWERS



AL-KO<sub>y</sub>

in TOUCH



48 **ALKO** 


#### EVERYTHING AT A GLANCE THANKS TO THE AL-KO intouch app

- Battery charge level indicator
- Connection status
- show date of last mowing operation
- Direct sales of accessories and spare parts
- Fitness tracker
- ✓ Push notifications in case of problems



#### CONVERT YOUR SMARTPHONE INTO A SMART COCKPIT

All you need to do is attach a conventional smartphone holder with 360° ball joint to the lawnmower handlebar and benefit from the practical features of our AL-KO inTOUCH App.





#### maxRun® & smart COCKPIT

The newly developed cockpit stands out from the rest with its elegance and functionality. All displays and controls are clearly and intuitively arranged. Partially illuminated buttons ensure maximum ease of use.

Available for **PREMIUM** model.





#### **SMART LED LIGHTING**

The bright LEDs indicate the current charge level of the two batteries as well as the currently set wheel drive speed. What's more, they indicate if the lawnmower is connected to the WLAN network.

Available for **PREMIUM** model.

#### **ECO MODE**

Can be conveniently enabled and increases the operating time of batteries by up to around 25%\*. ECO mode can be activated at any time, but is particularly handy when the lawn isn't long and grassy, for instance, in summer.

Available for **PREMIUM** model.





#### **VARIABLE DRIVE SPEED**

The two easy-to-use buttons can be pressed to either variably increase or decrease the wheel drive speed in 7 settings from approx. 2.5 to approx. 4.5 km/h. Are you a sporty person and want to mow your lawn in a speedy fashion? Then by simply clicking the + button a few times, you can set the wheel drive to full speed!

Available for **PREMIUM** model.

The smart features are available for the following **COMFORT** and **PREMIUM** models: \*Depending on grass height, density and quality (moisture etc.).

46.2 Li SP-W (Art. no. 123 011), 512 Li VS-W (Art. no. 119 980 / Art. no. 123 012)

#### **DOUBLE BATTERY COMPARTMENT** FOR LONGER OPERATING TIMES

The double battery compartment of our AL-KO 36V battery lawnmowers allows larger areas to be mowed. They can be operated with either one or two batteries. If two batteries are fitted, they both discharge more gently with the **BALANCED DISCHARGING** System.

Available for all **COMFORT** and **PREMIUM** models.





#### **EASY HEIGHT ADJUSTMENT**

The robust height-adjustable handle leaves nothing to be desired and reliably sets your desired cutting height in a safe manner.

Available for all **COMFORT** and **PREMIUM** models.



Thanks to the sturdy and ergonomic carry handle, the lawnmower can be carried or transported with ease.

Available for all **COMFORT** and **PREMIUM** models (except 42.2 Li).





#### XXL REAR WHEELS

The ball bearing-mounted XXL rear wheels protect the lawn as you mow, ensuring smooth running.

Available for all **COMFORT** and **PREMIUM** models (except 42.2 Li).



#### **BALANCED DISCHARGING SYSTEM**

The running time is increased accordingly when you use two batteries. The Balanced Discharging System controls the gentle discharge of the battery and ensures long service life.

Available for all **COMFORT** and **PREMIUM** models.



#### FOLDED WITHOUT TAKING UP MUCH **SPACE**

The lawnmowers have been designed in such a way that the handlebar can be fully collapsed and the mowers placed on their side for perfect storage. Moreover, they can be stored upright, meaning they need minimal space and make cleaning easier.

Available for all **COMFORT** and **PREMIUM** models.



#### SIMPLE LAWNMOWING AT THE FLICK OF A WRIST

Thanks to the ergonomic handlebar control with soft foam grip, the lawnmower can be pushed across the lawn with very little effort. The extra large grass collectors, which are made of hard-wearing and durable plastic with a 70-litre capacity, as well as the large, smooth-running wheels make mowing your lawn a pleasant experience.

Available for all **COMFORT** and **PREMIUM** models.



#### **MORE MOWING – FEWER BREAKS**

Extra tall, extra large – that's the basis of MaxAirflow technology. Thanks to the extra-high steel plate deck and the extra-large discharge channel, airflow is increased by 42% compared to conventional steel plate decks. So unlike in standard lawnmowers, the grass clippings are not thrown at a low angle into the grass catcher, but rather in a high arc. This means the grass collector is effectively filled from the back, without the discharge channel becoming blocked.

Available for all **COMFORT** and **PREMIUM** models (except 42.2 Li).



| 50 **ALKO** AL-KO 51



COMFORT

#### 46.2 Li SP III

COMFORT



Cutting width	42 cm	46 cm
For lawns up to*	400 - 800 m <sup>2</sup>	400 - 800 m <sup>2</sup>
Power	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah
Wheel drive	-	1-speed
Wheel diameter front / rear	180 / 205 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted
Cutting height / height adjustment	25-75 mm / central, 7-stage	30-80 mm / central, 7-stage
Mower deck	Steel plate	Steel plate
Grass collector volume / material	65 I / plastic	70 I / plastic
MAX AIRFLOW technology	-	✓
Function	<b>2INONE</b> function	<b>3INONE</b> function
Smart-Connected	-	-
maxRun® & smart Cockpit	-	-
Mulching function	-	✓
Side discharge	-	-
Approx. weight	24 kg	29.8 kg
SET INCL. BATTERY AND CH	IARGER	
Included in delivery	1 x B 150 Li battery (4.0Ah)	1 x B 150 Li battery (4.0Ah)

SEI INGL. DAITENT AND GRANGEN				
Included	1 x B 150 Li battery (4.0Ah)	1 x B 150 Li battery (4.0Ah)		
in delivery	1 x C 130 Li charger (3.0A)	1 x C 130 Li charger (3.0A)		
Art. no.	119 977	119 978		
EAN no.	400 371 835 6212	400 371 835 6229		

SET INCL. TWO BATTERIES AND CHARGER				
Included in delivery	2 x B 150 Li battery (4.0Ah) 1 x C 130 Li charger (3.0A)	2 x B 150 Li battery (4.0Ah) 1 x C 130 Li charger (3.0A)		
Art. no.	123 009	123 010		
EAN no.	400 371 835 6496	400 371 835 6502		

REPLACEMENT BLADE			
Art. no.	113 347	113 348	
EAN no.	400 371 805 5658	400 371 805 5665	

<sup>\*</sup> The specified lawn areas in m² are based on the batteries supplied with these lawnmowers. With the 8Ah battery(s) larger areas of 650 - 1.300 m<sup>2</sup> are possible.



All AL-KO 36V garden tools can be used with the batteries and chargers listed on pages 24 / 25. Other garden tools and information on this battery range can be found on pages 24-31.



#### 512 Li VS-W Ш 46.2 Li SP-W III

COMFORT	PREMIUM
---------	---------

46 cm	51 cm
400 - 800 m <sup>2</sup>	500 - 1000 m <sup>2</sup>
Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah
1-speed	VarioSpeed
200 / 280 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted
30 - 80 mm / central, 7-stage	30-80 mm / central, 7-stage
Steel plate	Steel plate
70 I / plastic	70 I / plastic
✓	✓
<b>3INONE</b> function	4INONE function
✓	✓
-	✓
✓	✓
-	✓
20 8 kg	32 ka

1 x B 150 Li battery (4.0Ah)	1 x B 200 Li battery (5.0Ah)
1 x C 130 Li charger (3.0A)	1 x C 130 Li charger (3.0A)
119 979	119 980
400 371 835 6236	400 371 835 6243

2 x B 150 Li battery (4.0Ah) 1 x C 130 Li charger (3.0A)	2 x B 200 Li battery (5.0Ah) 1 x C 130 Li charger (3.0A)
123 011	123 012
400 371 835 6519	400 371 835 6526

#### 113 348 113 979 400 371 805 5665 400 371 806 3370

## **BATTERIES AND CHARGERS**



#### **BATTERY B 800 Li**

Lithium-ion 36V (40V max.) 8.0Ah With Bluetooth technology

Art. no. 114 017 EAN no. 400 371 806 3950



#### **BATTERY B 200 Li**

Lithium-ion 36V (40V max.) 5.0Ah Compatible with all AL-KO 36V products

Art. no. 113 524 EAN no. 400 371 805 7096



#### **B 150 Li Battery**

Lithium-ion 36V (40V max.) 4.0Ah Compatible with all AL-KO 36V products

Art. no. 113 280 EAN no. 400 371 805 5283



#### **DOUBLE BATTERY CHARGER C 200 Li**

Lithium-ion 36V (40V max.) 2x 3.0A With W-LAN technology

Art. no. 114 018 EAN no. 400 371 806 3967



#### CHARGER C 130 Li Lithium-ion 36V (40V max.) 3.0A

Compatible with all AL-KO 36V products

Art. no. 113 281

EAN no. 400 371 805 5290

52 **AL-KO** 



## **ADVANTAGES OF OUR** ELECTRIC LAWNMOWERS



#### LIGHTWEIGHT AND COMFORTABLE THE PERFECTION CHOICE FOR SMALL AND MEDIUM-SIZED LAWNS.

Our electric lawnmowers stand out with their low weight, high level of manoeuvrability and durable components. The lawnmowers with robust plastic housing and steel plate ensure the best finish when it comes to your lawn and optimum mowing comfort. All you need to keep your lawn in tip-top condition. Their incredibly low noise operation make electric lawnmowers

a superb choice for terraced house gardens. Thanks to the central cutting height adjustment, you can achieve perfect results quickly and easily. The handlebar can be set to several different heights in a user-friendly manner which is gentle on your back. The emission-free motors and the beautiful lawn finish are impressive.

#### A REAL ALL-ROUNDER

| 54 **ALKO** 

Depending on the model, our electric lawnmowers are equipped with several functions. They can be easily recognised by the following logos in the tables: **2INONE** function and **3INONE** function. The functions are explained using these symbols.



**2INONE** function



**3INONE** function MOW, COLLECT

#### **MULCHING ON DEMAND**

The two 38.2 E Comfort and 46.4 E Comfort models are each equipped with a mulching insert, which can be simply inserted without tools in next to no time. The fine grass clippings remain on the lawn as a natural fertiliser.

Available for all **COMFORT** models (except 32.2 E comfort).



#### FOLDED WITHOUT TAKING UP MUCH **SPACE**


The **COMFORT** models have been designed in such a way that the handlebar can be fully collapsed and the mowers placed on their side. Moreover, the **COMFORT** models can be stored upright, meaning they need minimal space and make cleaning easier.

Available for all **COMFORT** models (except 46.4 E comfort).

#### **ERGONOMIC SWITCHES**

Our Comfort models come fitted with the newly developed double hand switch, which is setting new standards where ergonomics, safety and lawnmowing comfort are concerned.

Available for all **COMFORT** models (except 46.4 E comfort).





#### **MOWING RIGHT UP TO THE EDGE**

Thanks to the mower's special deck design which prevents the wheels protruding outwards, you can easily mow along walls and fences.

Available for all **EASY** and **COMFORT** models.

**MOW AND COLLECT** ALKO 55 AND MULCH

#### EASY TO TRANSPORT THANKS TO A CARRY HANDLE

Thanks to the sturdy and ergonomic carry handle, the lawnmowers can be carried or transported with ease.

Available for all **EASY** and **COMFORT** models.





	Classic 3.22 SE	Classic 3.82 SE	3.22 E Easy
	EASY	EASY	EASY
Cutting width	32 cm	38 cm	32 cm
For lawns up to	250 m²	500 m <sup>2</sup>	250 m <sup>2</sup>
Power	1000 W	1400 W	1200 W
Wheel diameter front / rear	140 / 140 mm	140 / 160 mm	155 / 180 mm
Cutting height / height adjustment	20 - 60 mm / wheel axle, 3-stage	20 - 60 mm / wheel axle, 3-stage	20 - 75 mm / central, 6-stage
Mower deck	Plastic	Plastic	Plastic
Grass collector volume / material	30 I / plastic	37 I / plastic	35 I / plastic
Mulching function	-	-	-
Function	<b>2INONE</b> function	<b>2INONE</b> function	<b>2INONE</b> function
Approx. weight	9.5 kg	12 kg	12.1 kg
Art. no.	112 805	112 856	113 849
EAN no.	400 371 804 2382	400 371 804 3587	400 371 806 1543
REPLACEMENT BLADE			
Art. no.	112 806	112 881	114 009
EAN no.	400 371 804 2405	400 371 804 3877	400 371 806 3455

## STURDY YET LIGHTWEIGHT

Our **COMFORT** electric lawnmowers are feature a sophisticated fabric box with hard-top and an additional loop to make it even easier to empty.

Available for all **COMFORT** models. (except 46.4 E comfort).





3.82 E Easy	32.2 E Comfort	38.2 E Comfort	46.4 E Comfort
EASY	COMFORT	COMFORT	COMFORT
38 cm	32 cm	38 cm	46 cm
500 m <sup>2</sup>	250 m²	500 m <sup>2</sup>	900 m <sup>2</sup>
1600 W	1200 W	1600 W	1600 W
155 / 220 mm	155 / 180 mm	155 / 220 mm	200 / 280 mm, ball-bearing mounted
20 - 75 mm / central, 6-stage	20 - 75 mm / central, 6-stage	20 - 75 mm / central, 6-stage	30 - 75 mm / central, 7-stage
Plastic	Plastic	Plastic	Steel plate
45 I / plastic	35 I / fabric with hard-top	45 I / fabric with hard-top	65 I / plastic
-	-	✓	✓
<b>2INONE</b> function	<b>2INONE</b> function	<b>3INONE</b> function	<b>3INONE</b> function
15.1 kg	12.4 kg	15.4 kg	29.5 kg
113 850	113 851	113 852	113 103
400 371 806 1550	400 371 806 1567	400 371 806 1574	400 371 804 7691
114 011	114 009	114 011	113 057
400 371 806 3479	400 371 806 3455	400 371 806 3479	400 371 804 7271

56 ALKO 57



## **ADVANTAGES OF OUR** PETROL LAWNMOWERS



#### IN USE FOR YEARS AND STANDING THE TEST OF TIME

Petrol lawnmowers are the classics among lawnmowers. They will tend to your garden for many years thanks to their high quality components, such as the extremely robust steel plate deck and durable engine. They make light work of large grass areas of up to 1800 m<sup>2</sup>, slopes, difficult terrain and gardens with plenty of trees.

#### THE BEST RESULTS AND **GETTING THE JOB DONE EASILY**

Whether you prefer mowing and collecting, mulching or the side discharge: Our innovative deck designs guarantee you the best results in lawn care. The wheels on AL-KO petrol lawnmowers protect the lawn and ensure optimum mowing comfort. The driven XL/XXL rear wheels also guarantee the best traction on the lawn.

#### A REAL ALL-ROUNDER

Depending on the model, our petrol lawnmowers are equipped with several functions. They can be easily recognised by the following logos in the tables: 2INONE function, 3INONE function and **4INONE** function. The functions are explained using these symbols.



**2INONE** function

MOW AND COLLECT



3INONE function

MOW. COLLECT AND MULCH



MOW, COLLECT, MULCH AND SIDE DISCHARGE

#### **EFFORTLESSLY MOWS LARGE AREAS**

Take perfect care of your lawns in no time with a powerful petrol lawnmower. Regardless of whether you need to mow a vast area or take care of a mediumsized garden - AL-KO petrol lawnmowers effortlessly cut thick grass on uneven terrain.



#### LONG GRASS DOESN'T (USUALLY) **POSE AN ISSUE**

The powerful petrol engines make it possible to mow longer grass, extending the possibilities for your lawn. Thanks to the aerodynamic deck shape, the grass is efficiently moved to the grass collector by the airflow generated by the cutting blade.

#### **AERODYNAMIC DECK DESIGN** AND LARGE GRASS COLLECTORS

The aerodynamic shape of the deck and large grass collectors guarantee the best collection results. Meaning the grass collector is filled to the top and needs emptying less often. This saves time during mowing and saves you having to make unnecessary steps to empty the collector, leaving you with more time to enjoy the finer things in your garden.





#### INDEPENDENCE AT ITS BEST

Petrol lawnmowers ensure maximum independence. Especially in large, complex gardens, electric mowers quickly reach their limits or are restricted in use by their power cable. Thanks to the petrol engine, you can mow for long periods without hinderance, even with just one tank of fuel.

| 58 **ALKO AL-KO** 59

## EASY

**KEEP IT EASY - SIMPLE, ROBUST AND AFFORDABLE. OUR EASY MODELS ARE A PERFECT** WAY TO GET STARTED MOWING.



The desired cutting height can be quickly set with the central and convenient height adjustment lever. So that your lawn also achieves perfection!

Available for all **EASY** models.





#### WHEEL DRIVE FOR EFFORTLESS MOWING

The single speed wheel drive makes light work of mowing large areas and inclines. For swift mowing with minimal effort.

Available for all **EASY** models (except Easy 4.20 P-S).



The front carry handle not only makes the mower easier to transport, it also makes it easier to maintain and store during the winter.

Available for all **EASY** models (except Easy 4.20 P-S).





	Easy 4.20 P-S	Easy 4.60 SP-S	Easy 5.10 SP-S
	EASY	EASY	EASY
Cutting width	42 cm	46 cm	51 cm
For lawns up to	800 m <sup>2</sup>	1400 m <sup>2</sup>	1800 m²
Engine	AL-KO Tech 140	AL-KO Tech 140	AL-KO Tech 160
CC / Power	140 ccm / 2.0 kW / 2900 rpm	140 ccm / 2.0 kW / 2900 rpm	160 ccm / 2.3 kW / 2900 rpm
Wheel drive	-	1-speed	1-speed
Wheel diameter front / rear	175 / 200 mm	200 / 250 mm, ball-bearing mounted	200 / 250 mm, ball-bearing mounted
Cutting height / height adjustment	30 - 75 mm / central, 7-stage	30 - 75 mm / central, 7-stage	30 - 75 mm / central, 7-stage
Mower deck	Steel plate	Steel plate	Steel plate
Grass collector volume / material	50 I / fabric	60 I / fabric	60 I / fabric
Function	<b>2INONE</b> function	<b>2INONE</b> function	4INONE function
Mulching function	-	Optional (see accessories)	✓
Side discharge	-	-	✓
Approx. weight	23.1 kg	28.1 kg	31.8 kg
Art. no.	113 794	113 795	113 796
EAN no.	400 371 806 0843	400 371 806 0850	400 371 806 0867
REPLACEMENT BLADE			
Art. no.	113 987	113 988	113 989
EAN no.	400 371 806 3400	400 371 806 0782	400 371 806 3417





**MULCHING INSERT** For Easy 4.60 SP-S

Art. no. 114 013 EAN no. 400 371 806 3585

60 **ALKO AL-KO** 61

## COMFORT

engineered in GERMANY = made in AUSTRIA

OUR COMFORT MODELS COMBINE ALL
THE ADVANTAGES OF EASY PETROL LAWNMOWERS
AND OFFER SOME OTHER USEFUL FEATURES

#### **READY START / QUICK START**

Thanks to the Ready Start / Quick Start systems, the Briggs & Stratton and the AL-KO Pro engines can be started quickly and easily. No primer and no choke needed, just "pull and mow".

Available for all **COMFORT** models.





## QUICK AND SAFE STARTING WITH ELECTRIC START

A small, compact lithium-ion battery is all you need as a power source to start the engine. Thanks to the high capacity battery, up to 200 starts (equal to approximately one mowing season) can be achieved with a single battery charge. On Briggs & Stratton engines this is called the InStart system, while on the AL-KO Pro engines it is referred to as E-Start Technology.

Available for the following **COMFORT** models: Comfort 46.0 SPI-A and Comfort 46.0 SPI-B.



The high-capacity, aerodynamic plastic grass collector offers more than simply its size – the integrated fill level indicator also shows when the box is ready to be emptied. The built-in box tongue collects grass clippings from the discharge channel.

Available for all **COMFORT** models.







## MULCHING FUNCTION FOR ECOLOGICAL LAWN CARE

Cut blades of grass are thrown upwards within the mower deck, finely shredded by the specially shaped blade and blown back onto the turf as a natural fertiliser. This returns essential nutrients to the lawn and protects it against drying out.

Available for all **COMFORT** models.



Briggs & Stratton lawnmowers can be simply maintained and cleaned vertically when the fuel in the tank is low. Excellent space-saving storage is also possible.

Available for all **COMFORT** models with Briggs & Stratton engines.



#### MORE MOWING – FEWER BREAKS

MAX AIRFLOW technology

Thanks to the extra-high steel plate deck and the extra-large discharge channel, airflow is increased by 42% compared to conventional steel decks. So unlike standard lawnmowers, the grass clippings are not thrown at a low angle into the grass collector, but rather in a high arc. This means the collector is effectively filled from the back, without the discharge channel becoming blocked.

Available for all **COMFORT** models (except Comfort 42.1 P-A and Comfort 42.1 SP-A).

62 ALKO 63







	Comfort 42.1 P-A	Comfort 42.1 SP-A	Comfort 46.0 SP-A
	COMFORT	COMFORT	COMFORT
Cutting width	42 cm	42 cm	46 cm
For lawns up to	800 m <sup>2</sup>	1000 m <sup>2</sup>	1400 m <sup>2</sup>
Engine	AL-KO Pro 125 QSS	AL-KO Pro 125 QSS	AL-KO Pro 125 QSS
CC / Power	123 ccm / 1.9 kW / 2800 rpm	123 ccm / 1.9 kW / 2800 rpm	123 ccm / 1.9 kW / 2800 rpm
Wheel drive	-	1-speed	1-speed
Wheel diameter front / rear	180 / 205 mm, ball-bearing mounted	180 / 220 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted
Cutting height / height adjustment	25 - 75 mm / central, 7-stage	25 - 75 mm / central, 7-stage	30 - 80 mm / central, 7-stage
Mower deck	Steel plate	Steel plate	Steel plate
Grass collector volume / material	65 I / plastic	65 I / plastic	60 I / plastic
MAX AIRFLOW technology	-	-	✓
Function	<b>3INONE</b> function	<b>3INONE</b> function	<b>3INONE</b> function
Mulching function	✓	✓	✓
Side discharge	-	-	-
Approx. weight	26.9 kg	27.5 kg	33.4 kg
Art. no.	119 998	119 993	119 936
EAN no.	400 371 835 6359	400 371 835 6298	400 371 835 5864
REPLACEMENT BLADE			
Art. no.	113 138	113 138	113 057
EAN no.	400 371 804 8650	400 371 804 8650	400 371 804 7271





Comfort 46.0 SP-A Plus	Comfort 46.0 SP-B	Comfort 46.0 SPI-A	Comfort 46.0 SPI-B
COMFORT	COMFORT	COMFORT	COMFORT
46 cm	46 cm	46 cm	46 cm
1400 m <sup>2</sup>	1400 m <sup>2</sup>	1400 m <sup>2</sup>	1400 m <sup>2</sup>
AL-KO Pro 145 QSS	Briggs & Stratton 500 E	AL-KO Pro 170 QSS E-Start	Briggs & Stratton 475 iS InStart
139 ccm / 2.1 kW / 2800 rpm	140 ccm / 2.0 kW / 2900 rpm	166 ccm / 2.6 kW / 2800 rpm	140 ccm / 2.2 kW / 2900 rpm
1-speed	1-speed	1-speed	1-speed
200 / 280 mm, ball-bearing mounted			
30 - 80 mm / central, 7-stage			
Steel plate	Steel plate	Steel plate	Steel plate
60 I / plastic	60 I / plastic	60 l / plastic	60 I / plastic
✓	✓	✓	✓
4INONE function	4INONE function	<b>3INONE</b> function	<b>3INONE</b> function
✓	✓	✓	✓
✓	✓	-	-
34 kg	32.8 kg	37.2 kg	34.4 kg
119 938	119 937	119 940	119 939
400 371 835 5888	400 371 835 5871	400 371 835 5901	400 371 835 5895
113 057	113 057	113 057	113 057
400 371 804 7271	400 371 804 7271	400 371 804 7271	400 371 804 7271

64 **AL-KO AL-KO** 65

## COMFORT





**3INONE** function

MOW, COLLECT AND MULCH



MOW, COLLECT, MULCH AND SIDE DISCHARGE











Cutting width	51 cm	51 cm
For lawns up to	1500 m²	1800 ו
Engine	AL-KO Pro 145 QSS	AL-KO
CC / Bower	139 ccm / 2.1 kW /	139 cc

2850 rpm

200 / 220 mm, ball-bearing mounted

30 - 80 mm /

Steel plate

60 I / plastic


4INONE function

33.2 kg

119 941

400 371 835 5918

central, 7-stage



CC / Power

front / rear Cutting height / height adjustment

Mower deck

Grass collector volume /
material

MAX AIRFLOW technology

Function
Mulching function

EAN no.

Side discharge

Approx. weight
Art. no.

REPLACEMENT BLADE

 Art. no.
 113 058

 EAN no.
 400 371 804 7288

COMF



51 cm
1800 m <sup>2</sup>
AL-KO Pro 145 QSS
139 ccm / 2.1 kW / 2850 rpm
1-speed
200 / 220 mm, ball-bearing mounted
30 - 80 mm / central, 7-stage
Steel plate
60 I / plastic
<b>✓</b>
4INONE function
<b>✓</b>
✓

**→** 35.3 kg

119 944 400 371 835 5949

113 058 400 371 804 7288



Comfort
51.0 SP-B

#### Comfort 51.0 SP-B Plus





#### COMFORT

51 cm	51 cm
1800 m <sup>2</sup>	1800 m²
Briggs & Stratton 625 EXi	Briggs & Stratton 625 EXi
150 ccm / 2.3 kW / 2900 rpm	150 ccm / 2.3 kW / 2900 rpm
1-speed	1-speed
200 / 220 mm, ball-bearing mounted	200 / 220 mm, ball-bearing mounted
30 - 80 mm / central, 7-stage	30 - 80 mm / central, 7-stage
Steel plate	Steel plate
60 I / plastic	60 I / plastic
✓	✓
<b>3INONE</b> function	4INONE function
✓	✓
-	✓
34.1 kg	34.7 kg
119 942	119 943
400 371 835 5925	400 371 835 5932
113 058	113 058

400 371 804 7288



ALKO 67

400 371 804 7288

## **PREMIUM**



OUR PREMIUM MODELS COMBINE ALL THE ADVANTAGES OF EASY AND COMFORT PETROL LAWNMOWERS AND OTHER SOME OTHER USEFUL FEATURES

#### **EXTREMELY POWERFUL ENGINES**

Whether AL-KO, Briggs & Stratton or Honda – we have just the right quality engine for your needs! Functionality combined with extreme durability and robustness enable comfortable and smooth mowing of up to 1800 m<sup>2</sup>.

Available for all **PREMIUM** models.





#### **MAXIMUM COMFORT** THANKS TO VARIO WHEEL DRIVE

Enables variable and individual adjustment to the mowing speed based on your personal mowing preferences and grass conditions.

Available for the following **PREMIUM** models: Premium 473 VS-B, Premium 520 VSI-B, Premium 520 VS-B and Premium 521 VS-H.

#### **UTMOST VERSATILITY**

In addition to the ecological way to care for lawns with the mulching function, use of the side discharge provides maximum versatility. As such, it is possible to mow large areas quickly and keep high grass under control without having a grass collector to empty.

Available for all **PREMIUM** models.





## MORE MOWING - MAXIMUM EFFICIENCY COMBINED WITH A LARGE 70 LITRE technology GRASS COLLECTOR

Extra tall, extra large – that's the basis of MaxAirflow technology. Thanks to the extra-high steel plate deck and the extra-large discharge channel, airflow is increased by 42% compared to conventional steel decks. So unlike in standard lawnmowers, the grass clippings are not thrown at a low angle into the grass collector, but rather in a high arc. This means the grass collector is effectively filled from the back, without the discharge channel becoming blocked.

#### **OPTIMUM GRASS COLLECTING**

The perfectly filled box also collects grass cuttings from the discharge channel thanks to the integrated box tongue. This is an ideal way to collect the grass and leaves fewer grass clippings lying on the lawn.

#### **FULL BOX. FEWER STOPS**

MaxAirflow technology means that the lawn clippings are thrown to the back of the grass collector, meaning it can be filled to the top and doesn't have to be emptied so often.

Available for all **PREMIUM** models.

#### **NO MORE GREEN FINGERS**

Thanks to MaxAirflow technology, it is possible to mow even long, damp grass, without leaving clumps behind on the ground, or blocking the discharge channel. This way, you can avoid getting your hands dirty as well.



68 **ALKO ALKO** 69

## **PREMIUM**





MOW, COLLECT, **MULCH AND** SIDE DISCHARGE



Premium 👗 470 SP-A

Premium 👗 473 SP-B

400 371 804 7271





	PREMIUM	PREMIUM
Cutting width	46 cm	46 cm
For lawns up to	1400 m <sup>2</sup>	1400 m <sup>2</sup>
Engine	AL-KO Pro 170 QSS	Briggs & Stratton 625 EXi
CC / Power	166 ccm / 2.6 kW / 2800 rpm	150 ccm / 2.3 kW / 2900 rpm
Wheel drive	1-speed	1-speed
Wheel diameter front / rear	200 / 280 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted
Cutting height / height adjustment	30 - 80 mm / central, 7-stage	30 - 80 mm / central, 7-stage
Mower deck	Steel plate	Steel plate
Grass collector volume / material	70 I / plastic	70 I / plastic
MAX AIRFLOW technology	✓	✓
Function	4INONE function	4INONE function
Mulching function	✓	✓
Side discharge	✓	✓
Approx. weight	34.4 kg	35 kg
Art. no.	119 946	123 028
EAN no.	400 371 835 5963	400 371 835 6656
REPLACEMENT BLADE		
Art. no.	113 057	113 057

400 371 804 7271



Premium 473 VS-B	Premium 470 SP-H
PREMIUM	PREMIUM
46 cm	46 cm
1400 m <sup>2</sup>	1400 m²
Briggs & Stratton 625 EXi	Honda GCVx 145
150 ccm / 2.3 kW / 2900 rpm	145 ccm / 2.7 kW / 2900 rpm
VarioSpeed	1-speed
200 / 280 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted
30 - 80 mm / central, 7-stage	30 - 80 mm / central, 7-stage
Steel plate	Steel plate
70 I / plastic	70 I / plastic
✓	✓
4INONE function	4INONE function
✓	✓
<b>✓</b>	✓
35.2 kg	35.2 kg
123 029	119 968
400 371 835 6663	400 371 835 6137
113 057	113 057
400 371 804 7271	400 371 804 7271

## **ACCESSORIES FOR ALL PETROL LAWNMOWERS**



#### **STARTER KIT**

4-part 5 I petrol can set, engine oil service kit and 2 x engine oil SAE 30

Art. no. 113 875 EAN no. 400 371 806 1963



#### **ENGINE OIL SERVICE KIT**

3-part kit with suction pump, tank and funnel

Art. no. 113 807 EAN no. 400 371 806 1413



#### 4-STROKE **ENGINE OIL**

10W40, 1 I

Art. no. 112 901 EAN no. 400 371 804 4089



#### 4-STROKE **ENGINE OIL**

SAE 30, 0.61

Art. no. 112 888 EAN no. 400 371 804 3952



#### **AIR FILTER SET**

2-part set, for AL-KO Pro 125 QSS and AL-KO Pro 145 QSS engine

Art. no. 113 693 EAN no. 400 371 805 9588

EAN no.

## **PREMIUM**





SIDE DISCHARGE



	Premium 521 SP-A	Premium 523 SP-B	Premium 520 VS-B
	PREMIUM	PREMIUM	PREMIUM
Cutting width	51 cm	51 cm	51 cm
For lawns up to	1800 m²	1800 m²	1800 m²
Engine	AL-KO Pro 170 QSS E-Start	Briggs & Stratton 675 EXi	Briggs & Stratton 675 EXi
CC / Power	166 ccm / 2.6 kW / 2800 rpm	163 ccm / 2.6 kW / 2800 rpm	163 ccm / 2.6 kW / 2800 rpm
Wheel drive	1-speed	1-speed	VarioSpeed
Wheel diameter front / rear	200 / 280 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted
Cutting height / height adjustment	30 - 80 mm / central, 7-stage	30 - 80 mm / central, 7-stage	30 - 80 mm / central, 7-stage
Mower deck	Steel plate	Steel plate	Steel plate
Grass collector volume / material	70 I / plastic	70 I / plastic	70 I / plastic
MAX AIRFLOW technology	✓	✓	✓
Function	4INONE function	4INONE function	4INONE function
Mulching function	✓	✓	✓
Side discharge	✓	✓	✓
Approx. weight	34.9 kg	35.4 kg	34.9 kg
Art. no.	119 997	123 030	119 949
EAN no.	400 371 835 6342	400 371 835 6670	400 371 835 5994
REPLACEMENT BLADE			
Art. no.	113 058	113 058	113 058
EAN no.	400 371 804 7288	400 371 804 7288	400 371 804 7288



Premium 520 SP-H	Premium 521 VS-H	Premium 520 VSI-B
PREMIUM	PREMIUM	PREMIUM
51 cm	51 cm	51 cm
1800 m <sup>2</sup>	1800 m <sup>2</sup>	1800 m <sup>2</sup>
Honda GCVx 170	Honda GCVx 170	B&S 675 iS InStart
167 ccm / 3.2 kW / 2900 rpm	167 ccm / 3.2 kW / 2900 rpm	163 ccm / 2.6 kW / 2800 rpm
1-speed	VarioSpeed	VarioSpeed
200 / 280 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted	200 / 280 mm, ball-bearing mounted
30 - 80 mm / central, 7-stage	30 - 80 mm / central, 7-stage	30 - 80 mm / central, 7-stage
Steel plate	Steel plate	Steel plate
70 I / plastic	70 I / plastic	70 I / plastic
✓	<b>✓</b>	✓
4INONE function	4INONE function	4INONE function
✓	✓	✓
✓	<b>✓</b>	✓
36.5 kg	36.2 kg	38.2 kg
119 969	119 994	119 948
400 371 835 6144	400 371 835 6304	400 371 835 5987
113 058	113 058	113 058
400 371 804 7288	400 371 804 7288	400 371 804 7288



72 **AL-KO** 

**ALKO** 73



## ADVANTAGES OF OUR HAND LAWNMOWERS



## PRACTICAL HAND LAWNMOWERS FOR A PERFECT GOLF LAWN

With these practical machines, you can perfectly mow small gardens, front gardens and ornamental lawns up to a size of 250 m². Neither a power supply nor petrol is required. The hand mowers are equipped with a single-axle design, XL wheels, and are lightweight making them extremely manoeuvrable. The housing, with its sleek design, is robust and features a special rubber

bumper to protect it from scratches and dents.

Thanks to its design and low weight, you can easily transport the hand lawnmowers over steps to and from the lawn. Our hand lawnmowers are comfortable, emission-free and incredibly quiet.

#### HIGH-PRECISION TRIMMING

With a hand lawnmower, you can cut the grass blades as precisely as if you were using scissors. The cutting technique plays an important role in this: The mowing cylinder and the lower blade don't touch each other, which makes the mower gentle on the lawn.





#### INCREDIBLY MANOEUVRABLE ON THE LAWN

The single axle design of AL-KO hand lawnmowers ensures extreme manoeuvrability and is comfortable on uneven ground.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



#### SPECIAL CYLINDER

The high-quality 5-blade cutting cylinder made of special hardened steel ensures a perfect cut and uniform filling of the grass collector.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



#### SIMPLE STORAGE

The hand lawnmower can be folded up easily to save space thanks to the integrated quick-release system.

Available for **COMFORT** and **PREMIUM** models.



	Razor Cut 28.1 HM Easy	Razor Cut 38.1 HM Comfort	Razor Cut 38.1 HM Premium	
	EASY	COMFORT	PREMIUM	
Cutting width	28 cm	38 cm	38 cm	
For lawns up to	150 m²	250 m²	250 m²	
Cutting cylinder	128 mm / 5 steel blades	128 mm / 5 steel blades	128 mm / 5 steel blades	
Blade technology	Cylinder, contactless	Cylinder, contactless	Cylinder, contactless	
Wheel diameter	220 mm	220 mm	220 mm	
Cutting height / height adjustment	14 - 35 mm / 4-stage	14 - 35 mm / 4-stage	14 - 45 mm / variable	
Approx. weight	6.8 kg	7.7 kg	8.9 kg	
Art. no.	113 864	113 865	113 866	
EAN no.	400 371 806 1819	400 371 806 1826	400 371 806 1833	
GRASS CATCHER BOX				
Grass collector volume / material	35 I / fabric	50 I / fabric	50 I / fabric	
Art. no.	113 867	113 868	113 869	
EAN no.	400 371 806 1840	400 371 806 1857	400 371 806 1864	

74 ALKO 75





## **ADVANTAGES OF OUR MULCH MOWERS**





#### **ECOLOGICAL LAWN CARE, THANKS TO ORGANIC FERTILISER**

mower deck, finely shredded by a special blade and blown back onto the turf as a natural fertiliser – this returns nutrients to the roots and protects the lawn against drying out. The mulching function calls for regular mowing.

During mulching, the cut blades of grass are thrown upwards within the

Finely shredding the cut blades of grass is laborious and works best when the grass clippings are short. If mulching is not possible due to the length of grass, it can effortlessly be converted to side discharge.



#### **QUICK HEIGHT ADJUSTMENT**

The cutting height can be changed on each axle quickly and easily. The full-width axles offer stability and perfectly straight wheel motion.

Available for all **COMFORT** models.



#### **MULCHING OR** SIDE DISCHARGE

If the grass is very long after a holiday, or when working on pastures or orchards, the mulch mower can easily be converted to the side discharge function.

Available for all **COMFORT** models.



#### **FRONT WHEEL** DRIVE

The energy-saving alternative is useful primarily on slopes. When manoeuvring, the front wheels can be lifted clear off the ground with the drive still activated, allowing the mower to be turned.

Available for **COMFORT** model 468 SP-A BIO Silver.

#### THE BIGGER, THE BETTER

The tyres protect the lawn and ensure optimal mowing comfort. The driven XL front wheels also guarantee optimal traction on your lawn and help you get the job done with ease.

Available for **COMFORT** model 468 SP-A BIO Silver.





468 P-A BIO ,= Silver

468 SP-A BIO Silver

400 371 834 8859



COMFORT	COMFORT

	CUIVIFURI	CUIVIFURI
Cutting width	42 cm	46 cm
For lawns up to	1100 m <sup>2</sup>	1400 m <sup>2</sup>
Engine	AL-KO Pro 125 QSS	AL-KO Pro 145 QSS
Power	123 ccm / 1.9 kW / 2850 rpm	139 ccm / 2.1 kW / 2850 rpm
Wheel drive	-	1-speed
Wheel diameter front / rear	205 / 205 mm	220 / 205 mm, ball-bearing mounted at the front
Cutting height / height adjustment	30 - 85 mm / wheel axle, 4-stage	30 - 85 mm / wheel axle, 4-stage
Mower deck	Steel plate	Steel plate
Function	<b>2INONE</b> function	<b>2INONE</b> function
Mulching function	✓	✓
Side discharge	<b>✓</b>	✓
Approx. weight	22.6 kg	26.9 kg
Art. no.	119 836	119 835
EAN no.	400 371 835 5154	400 371 835 5147
REPLACEMENT BLADE		
Art. no.	119 224	119 224

400 371 834 8859



| 76 **AL-KO AL-KO** 77

EAN no.



## ADVANTAGES OF OUR TRACTORS



#### THE TOP CLASS OF LAWN CARE

With our lawn tractors, you get a very special experience when maintaining your lawn. With proven transmissions and cutting widths of up to 110 cm, you will find the right machine for every requirement. You will feel how comfortable mowing is as soon as you get behind the wheel. You'll be in safe hands with the lawn tractor which makes mowing a truly pleasurable experience. Simply climb on, turn the key, put your foot on the pedal, and enjoy yourself. Take lawn mowing to the next level.

- Best mowing results incl. mowing in reverse
- Optimum ergonomics with foot hydrostatic and electromagnetic blade brake clutch
- ✓ Large, wide tyres for optimum traction
- ✓ Torsion-resistant frame
- ✓ Ball-bearing blade spindles
- ✓ Wide range of accessories
- **✓** NEW FOR 2023

Improved box frame for easier attachment and removal of the grass collector, less effort needed to empty the box and includes an additional lock for a perfectly securing grass collector during mowing





## EEFORTLESSLY MOW LARGE AND TRICKY AREAS

Where lawnmowers reach their performance limits, that's where our lawn tractors come into their own. The engines provide greater power, meaning that it really doesn't matter whether you need to manoeuvre your lawn tractor across winding terrain or mow large lawns. Look no further than our lawn tractors. Combining power and comfort, they mow areas of up to 6000 m<sup>2</sup>.

Available for all **EASY** and **COMFORT** models.

#### MAXIMUM COMFORT AND FLEXIBILITY

You'll have no problem making yourself comfortable on our lawn tractors. Our lawn tractors offer comfort a cut above the rest. The low entry level, ergonomic mowing position as well as the ample legroom promote comfortable mowing without feeling tired, as well as spending more time behind the wheel. Our lawn tractors have become real all-rounders, both in summer and winter, owing to their wide range of accessories.

Available for all **EASY** and **COMFORT** models.





## INNOVATIVE AND DURABLE SOLUTIONS

With our quality promise "Engineered in Germany & Made in Austria", we are developing innovative solutions for our lawn tractors, ensuring that the machines are as comfortable and durable as possible. All our lawn tractors feature our patented C-profile frame, offering durable operation, as well as our patented freewheel mechanism to decrease gearbox wear and tear. The innovative design, combined with high-quality components such as the electromagnetic blade brake clutch, the foot-operated hydrostatic transmission and extremely precise steering, put our lawn tractors in a class of their own.

Available for all **EASY** and **COMFORT** models.

## EASY



## COMFORT





	Easy 15-93.2 HDS-A 🖷	Easy 15-93.2 HD-A
	EASY	EASY
Function	Side discharge	Rear discharge
Working width	93 cm (2 blades)	93 cm (2 blades)
For lawns up to	4500 m²	4500 m²
Engine	AL-KO Pro 450	AL-KO Pro 450
CC / Power	452 ccm / 8.5 kW / 2900 rpm	452 ccm / 7.7 kW / 2600 rpm
Number of cylinders	1 cylinder	1 cylinder
Transmission	Foot operated hydrostatic (T2)	Foot operated hydrostatic (T2)
Max. speed	8 km/h	8 km/h
Grass collector volume / material	-	220 I / fabric with hard-top
Grass collector emptying	-	Telescopic lever
Blade brake clutch	Electromagnetic	Electromagnetic
Tyre size front / rear	15x6.0-6 / 18x8.5-8	15x6.0-6 / 18x8.5-8
Mulching function	✓	Optional (see accessories)
Side discharge	✓	-
Bumper	Optional (see accessories)	Optional (see accessories)
LED headlights	Optional (see accessories)	Optional (see accessories)
Length x width x height	190 x 102 x 114 cm	239 x 102 x 114 cm
Art. no.	123 013	123 014
EAN no.	400 371 835 6533	400 371 835 6540



Comfort 18-111.2 HDS - Comfort 18-103.2 HD -

COMFORT	COMFORT
Side discharge	Rear discharge
110 cm (2 blades)	110 cm (2 blades)
6000 m <sup>2</sup>	6000 m <sup>2</sup>
Briggs & Stratton Powerbuilt 4175	Briggs & Stratton Powerbuilt 4175
500 ccm / 9.5 kW / 2700 rpm	500 ccm / 8.5 kW / 2450 rpm
1 cylinder	1 cylinder
Foot operated hydrostatic (T2)	Foot operated hydrostatic (T2)
8 km/h	8 km/h
-	220 I / fabric with hard-top
-	Telescopic lever
Electromagnetic	Electromagnetic
15x6.0-6 / 18x8.5-8	15x6.0-6 / 18x8.5-8
✓	Optional (see accessories)
✓	-
Optional (see accessories)	Optional (see accessories)
Optional (see accessories)	Optional (see accessories)
190 x 117 x 114 cm	239 x 110 x 114 cm
123 015	123 016
400 371 835 6557	400 371 835 6564



80 ALKO 81 |

## TRACTOR **ACCESSORIES**





#### **COMBI TRAILER CT 400\***

Tipping trailer with 400 kg load weight (plain), 200 kg (slope)

Art. no. 113 870 EAN no. 400 371 806 1895



#### LAWN ROLLER GW 100\*

98 cm working width, working weight: 140 kg (water), 235 kg (sand)

Art.no. 130 539 EAN no. 576 972 033 0617



#### SPREADER SP 60\*

With 56 I volume, 2 - 5 m spreading range

Art.no. 113 874 EAN no. 400 371 806 1932



#### **TOW HITCH**

For fastening attachments

Art. no. 119 831 EAN no. 400 371 835 5109







#### DEFLECTOR

For tractors with rear discharge, deposits grass clippings behind the tractor

Art. no. 127 488 EAN no. 400 371 805 9281



#### RETROFITTING KIT FOR LED HEADLIGHTS-

for 2023 season

Art. no. 119 832 EAN no. 400 371 835 5116



#### **BUMPER** For all tractors

Art. no. 119 658 EAN no. 400 371 835 3464



#### **MULCHING INSERT 93 CM**

For Easy 15-93.2 HD-A

Art. no. 118 885 EAN no. 400 371 834 5643



#### **MULCHING INSERT 103 CM**

For Comfort 18-103.2 HD

Art. no. 119 656 EAN no. 400 371 835 3440



#### STRAIGHT LOADING **RAMP**

Set of 2, payload 400 kg

Art. no. 113 861 EAN no. 400 371 806 1949



#### **CURVED LOADING RAMP**

Set of 2, payload 400 kg

Art. no. 113 862 EAN no. 400 371 806 2038

### **ADVANTAGE KITS**



#### **COMBI TRAILER SET**

Set comprising Combi Trailer CT 400 and tow hitch

Art. no. 113 877 EAN no. 400 371 806 4131



#### SPREADER SET

Set comprising spreader SP 60 and tow hitch

Art. no. 113 879 EAN no. 400 371 806 4155



Set comprising lawn roller GW 100 and tow hitch

Art. no. 113 881 EAN no. 400 371 806 4179





#### **18" SNOW CHAINS**

Set of 2 for 18 x 8.5 rear tyres

Art. no. 112 339 EAN no. 400 371 803 4257



#### **SNOWPLOUGH**

Incl. mounting frame, 125 cm working width, 5-stage adjustment

Art. no. 119 600 EAN no. 400 371 835 2924



\*Tow hitch required



## ADVANTAGES OF OUR SCARIFIERS

#### PERFECT PREPARATION FOR YOUR SUMMER OUTDOORS

In addition to regular mulching, lawns should be scarified in the spring and/or autumn to allow the lawn to breathe. The steel blades of the scarifier penetrate the turf and remove lawn thatch, moss and plant remains. After scarifying, the area should be fertilised directly, re-seeded and thoroughly watered. Such measures improve both nutrient absorption and irrigation,

and ultimately encourage growth. With a choice of battery, electric or petrol powered scarifiers from AL-KO, you will find the perfect device to efficiently help you with this rejuvenating treatment.

#### A REAL ALL-ROUNDER

Depending on the model, our scarifiers are equipped with several functions. They can be easily recognised by the following logos in the tables: **2INONE** function and **3INONE** function. The functions are explained using these symbols.



2INONE function Scarifying and Grass catching



3INONE function

SCARIFYING, AERATING AND GRASS CATCHING

#### SAFETY FIRST

The safety indicator, which is located adjacent to the working depth controller, clearly shows whether the roller has been installed properly. The red border indicates that the roller was not correctly installed.

Available for selected **EASY** and **COMFORT** models.





#### **EASY ROLLER CHANGING**

The rollers can be changed quickly and simply without any tools.

Available for selected **EASY** and **COMFORT** models.

#### ALWAYS THE RIGHT WORKING DEPTH

The working depth can be set to one of five levels with just one movement. This guarantees optimum scarifying results, specially tailored to your requirements.

Available for all **EASY** and **COMFORT** models.





#### STORING AWAY IS CHILD'S PLAY

Scarifiers can be folded up to save space in seconds. This makes transportation easy and guarantees space-saving storage.

Available for all **EASY** and **COMFORT** models.

| 84 **AL-KO** 







SF 4036 W	32.5 VE Basic	38 E Combi
3F 4U30	Care Classic	Care Comfort

	COMFORT	EASY	COMFORT
Working width / scarifying roller	36 cm / 12 steel blades	32 cm / 12 steel blades	38 cm / 14 steel blades
Working depth	+10 to -11 mm	+5 to -12 mm	+3 to -16 mm
For lawns up to	350 m <sup>2</sup> **	400 m²	800 m²
Working width / aerator roller	36 cm / 40 steel spring tines optional (see accessories)	-	37 cm / 24 steel spring tines
Battery range / Motor / Engine	<b>VFKO</b> 36 A <b>III</b>	Electric	Electric
Power	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah	1000 W	1300 W
Height adjustment	Central, 5-stage	Central, 5-stage	Central, 5-stage
Chassis	Plastic	Plastic	Plastic
Grass collector volume / material	50 I / fabric optional (see accessories)	45 I / fabric	55 I / fabric
Function	<b>3INONE</b> function	<b>2INONE</b> function	<b>3INONE</b> function
Approx. weight	11.7 kg	12.6 kg	15.1 kg
Art. no. (without battery and charger)	113 574	113 242	112 800
EAN no. (without battery and charger)	400 371 805 7775	400 371 805 0967	400 371 804 2245

#### SET INCL. BATTERY AND CHARGER

Included 1 x B 200 Li battery (5.0Ah) in delivery 1 x C 130 Li charger (3.0A) 113 829 Art. no. 400 371 806 1253 EAN no.

All AL-KO 36V garden tools can be used with the batteries and chargers listed on pages 24 / 25. Other garden tools and information on this battery range can be found on pages 24-31.





36.8 E Combi Care Comfort	36 E Combi Care Comfort	38 P Combi Care Comfort
COMFORT	COMFORT	COMFORT
36 cm / 12 steel blades	36 cm / 20 steel blades	38 cm / 14 steel blades
+10 to -11 mm	+5 to -12 mm	+2 to -17 mm
800 m²	800 m²	1200 m²
36 cm / 40 steel spring tines optional (see accessories)	36 cm / 44 steel spring tines	37 cm / 24 steel spring tines
Electric	Electric	AL-KO 144 F
1400 W	1500 W	53 ccm / 1.3 kW / 6.100 rpm
Central, 5-stage	Central, 5-stage	Central, 5-stage
Plastic	Plastic	Plastic
50 I / fabric optional (see accessories)	55 I / fabric	55 I / fabric
3INONE function	<b>3INONE</b> function	<b>3INONE</b> function
12 kg	15 kg	22 kg
113 573	113 465	112 799
400 371 805 7768	400 371 805 6501	400 371 804 2238

## **SCARIFIER ACCESSORIES**



#### **AERATOR ROLLER**

With 40 steel spring tines for SF 4036 and 36.8 E Combi Care Comfort

Art. no. 113 621 EAN no. 400 371 805 8604



#### **FABRIC COLLECTION BAG**

With 50 I volume for SF 4036 and 36.8 E Combi Care Comfort

Art. no. 113 622 EAN no. 400 371 805 8611



## **ADVANTAGES OF OUR SCYTHE MOWERS**



#### MOWING HIGH GRASS WITH EASE, EVEN IN ROUGH TERRAIN

The BM 875 III scythe mower allows you to efficiently maintain large gardens, orchards, fields and pastures even on steep slopes. In doing so, you are able to cut your grass in an ecological way, leaving it as natural as possible. To ensure comfortable use, the scythe mower is fitted with a powerful engine, wheel drive, a blade drive which can be engaged and disengaged, specially hardened blades and wide tyres. The ergonomic and vibration-dampened handlebar, which is effortless to use, guarantees safe mowing and can be adjusted to the operators height. It is safe to handling the machine as the

87 cm wide cutterbar has edge protection and comes with a blade guard. The enclosed drive system increases the operating time by significantly reducing dirt and grass deposits on the blade. The infinitely height-adjustable outsoles and outstanding manoeuvrability of machine mean you won't want to put it down. Thanks to the moving grass deflector, the grass is prevented from being left lying on the cover. There are, therefore, fewer reasons to take a break from your gardening.





#### BM 875 III 📥

#### COMFORT

Working width	87 cm
For lawns up to	2000 m <sup>2</sup>
Engine	Briggs & Stratton 625 EXi
CC / Power	150 ccm / 2.3 kW / 3200 rpm
Wheel drive	1 forward gear (worm gear)
Tyre size	13x5.0-6
Track width	45 cm
Blade drive can be disengaged	✓
Approx. weight	52 kg
Art. no.	113 617
EAN no.	400 371 805 8536

| 88 **AL-KO AL-KO** 89



## VERSATILE IN ALL DIRECTIONS

The ability to turn the trimmer head through 180° means that all lawn edges can be cut accurately. The telescopic aluminium shaft and the flexible handle (depending on the model) ensure the right length and working position.

Available for all **EASY** and **COMFORT** models (up to GT 2000).



## ADVANTAGES OF OUR TRIMMERS AND BRUSHCUTTERS

## LEAVING OTHER GARDEN TOOLS STANDING

Look no further than a brushcutter if you want to get your garden in shape. Frequently used on walls, fences, slopes, trees and other obstacles, it's the perfect alternative to a lawnmower when it comes to getting long grass and scrub trimmed to the right length. Brushcutters work with a line spool to make mowing even easier. What's more, you can make light work of cutting woody plant remains and undergrowth with an extra strong blade. To make work as comfortable as possible, the appliances also come fitted with an ergonomic handle. The handle is where you'll find the controls, which can be used to perfectly control the tool at any time. Once you are done with the fine tuning, the high-quality, hard-wearing aluminium handlebar can be dismantled quickly (depending on the model). This means the brushcutter is easy to transport and can be stored without taking up much space.



Gone are the days of amateur gardeners having to kneel down to tend to the edge of their lawn after mowing it. You can now hand over the reigns to the lawn trimmer to get this work done. The individual angle adjustment of the trimmer head means that even places that are hard to reach, such as under benches, can be tackled with ease. The lawn trimmers from AL-KO can be flexibly adjusted in all directions, thanks to the trimmer head that can be turned through 180°. This means that overhanging lawn edges can be immaculately cut.

### TAKING ON ALL TASKS

Whether for long grass and undergrowth or for mowing along walls, fences and other obstacles – the high-quality line spool attachment means that the brushcutters and trimmers are well equipped for all applications.

Available for all **EASY** and **COMFORT** models.



## COMFORTABLE TO USE IN ANY TASK

Our petrol brushcutters and trimmers are available complete with bike or loop handle. This is so we can ensure we have the right model in our product range for every user.

Available for all **EASY** and **COMFORT** models.

90 ALKO 91

## BATTERY TRIMMERS

92 **ALKO** 



GT 2000	GT 2025	
G1 2000	u 1 2020	

	EASY	EASY
Cutting width	25 cm	25 cm
Battery range	ALKO 18V III	<b>ALKO 18V III</b>
Power	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah
Line type	Nylon line	Nylon line
Line feed	Automatic	Tap mechanism
Shaft tube	Aluminium	Telescopic, aluminium
Spare line holder	✓	✓
Angle-adjustable handle	-	✓
Height-adjustable handle	✓	✓
Pivoting cutting head	-	✓
Plant guard	✓	✓
Approx. weight	1.5 kg (without battery) 1.8 kg (with battery)	2.1 kg (without battery) 2.4 kg (with battery)
WITHOUT BATTERY AND C	HARGER	
Art. no.	-	113 535
EAN no.	-	400 371 805 7539
SET INCL. BATTERY AND C	HARGER	
Included in delivery	1 x B 50 Li battery (2.5Ah) 1 x C 30 Li charger (3.0A)	1 x B 50 Li battery (2.5Ah) 1 x C 30 Li charger (3.0A)
Art. no.	113 701	113 633
EAN no.	400 371 805 9786	400 371 805 8840
SET OF 2, REPLACEMENT	LINE SPOOL	
Art. no.	113 725	112 969
EAN no.	400 371 806 0409	400 371 804 5758





GT 1825 W GT 4030 W

#### COMFORT COMFORT

25 cm 30 cm

### ALKO 18 V III BOSCH HOME AND GARDEN COMPATIBLE

Lithium-ion 18V (max. 20V) Lithium-ion 36V (max. 40V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah 4.0Ah / 5.0Ah / 8.0Ah

Nylon line Nylon line

Try to the time	11,1011 11110
Tap mechanism	Tap mechanism
Telescopic, aluminium	Telescopic, aluminium
-	<b>✓</b>
✓	✓
<b>✓</b>	<b>✓</b>

**✓** 

2.1 kg (without battery) 2.4 kg (without battery) 2.4 kg (with battery) 3.9 kg (with battery)

113 924	113 608
400 371 806 2489	400 371 805 8437

1 x B 150 Li battery (4.0Ah) 1 x C 130 Li charger (3.0A)
113 824
400 371 806 1208

113 349	113 349
400 371 805 5627	400 371 805 5627



Art.no. 113 786 EAN no. 400 371 806 0706

information can be found on page 26

All AL-KO 18V garden tools can be used with the batteries and chargers listed on page 16. Other garden tools and information on this battery range can be found on pages 16/17.



All AL-KO 18V BOSCH HOME & GARDEN COMPATIBLE garden tools can be used with the batteries and chargers listed onpages 20 / 21. Other garden tools and information on this battery range can be found on pages 20-23.

All AL-KO 36V garden tools can be used with the batteries and chargers listed on pages 24 / 25.

Other garden tools and information on this battery range can be found on pages 24-31.



## ELECTRIC TRIMMERS

Art. no.

EAN no.

	Classic	Comfort	GIE 550 -C-	BC 1000 E
	EASY	COMFORT	COMFORT	PREMIUM
Cutting width	25 cm	30 cm	30 cm	35 cm
Power	350 W	450 W	550 W	1000 W
Line type	Nylon, double line	Nylon, double line	Nylon, double line	Nylon, double line
Line feed	Tap mechanism	Tap mechanism	Tap mechanism	Tap mechanism
Shaft tube	Telescopic, aluminium	Telescopic, aluminium	Telescopic, aluminium	Aluminium, detachable
Spare line holder	-	✓	✓	-
Height-adjustable handle	✓	<b>✓</b>	✓	✓
Pivoting cutting head	-	✓	✓	-
Plant guard	✓	✓	✓	-
Carry strap	-	-	-	✓
Approx. weight	2.3 kg	2.9 kg	3.0 kg	3.9 kg
Art. no.	112 928	112 929	112 926	112 923
EAN no.	400 371 804 4928	400 371 804 4935	400 371 804 4904	400 371 804 4881
REPLACEMENT LINE SPOOL				
Art. no.	112 966	112 966	112 966	112 973
EAN no.	400 371 804 5727	400 371 804 5727	400 371 804 5727	400 371 804 5901
REPLACEMENT BLADE				

GTE 450

**GTE 350** 

## ELECTRIC BRUSHCUTTERS



#### BC 1200 E **─**■

#### **PREMIUM**

35 cm line / 23 cm blade

1200 W

Nylon, double line

Tap mechanism

Aluminium, detachable

-

**✓** 

\_

-

-

4.1 kg 112 924

400 371 804 4898

REPLACEMENT LINE HEAD

114 012

400 371 806 3516

112 974

400 371 804 5918



## PETROL BRUSH-CUTTERS





	BC 223 L-S 📥	BC 223 B 🛋	BC 330 L 📥
	EASY	EASY	EASY
Cutting width	41 cm nylon line	41 cm nylon line / 25 cm blade	41 cm nylon line / 25 cm blade
Engine	2-stroke	2-stroke	2-stroke
CC / Power	22.5 ccm / 0.7 kW / 1 HP	22.5 ccm / 0.7 kW / 1 HP	32.6 ccm / 0.9 kW / 1.2 HP
Line type	Nylon, double line	Nylon, double line	Nylon, double line
Line feed	Tap mechanism	Tap mechanism	Tap mechanism
FAST & EASY Fast line winder	-	-	<b>✓</b>
Shaft tube	Aluminium, detachable	Aluminium	Aluminium
Extra handle	Loop handle	Bike handle	Loop handle
Height-adjustable handle	✓	<b>✓</b>	✓
Carry strap	-	✓	✓
Approx. weight	5.0 kg	5.9 kg	6.8 kg
Art. no.	113 691	113 692	113 757
EAN no.	400 371 805 9526	400 371 805 9533	400 371 806 0652
FAST & EASY BRUSHCUTTE	R LINE HEAD		
Art. no.	-	-	113 806
EAN no.	-	-	400 371 806 1000
REPLACEMENT LINE HEAD			
Art. no.	112 880	112 406	112 406
EAN no.	400 371 804 3860	400 371 803 5254	400 371 803 5254
REPLACEMENT BLADE			
Art. no.	-	112 405	112 405
EAN no.	-	400 371 803 5247	400 371 803 5247



BC 330 B 🖷	BC 400 L 🖷	BC 400 B 🖷	BC 500 B 🖷
EASY	COMFORT	COMFORT	PREMIUM
41 cm nylon line / 25 cm blade			
2-stroke	2-stroke	2-stroke	2-stroke
32.6 ccm / 0.9 kW / 1.2 HP	39.8 ccm / 1.25 kW / 1.7 HP	39.8 ccm / 1.25 kW / 1.7 HP	50.8 ccm / 1,9 kW / 2.6 HP, air supply
Nylon, double line	Nylon, double line	Nylon, double line	Nylon, double line
Tap mechanism	Tap mechanism	Tap mechanism	Tap mechanism
✓	✓	✓	✓
Aluminium	Aluminium	Aluminium	Aluminium
Bike handle	Loop handle	Bike handle	Bike handle
<b>✓</b>	<b>✓</b>	✓	✓
(Double carry strap)	✓	(Double carry strap)	(Double carry strap)
7.3 kg	7.2 kg	7.6 kg	7.7 kg
113 758	113 759	113 784	113 785
400 371 806 0669	400 371 806 0676	400 371 806 0683	400 371 806 0690
113 806	113 806	113 806	113 806
400 371 806 1000	400 371 806 1000	400 371 806 1000	400 371 806 1000
112 406	112 406	112 406	112 406
400 371 803 5254	400 371 803 5254	400 371 803 5254	400 371 803 5254
112 405	112 405	112 405	112 405
400 371 803 5247	400 371 803 5247	400 371 803 5247	400 371 803 5247

96 **AL-KO** 97 |

### TRIMMERS AND BRUSHCUTTERS **ACCESSORIES**



#### REPLACEMENT SPOOL

set of 2 for GT 1825 and GT 4030

Art. no. 113 349 EAN no. 400 371 805 5627



#### REPLACEMENT SPOOL

set of 2, for GT 2000

Art. no. 113 725 EAN no. 400 371 806 0409



#### REPLACEMENT SPOOL

set of 2 for GT 2025

Art. no. 112 969 EAN no. 400 371 804 5758



#### REPLACEMENT SPOOL

For GTE 350 CLASSIC, GTE 450 COMFORT, GTE 550

Art. no. 112 966 EAN no. 400 371 804 5727



#### REPLACEMENT SPOOL

For BC 1000 E

Art. no. 112 973 EAN no. 400 371 804 5901



#### REPLACEMENT SPOOL

For BC 1200 E

Art. no. 114 012 EAN no. 400 371 806 3516



#### REPLACEMENT LINE HEAD

For BC 223 L-S

Art. no. 112 880 EAN no. 400 371 804 3860



#### REPLACEMENT LINE HEAD

For BC 223 B, BC 330 L, BC 330 B, BC 400 L. BC 400 B. BC 500 B

Art. no. 112 406 EAN no. 400 371 803 5254



#### REPLACEMENT BLADE

For BC 1200 E

Art. no. 112 974 EAN no. 400 371 804 5918



#### REPLACEMENT BLADE

For BC 223 B, BC 330 L, BC 330 B, BC 400 L, BC 400 B, BC 500 B

Art. no. 112 405 EAN no. 400 371 803 5247



#### TWO-STROKE OIL

1 I, low-smoke, semi synthetic and self-mixing, universal two-stroke oil with Fuel Fresh fuel stabiliser for all petrol brushcutters

Art. no. 112 896 EAN no. 400 371 804 4034



#### **FAST & EASY BRUSHCUTTER HEAD**

Simple threading and winding of the cutting line without opening the head. For BC 330 L, BC 330 B, BC 400 L, BC 400 B, BC 500 B, multi-tool BC 260 MT (page 102 / 103)






## REPLACEMENT LINES FOR **ALL BRUSHCUTTERS**

#### **NYLON LINE PROFILES**




#### **ROUND LINE**

Ideal for clearing the garden, including grass and



#### **SQUARE LINE**

Higher cutting performance thanks to the sharp edges. For clearing the garden and more stubborn weeds.



**SAWTOOTH LINE** 

Sharp and sturdy for a sawing action on woody brambles and thicker weeds.

LINE SHAPES	DIAMETER	LENGTH	ART. NO.	EAN NO.
Round line	1.3 mm	15 m	113 481	400 371 805 6693
Round line	1.6 mm	15 m	113 483	400 371 805 6716
Round line	2.0 mm	15 m	113 485	400 371 805 6730
Round line	2.4 mm	15 m	113 487	400 371 805 6754
Round line	2.4 mm	44 m	113 488	400 371 805 6761
Round line	2.7 mm	15 m	113 490	400 371 805 6785
Round line	3.0 mm	56 m	113 492	400 371 805 6808
Round line	3.3 mm	15 m	113 494	400 371 805 6822
Square line	2.4 mm	15 m	113 496	400 371 805 6846
Square line	2.4 mm	69 m	113 497	400 371 805 6853
Square line	2.7 mm	15 m	113 498	400 371 805 6860
Square line	3.0 mm	15 m	113 500	400 371 805 6884
Square line	3.3 mm	15 m	113 502	400 371 805 6907
Square line	4.0 mm	25 m	113 504	400 371 805 6921
Sawtooth line	3.0 mm	37 m	113 505	400 371 805 6938
Sawtooth line	3.5 mm	27 m	113 506	400 371 805 6945



## **ADVANTAGES** OF OUR **MULTI-TOOL**





#### ONE TOOL, MANY **POSSIBILITIES**

No matter whether at ground level or high overhead - with its metal blade, line spool, pruner, hedge trimmer and long reach hedge trimmer attachments, the multi-tool is amply equipped for all applications in and around the garden. The powerful basic tool is available as either petrol or battery-powered.

MT 40 III

#### COMFORT

Battery range	<b>AFKO</b> 36 A <b>III</b>
Power	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah**
Material	Aluminium / plastic
Approx. weight	1 kg (without battery) 2.4 kg (with battery)

WITHOUT BATTERY AND CHARGER		
Art. no.	113 611	
EAN no.	400 371 805 8468	

### **ALKO 36 V III**

### **BATTERY MULTI-TOOL**





#### **Pruner attachment** CSA 4020

Long reach hedge trimmer attachment HTA 4045

<b>Cutting length</b>	20 cm	45 cm
Tooth gap	10 cm	2 cm
Working height	up to 4.0 m	up to 3.5 m
Speed	4.2 m/s	1,300 rpm
Cutting method	Chain	Counter-rotating safety blade
Included in delivery	70 cm shaft extension, carry strap	70 cm shaft extension, carry strap
Approx. weight	2.2 kg	2.3 kg
Art. no.	113 612	113 613
EAN no.	400 371 805 8475	400 371 805 8482





#### **Trimmer attachment** GTA 4030

Brushcutter and trimmer attachment **BCA 4030** 

Cutting width	30 cm	30 cm line / 23 cm blade
Line type	Nylon line	Nylon line
Adjustable auxiliary handle	✓	<b>✓</b>
Swivelling plant guard	✓	✓
Included in delivery	Extra handle, line spool with tap mechanism	Extra handle, blade, line spool with tap mechanism
Approx. weight	1.8 kg	1.8 kg
Art. no.	113 614	113 615
EAN no.	400 371 805 8499	400 371 805 8505









## **PETROL MULTI-TOOL**



#### BC 260 MT 📥

#### COMFORT

Engine	2-stroke
CC / Power	26 ccm / 0.75 kW / 1.02 HP
Cutting width	41 cm line / 25 cm blade
Line type	Nylon double line 5 m, Ø 2.5 mm
Line feed	Tap mechanism
FAST & EASY Fast line winder	✓
Cutting length / bar length	39 cm hedge trimmer / 25 cm pruner
Handlebar	Aluminium, detachable
Extra handle	✓ (adjustable)
Included in delivery	Carry strap, metal blade, line spool, pruner, hedge trimmer attachment, 80 cm extension shaft
Approx. weight	4.1 kg (basic tool)
Art. no.	113 787
EAN no.	400 371 806 0720









## **BATTERY MULTI-TOOL ACCESSORIES**



#### REPLACEMENT SPOOL

set of 2. for MT 40 (GTA 4030)

Art. no. 113 349 EAN no. 400 371 805 5627



#### REPLACEMENT SPOOL

set of 2, for MT 40 (BCA 4030)

Art. no. 113 478 EAN no. 400 371 805 6631



#### REPLACEMENT CHAIN

For MT 40 (CSA 4020)

Art. no. 113 526 EAN no. 400 371 805 7508



#### REPLACEMENT BAR

For MT 40 (CSA 4020)

Art. no. 113 534 EAN no. 400 371 805 7515



#### REPLACEMENT BLADE

For MT 40 (BCA 4030)

Art. no. 113 479 EAN no. 400 371 805 6648



#### **BBA 40 BATTERY BELT**

For MT 40. AL-KO 36V belt with adapter, further information can be found on page 26

Art.no. 113 786 EAN no. 400 371 806 0706



## PETROL MULTI-TOOL **ACCESSORIES**



#### **FAST & EASY** REPLACEMENT SPOOL

For BC 260 MT

Art. no. 113 806 EAN no. 400 371 806 1000



#### ORGANIC CHAIN OIL 5 L For BC 260 MT

Art. no. 113 530 EAN no. 400 371 805 7317



#### REPLACEMENT CHAIN

EAN no. 400 371 804 5925



#### REPLACEMENT BLADE

For BC 260 MT

Art. no. 112 405 EAN no. 400 371 803 5247



#### REPLACEMENT BAR


For BC 260 MT (pruner)

Art. no. 127 550 EAN no. 400 371 806 0249



102 **AL-KO ALKO** 103









#### HANDY BROOM REPLACEMENT

The handy leaf blower is both versatile and flexible, ensuring a tidy yard and garden. The fast air flow speed can be easily set via a rotary knob (up to 250 km/h). The two supplied attachments allow you to choose between focussed and wide-area operation. The attachments can also be easily removed for

Available for the following **COMFORT** model: LB 4060

#### POWER FOR EVERY GARDEN

Our battery leaf blowers make gardening a real pleasure with minimal exertion and without any power cord. The very lightweight, manoeuvrable machines mean you can work in a flexible manner without any need for irritating cables, fuel, and with zero emissions.

Available for all **EASY**, **COMFORT** and **PREMIUM** 



## BLOWERS AND BLOWER VACUUMS **ADVANTAGES OF OUR LEAF**



#### **CLEAR AWAY LEAVES IN** A SINGLE STEP

Our leaf blowers and blower vacuums offer two different functions if you want to clear leaves: Gather leaves by blowing them into a corner, then vacuum them up into the collection bag. The motors in our leaf blowers and blower vacuums give exceptional power. In next to no time, you'll have cleared the leaves and other plant remains from your drive, walkway and lawn.

Then, all you need to do is dispose of the leaves and plants on your compost heap or in the garden bin. The large collecting bag is fitted with a zip to make light work of emptying it. You won't want to be without leaf blowers and blower vacuums from AL-KO, especially in the autumn months and for



#### **UNRIVALLED PERFORMANCE** WITH AXIAL LEAF BLOWERS

The axial leaf blower's fan is positioned at the rear of the unit. This turns at high speed and in doing so draws air into the leaf blower from the rear and discharges it at the front. This technology enables the axial leaf blower to provide unrivalled performance.

Available for the following **COMFORT** model: LB 1860

104 **ALKO AL-KO** 105



LB 2060 III LB 1860 III LB 4060 III

	EASY	COMFORT	COMFORT
Battery range	ALKO 18V III	ALKO 18V IIII BOSCH HOME AND GARDEN COMPATIBLE	<b>AFKO</b> 36 A <b>III</b>
Power	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah
Air speed	up to 200 km/h	45 m/s	115 - 250 km/h
Flow rate	200 m³/h	450 m³/h	330 m³/h
Pipe attachments (incl.)	1	2	2
Control	Infinitely variable	ECO mode, Power mode	Infinitely variable
Collecting bag / material	-	-	-
Approx. weight	1.2 kg (without battery) 1.5 kg (with battery)	1.8 kg (without battery) 2.1 kg (with battery)	2.2 kg (without battery) 3.6 kg (with battery)
WITHOUT BATTERY AND CI	HARGER		
Art. no.	113 537	113 922	113 610
EAN no.	400 371 805 7553	400 371 806 2465	400 371 805 8451
SET INCL. BATTERY AND C	HARGER		
Included in delivery	-	1 x B50 Li battery (2.5Ah) 1 x C50 Li charger (3.0A)	1 x B 200 Li battery (5.0Ah) 1 x C 130 Li charger (3.0A)
Art. no.	-	113 941	113 827
EAN no.	-	400 371 806 2595	400 371 806 1239

All AL-KO 18V garden tools can be used with the batteries and chargers listed on page 16. Other garden tools and information on this battery range can be found on pages 16/17.



All AL-KO 18V BOSCH HOME & GARDEN COMPATIBLE garden tools can be used with the batteries and chargers listed onpages 20 / 21. Other garden tools and information on this battery range can be found on pages 20-23.





LBV 4090 📖



#### **BBA 40 BATTERY BELT**

For LB 4060 and LBV 4090, AL-KO 36V belt with adapter, further information can be found on **page 26** 

Art.no. 113 786 EAN no. 400 371 806 0706

#### **PREMIUM**

#### **ALKO 36 V III**

Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah

150 - 250 km/h

350 m<sup>3</sup>/h

1

Infinitely variable, vacuuming, blowing

**✓** 45 I / fabric

4.5 kg (without battery) 5.9 kg (with battery)

113 662

400 371 805 9090

1 x B 200 Li battery (5.0Ah) 1 x C 130 Li charger (3.0A)

113 828

400 371 806 1246



All AL-KO 36V garden tools can be used with the batteries and chargers listed on pages 24 / 25.

Other garden tools and information on this battery range can be found on pages 24-31.





## ADVANTAGES OF OUR HEDGE TRIMMERS



## ERGONOMICS A CUT ABOVE THE REST FOR PRECISE HEDGE TRIMMING

The hedge trimmers from AL-KO make it even easier to trim your hedge. They offer easy-cutting and functional ergonomics, so that you can conserve your energy and keep stress at bay when working with the hedge trimmer. The integrated spirit level (HT 2050) helps to keep you on the straight and narrow. What's more, the safety cable (HT 550) for electric hedge trimmers ensures the highest degree of safety during work. An AL-KO hedge trimmer is a gardening tool you can trust.

With the AL-KO HT 1845 battery hedge trimmer with its diamond polished blade, hedge trimming is a real breeze - regardless of whether it's a routine trim or all part of putting your own stamp on your garden. You can count on swift trimming a cut above the rest with the high-quality 45 cm safety blade, which provides an optimum level of protection for people and the unit itself. The ergonomic handle means it is easy to handle, ensuring safe, comfortable work in any position.

The HT 1845 hedge trimmer is operated by an AL-KO 18V Bosch Home and Garden Compatible battery. This battery system enables different appliances from AL-KO and other manufacturers to be used with a single battery.





#### PERFECT CUT AND PROTECTION

Durably sharp, diamond-ground blades ensure a clean cut. The safety guard protects the blade when cutting along floors and walls. The cover also serves as a wall mount.

Available for all **EASY** and **COMFORT** models.

#### **RELAXED WORKING STYLE**

Thanks to the optionally available AL-KO BBA 40 battery belt, the battery no longer needs to be carried along with the machine while you tend to your garden. It is possible to remove the battery from the AL-KO 36V device and carry this on the BBA 40 belt. Just a lightweight 195 g battery adapter is inserted in the device.

This makes work considerably easier (weight reduction of up to 30%) while using all AL-KO 36V devices. Taking care of your garden becomes easier and less of a strenuous task. Thanks to the significantly reduced weight of the garden tool, your arms will breathe a sigh of relief.

Available for the following **COMFORT** model: HT 4055



#### **BEST QUALITY**

The high-quality plastic housing is highly sturdy and robust, thus guaranteeing that the hedge trimmer has a long service life. The weight has been distributed perfectly so that the hedge trimmers always sit perfectly in your hand.

Available for all **EASY** and **COMFORT** models

## BATTERY HEDGE TRIMMERS



#### BBA 40 BATTERY BELT

For HT 4055, AL-KO 36V belt with adapter, further information can be found on page 26

Art.no. 113 786 EAN no. 400 371 806 0706



HT 2000 📖 HT 2050 📖	HT 2000 III	HT 2050 🎹
---------------------	-------------	-----------

	EASY	EASY
Blade length	450 mm	510 mm
Tooth gap	14 mm	15 mm
Battery range	ALKO 18V III	ALKO 18V III
Power	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah
Stroke rate	2200 per min.	2200 per min.
Blade type	Diamond-ground	Diamond-ground
Cutting mechanism	Counter-rotating safety blade	Counter-rotating safety blade
Approx. weight	1.7 kg (without battery) 2.0 kg (with battery)	2.5 kg (without battery) 2.8 kg (with battery)
WITHOUT BATTERY AND CI	HARGER	
Art. no.	-	113 536
EAN no.	-	400 371 805 7546

All AL-KO 18V garden tools can be used with the batteries and chargers listed on page 16. Other garden tools and information on this battery range can be found on pages 16/17.

1 x B 50 Li battery (2.5Ah)

1 x C 30 Li charger (3.0A)

400 371 805 9779

113 700

SET INCL. BATTERY AND CHARGER

Included

Art. no.

EAN no.

in delivery



1 x B 50 Li battery (2.5Ah)

1 x C 30 Li charger (3.0A)

400 371 805 8857

113 634



łΤ 1845 Ш·	HT 4055 📖
------------	-----------

JUIVIPUR I GUIVIPUR	COMFORT	COMFOR
---------------------	---------	--------

COMPORT	CUIVIFURI
450 mm	550 mm
15 mm	20 mm
ALKO 18 V IIII BOSCH HOME AND GARDEN COMPATIBLE	<b>ALKO</b> 36 V <b>III</b>
Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah
2600 per min.	2800 per min.
Diamond-ground	Diamond-ground
Counter-rotating	Counter-rotating

113 920	113 609
400 371 806 2441	400 371 805 8444

safety blade

2.0 kg (without battery)

2.3 kg (with battery)

safety blade

2.5 kg (without battery)

3.9 kg (with battery)

1 x B50 Li battery (2.5Ah) 1 x C50 Li charger (3.0A)	1 x B 150 Li battery (4.0Ah) 1 x C 130 Li charger (3.0A)
113 939	113 823
400 371 806 2571	400 371 806 1192

All AL-KO 18V BOSCH HOME & GARDEN COMPATIBLE garden tools can be used with the batteries and chargers listed onpages 20 / 21. Other garden tools and information on this battery range can be found on pages 20-23.



All **AL-KO 36V** garden tools can be used with the batteries and chargers listed on **pages 24 / 25**.

Other garden tools and information on this battery range can be found on **pages 24-31**.







110 ALKO

## **ELECTRIC HEDGE TRIMMERS**



HT 550

	Basic Cut	Safety Cut
	EASY	COMFORT
Blade length	440 mm	520 mm
Tooth gap	16 mm	18 mm
Power	440 W	550 W
Stroke rate	3200 per min.	3400 per min.
Blade type	Diamond-ground	Diamond-ground
Cutting mechanism	Counter-rotating safety blade	Counter-rotating safety blade
Safety cable	-	✓
Approx. weight	3.2 kg	3.6 kg
Art. no.	112 679	112 680
EAN no.	400 371 804 0302	400 371 804 0319





## **ADVANTAGES OF OUR MULTI-CUTTERS**





#### THE MULTI-TALENTED MULTICUTTER FOR QUICK TRIMMING

Thanks to the quick blade change system, the blades can be changed within just a few seconds – without tools and without having to get your hands dirty. Can be used for trimming grass and shrubs. They are light and easy to manoeuvre, with a long service life and low self-discharge.

## Multicutter GS 7.2 Li

#### **GETTING A HANDLE ON** YOUR TRIMMING RANGE

With the optional extension handle, longer sections can also be trimmed very comfortably without having to bend over.





#### COMFORT

Battery range	- (internal battery)
Power	Lithium-ion 7.2V 2.0Ah
Shrub blade length	160 mm
Shrub cutting area coverage	32 m²
Grass shears cutting width	80 mm
Grass shears cutting performance	450 m
Approx. weight	550 g
Art. no.	113 371
EAN no.	400 371 805 6136

EXTENSION HANDLE	
Art. no.	113 477
EAN no.	400 371 805 6655



## ADVANTAGES OF OUR PRUNERS AND LONG REACH HEDGE TRIMMERS

#### EASILY TRIM HIGH HEDGES AND TREES WITHOUT ANY CABLES

Pruning and trimming trees and hedges is easy with pruners and cordless long reach hedge trimmers. Thanks to the angle adjustment and telescopic shaft, you are able to reach difficult-to-access areas and leave them with an impeccable finish. Being battery-powered means you don't need to watch out for trailing power cables and it also offers a large working height with

plenty of free movement. Indeed, you can tend to your garden in such a way that it doesn't leave you exhausted, in a safe yet effortless way, - even when working overhead. Moreover, battery operation means you can rely on quiet, emission-free and low maintenance use at any time of day.



	Long reach hedge trimmer Ш HTA 2050	Pruner CSA 1820	Long reach hedge trimmer IIII HTA 1845
	EASY	COMFORT	COMFORT
Blade length	510 mm	200 mm	450 mm
Tooth gap	16 mm	-	15 mm
Battery range	ALKO 18V III	ALKO 18 V IIII BOSCH HOME AND GARDEN COMPATIBLE	ALKO 18V IIII BOSCH HOME AND GARDEN COMPATIBLE
Power	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah
Shaft tube	Telescopic	Telescopic	Telescopic
Pivoting head	✓	✓	✓
Approx. weight	3.15 kg (without battery) 3.5 kg (with battery)	3.65 kg (without battery) 3.95 kg (with battery)	3.5 kg (without battery) 3.8 kg (with battery)
WITHOUT BATTERY AND C	HARGER		
Art. no.	113 539	113 926	113 925
EAN no.	400 371 805 7577	400 371 806 2502	400 371 806 2496
SET INCL. BATTERY AND C	HARGER		
SET INCL. BATTERY AND C Included in delivery	HARGER -	1 x B50 Li battery (2.5Ah) 1 x C50 Li charger (3.0A)	1 x B50 Li battery (2.5Ah) 1 x C50 Li charger (3.0A)
Included	HARGER - -		

All AL-KO 18V garden tools can be used with the batteries and chargers listed on page 16. Other garden tools and information on this battery range can be found on pages 16/17.



All AL-KO 18V BOSCH HOME & GARDEN COMPATIBLE garden tools can be used with the batteries and chargers listed onpages 20 / 21. Other garden tools and information on this battery range can be found on pages 20-23.



114 **AL-KO** 



# HANDY BATTERY TOOLS



#### HANDY BATTERY TOOLS FOR INDOORS AND OUT

The full array of AL-KO battery ranges for your home, garden and construction site. Armed with just one battery for the entire home, you can simply alternate between your chores in the garden. Trim the hedge, prune trees, do some minor sawing work, clean the patio with the powerful high-pressure cleaner or the handy weed sweeper, spray the plants or listen to some music on

our robust DAB+ work radio, and shed some light on the garden with our portable LED lighting. One single battery fits into a wide range of hand tools, providing utmost versatility. All our battery appliances therefore work in an emission-free way. Discover the variety of AL-KO battery-powered hand

#### ALKO 18V III BOSCH HOME AND GARDEN COMPATIBLE

116 **ALKO** 

#### **MINI CHAINSAW CSM 1815**

Chain lubrication is perfectly tailored to the task at hand, that's what you can expect from AL-KO Smart Dynamic Lubrication. This technology enables you to regulate lubrication yourself. As such, the mini chainsaw is not only just a vital tool for felling trees, but also proves indispensable for indoor and outdoor building work. For projects where oily timber simply won't do.



#### ALKO 18V III

#### **HIGH-PRESSURE CLEANER PW 2040**

A PET bottle can also be used as a water source by using the supplied adapter. The high-pressure cleaner can be used with any water source, such as water butt, pond or simply the tap.



#### ALKO 18V III BOSCH HOME AND GARDEN COMPATIBLE

#### **LAWN AERATOR AR 1835**

The AR 1835 lawn aerator removes lawn thatch and moss, giving the grass a good air supply. Removing lawn thatch and moss allows air to get to the roots, promoting growth and aiding drainage. What's more, it is also the perfect tool for removing weeds from your vegetable patch. The lawn aerator shreds coarse soil material and sufficiently prepares your vegetable garden for seeding. Removing lawn thatch and moss allows air to get to the roots, promoting growth and aiding drainage. Your versatile helper in the garden extremely lightweight, emission-free and can be stored without taking up much space.

#### ALKO 18V III

#### **WEED SWEEPER MB 2010**

The battery weed sweeper with its powerful 20V lithium-ion battery cleans your patio, walkways or paving stones in an incredibly quiet way, without generating any emissions, ensuring they are free from weeds, especially in the cracks. The very lightweight, manoeuvrable unit means you can work in a flexible manner without the need for trailing cables, fuel, and with zero emissions.





#### **ALKO 18V III** BOSCH HOME AND GARDEN COMPATIBLE

#### **CULTIVATOR TL 1820**

The cordless TL 1820 cultivator is a lightweight, emission-free helping hand for your vegetable patch. Crumbling, tilling and weeding are what this cultivator does best. Fatigue-free work and perfect handling are ensured by its minimal weight. It can be tidied away in a jiffy, thanks to its removable shaft. The freedom to move without any cables, for safe and versatile use, regardless of the time of day.





All **AL-KO 18V** garden tools can be used with the batteries and chargers listed on **page 16**. Other garden tools and information on this battery range can be found on pages 16 / 17.









	HS 2015	WL 2020	Work radio WR 2000
	EASY	EASY	EASY
Technical data	Cutting length 120 mm / tooth gap Ø 60 mm	3 brightness settings (600 / 1000 / 1600 lumens)	USB port and Bluetooth, 5 saved radio station settings, frequencies between FM 87.5 and 108 MHz
Battery	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah
Power	Stroke rate 2200 per minute	20 W	2 x 5 W speakers
Special feature	Handy, low weight	Brightness control	DAB+, clock and alarm clock
Included in delivery	2 x blades for wood	360° adjustable	Power cable
Approx. weight	1.7 kg (without battery) 2.0 kg (with battery)	1.7 kg (without battery) 2.0 kg (with battery)	4.5 kg (without battery) 4.8 kg (with battery)
WITHOUT BATTERY AND CH	ARGER		
Art. no.	113 625	113 626	113 631
EAN no.	400 371 805 8642	400 371 805 8659	400 371 805 8796

## HANDY BATTERY **TOOL ACCESSORIES**



**REPLACEMENT SAW BLADES** 

Set of 2 (wood) for HS 2015

Art. no. 113 679 EAN no. 400 371 805 9274







Weed sweeper III) MB 2010	Plant sprayer PS 2035	High-pressure cleaner IIII PW 2040
EASY	EASY	EASY

1200 rpm	3 bar pressure	22 bar pressure
Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 5.0Ah
40 min. operating time when loaded (for 2.5Ah battery)	4 I tank volume	120 I per hour
5-stage adjustable cleaning head	9 hour operating time (for 2.5 Ah battery)	5 in 1 water nozzle, PET bottle adapter, can be used with any water source thanks to the water intake
Telescopic shaft, nylon and steel brushes	Receptacle with measuring indicator and shoulder belt	Foam lance and water intake hose
1.4 kg (without battery) 1.7 kg (with battery)	2.0 kg (without battery) 2.3 kg (with battery)	1.35 kg (without battery) 1.7 kg (with battery)
113 696	113 697	113 859



400 371 805 9731

REPLACEMENT **BRUSHES** 

400 371 805 9748

Set of 2 (1x nylon brush, 1x steel brush) for MB 2010

Art. no. 113 717 EAN no. 400 371 806 0461



400 371 806 1710

**WASHING BRUSH** 

With water flow, for PW 2040

Art. no. 113 876 EAN no. 400 371 806 1987

118 **AL-KO** 

## ALKO 18 V III BOSCH HOME AND GARDEN COMPATIBLE





	Mini chainsaw CSM 1815 III	Handsaw PS 1815	Lawn aerator IIII AR 1835
	COMFORT	COMFORT	COMFORT
Technical data	Bar length 150 mm / max. cut Ø 130 mm	Cutting length 150 mm / tooth gap Ø 80 mm	Working width 350 mm / Working depth 20 mm
Battery	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah
Power	Chain speed: 7 m/s	Stroke rate: 2500 per min.	250 rpm
Special feature	SDL (Smart Dynamic Lubrication)	LED work light	Detachable shaft, 24 steel spring tines
Included in delivery	Carry case, 60 ml chain oil	3 saw blades for wood, metal and plastic	-
Approx. weight	1.3 kg (without battery) 1.6 kg (with battery)	1.2 kg (without battery) 1.5 kg (with battery)	4.8 kg (without battery) 5.1 kg (with battery)
WITHOUT BATTERY AND CHA	RGER		
Art. no.	114 016	113 923	113 921
EAN no.	400 371 806 3943	400 371 806 2472	400 371 806 2458
SET INCL. BATTERY AND CHA	ARGER		
Included	1 x B50 Li battery (2.5Ah)	1 x B50 Li battery (2.5Ah)	1 x B50 Li battery (2.5Ah)

HANDY BATTERY
TOOL ACCESSORIES

in delivery Art. no. 1 x C50 Li charger (3.0A)

400 371 806 4254

114 023



113 942

1 x C50 Li charger (3.0A)

400 371 806 2601

#### REPLACEMENT SAW BLADES

113 940

Set of 3 (1x wood, 1x metal, 1x plastic) for PS 1815

400 371 806 2588

1 x C50 Li charger (3.0A)

Art no. 113 068

Art. no. 113 968 EAN no. 400 371 806 3134











Cultivator III) TL 1820	High-pressure cleaner PW 1850
COMFORT	COMFORT
Working width 200 mm	22 bar pressure
Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah
250 rpm	180 I per hour
4x4 robust metal blades, with detachable shaft	ECO function, 5 in 1water nozzle, can be used with any water source thanks to the water intake
-	Soap dispenser with spray nozzle, 4 m intake hose
3.5 kg (without battery) 3.8 kg (with battery)	1.3 kg (without battery) 1.6 kg (with battery)
113 928	113 929
400 371 806 2526	400 371 806 2533
1 x B50 Li battery (2.5Ah) 1 x C50 Li charger (3.0A)	1 x B50 Li battery (2.5Ah) 1 x C50 Li charger (3.0A)
113 966	113 967



400 371 806 2991

#### **REPLACEMENT CHAIN**

For CSM 1815

400 371 806 3004

Art. no. 114 024 EAN no. 400 371 806 4315



#### **REPLACEMENT BAR**

For CSM 1815

Art. no. 114 025 EAN no. 400 371 806 4322

120 ALKO 121







#### **GREATER SAFETY**

The locked hand safety lever prevents accidental turning of the tiller blades.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.

#### **ERGONOMIC GARDENING**

The shaped handlebar can be individually adjusted to suit the height of the operator, ensuring relaxed, fatigue-free working. The ability to swivel the handlebar sideways (MH 770 and MH 1150) also permits working without treading on the soil that has already been cultivated.

Available for all **COMFORT** and **PREMIUM** models.



## ADVANTAGES OF OUR > CULTIVATORS

## POWERFUL TOOLS FOR LOOSENING SOIL WITH AN EXTENSIVE RANGE OF ACCESSORIES

Our easy-to-manoeuvre cultivators help you to loosen the soil, making it ready for plants and seeds to be sown - with little effort, in a way that is gentle on your back. They support you when it comes to efficiently working shredded material, organic fertiliser or topsoil into the soil, which support the nutrient richness of your soil.

The powerful engines with high power reserves effectively loosen the soil and that's even on loamy soils. The ergonomic handlebars combined with a balanced weight distribution make it simple and fast to guide the cultivator.



#### **QUALITY SOIL**

Specially shaped tiller blades combined with powerful engines guarantee that you can effectively work the ground into quality soil.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.







	EASY	COMFORT
For areas up to	150 m²	300 m <sup>2</sup>
CC / Power	139 ccm / 2.2 kW / 3100 rpm	196 ccm / 3.45 kW / 3100 rpm
Transmission	Worm gear	Chain gear
Working width	36 cm	54 cm
Cultivator blades	2 + 2 (4 / unit)	2 + 2 (4 / unit)
Tine Ø	25 cm	33 cm
Forward gear	✓	✓
Reverse gear	-	✓
Plant guard	-	-
Adjustable handlebar	-	-
Transport wheel	✓ (front)	✓ (front)
Included in delivery	-	-
Approx. weight	34 kg	51 kg
Art. no.	113 969	113 970
EAN no.	400 371 806 3202	400 371 806 3219





## **CULTIVATORS ACCESSORIES**

#### RIDGE PLOUGH 770

For MH 770

Art. no. 113 973 EAN no. 400 371 806 3240

#### RIDGE PLOUGH 1150

For MH 1150

Art. no. 113 974 EAN no. 400 371 806 3257

#### BED PLOUGH


For MH 770 and MH 1150

Art. no. 113 975 EAN no. 400 371 806 3264



#### POTATO PLOUGH For MH 770 and MH 1150

Art. no. 113 976 EAN no. 400 371 806 3271



For better traction when used with ploughs, for MH 770

Art. no. 113 977 EAN no. 400 371 806 3288



For better traction when used with ploughs, for MH

Art. no. 113 978 EAN no. 400 371 806 3295

OF THE	wheel set	
MH 770 🖦	MH 1150 🖶	
COMFORT	PREMIUM	

COMFORT	PREMIUM
670 m²	670 m²
196 ccm / 3.45 kW / 3100 rpm	212 ccm / 3.6 kW / 3.100 rpm
Chain gear	Chain gear
77 cm	115 cm
3 + 3 (4 / unit)	4 + 4 (4 / unit)
33 cm	36 cm
✓ (2 speeds)	✓ (2 speeds)
✓	✓
✓	✓
Vertical and horizontal	Vertical and horizontal
✓ (front)	✓ (wheel set)
Lateral discs	Lateral discs and wheel set
63 kg	98 kg
113 971	113 972
400 371 806 3226	400 371 806 3233



124 **AL-KO AL-KO** 125



## **ADVANTAGES OF** OUR LAWN ROLLER





#### THE HANDY HELPER

The lawn roller assists you when it comes to re-laying or reseeding your lawn. You can flatten the ground and press in the seeds after sowing. This gives the seeds the best chance of success and protects them against rain, wind and hungry animals. The lawn roller is easy to manoeuvre and sturdy, being made of steel plate.

**GW 50** 

#### **PREMIUM**

Working width	50 cm
Material	Steel plate
Weight filled with water	62 kg
Weight filled with sand	108 kg
Empty weight approx.	13 kg
Art. no.	119 104
EAN no.	400 371 834 7654



## **ADVANTAGES** OF OUR **COMPOSTERS**





#### **COMPOSTING IN YOUR OWN GARDEN**

With very little work involved, a composter breaks down leaves, shredded material, garden waste and some food waste into a valuable natural fertiliser supply. Organic material is stacked in the composter in various layers and is converted by worms, bacteria and insects into soil. The resulting heat is discharged through the ventilation openings. There is nothing standing in your way of composting with our composters.

K390	Jumbo 800
11000	

	COMFORT	PREMIUM
Volume	390	800 I
Material	Recycled plastic	Recycled plastic
L x W x H	66x66x110 cm	125 x 110 x 100 cm
Approx. weight	13.2 kg	16 kg
Art. no.	112 093	110 863
EAN no.	400 371 802 8706	400 371 802 6481

126 **ALKO AL-KO** 127



#### **BLADE OR ROLLER?**

The choice of a blade shredder or silent shredder depends on the requirements. Blade shredders are ideal for woody and leafy garden waste and the material produced is ideal for mulching beds; alternatively, the silent shredder is suitable for dealing with the tougher stuff: the material it shreds is simultaneously shredded and crushed, which accelerates rotting when on the compost heap.







#### PRECISION BLADE SYSTEM

The powerful blade cutting mechanism with additional blades for preshredding ensures more rapid shredding, improved self-feeding function and excellent productivity.

Available for **PREMIUM** model.



The roller infeed in the extra-large funnel makes it possible for the material being shredded to be fed in effortlessly and conveniently.

Available for all **EASY**, **COMFORT** and **PREMIUM** 



## **ADVANTAGES OF** ADVANIAGES OF OUR SHREDDERS

#### **SHRED GARDEN WASTE OUICKLY AND EASILY**

Your garden wants to stay in shape too. Hedges, bushes and trees need to be trimmed on a regular basis with hedge trimmers. But what to do with all the cuttings? Our shredders are ideally suited for shredding branches, sticks and leaves, thanks to their unique cutter and drum technology. AL-KO shredders impress with a large hopper, innovative blade or drum system and sturdy

undercarriage. Safety is, however, paramount to us: Once the collector of the AL-KO Easy Crush has been removed, the machine automatically switches off. A robust shredder from AL-KO is able to polish off the work in no time at all, giving you all the more time to spend enjoying your garden.



#### **SEPARATE BRANCH FEED**

Alongside the large main infeed funnel for soft material, the innovative shredding system also features an additional, separate branch feed for branches up to 45 mm in diameter.

Available for **PREMIUM** model

| 128 **AL-KO ALKO** 129





400 371 806 2557

EAN no.





	MH 2500 -C SLICE	MH 2810 -	LH 2810 -
	EASY	COMFORT	COMFORT
Branch diameter	40 mm	40 mm	42 mm
Power	2500 W (P40) / 230 V	2800 W / 230 V	2800 W / 230 V
Cutting system	Blade system	Blade system	Roller system
Collector volume	50 I (collection bag)	48 I (collector box)	48 I (collector box)
Fuse	13 Amp	16 Amp	16 Amp
Approx. weight	13.5 kg	25 kg	29 kg
Art. no.	113 871	113 872	113 873
EAN no.	400 371 806 1901	400 371 806 1918	400 371 806 1925
REPLACEMENT BLADES (SE	T OF 2)		
Art. no.	113 937	113 079	-

400 371 804 7394





#### TCS 2500 -

#### **PREMIUM**

40 mm 2500 W / 230 V Blade system 16 Amp 52.9 kg 119 954 400 371 835 6021 104 655

400 371 832 3832



130 **AL-KO AL-KO** 131



## ADVANTAGES OF OUR CHAINSAWS



## PETROL, BATTERY OR ELECTRIC CHAINSAWS: FOR GARDENERS AND PROFESSIONAL USERS

Our AL-KO chainsaws combine a high cutting performance and running capacity. The high-quality Oregon cutter bars ensure powerful cutting performance with their durable chains. Indeed, you can reliably saw through thick trunks, branches etc.

Thanks to low-vibration, well balanced drives and the intelligent ergonomic handle, effortless handling is guaranteed in any position - a real plus when it comes to continuous use.





#### **EASY TO MANOEUVRE**

The comfortable AL-KO BBA 40 harness system perfectly supports you when working with our AL-KO CS 4030 36V battery chainsaw. Thanks to the battery belt, operating the saw becomes much easier and more comfortable, as the weight of the battery is no longer borne by one's hands, but rather is distributed across one's body.

Available for the following **COMFORT** model: CS 4030

#### PERFECT HANDLING

AL-KO chainsaws sit well in the hand thanks to their balanced weight. The integrated vibration damping (on the petrol models) guarantees comfortable working.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.





## EASY TO USE AND MAINTAIN

Automatic chain lubrication and the viewing window on the oil tank make it easier to maintain the electric and battery chainsaws. The air filters of the petrol chainsaws can also be removed and cleaned with incredible ease.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.

ALKO 133

### **BATTERY CHAINSAWS**







#### **BATTERY BELT BBA 40**

For CS 4030, AL-KO 36V belt with adapter, further information can be found on page 26

Art.no. 113 786 EAN no. 400 371 806 0706

	COMFORT	COMFORT
Bar length	25 cm	30 cm
Battery range	ALKO 18 V IIII BOSCH HOME AND GARDEN COMPATIBLE	<b>AFKO</b> 39 A III
Power	Lithium-ion 18V (max. 20V) 2.5Ah / 4.0Ah / 5.0Ah / 6.0Ah	Lithium-ion 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah*
Tank volume fuel / oil	- / 110 ml	- / 180 ml
Saw chain	3/8" / 90PX040X	3/8" / 91P045E
Chain speed	4.7 m/s	16.3 ± 0.7 m/s
Chain tension	with tool	with tool
Chain lubrication	automatic	automatic
Chain brake	✓	✓
Approx. weight	2.8 kg (without battery) 3.1 kg (with battery)	4.45 kg (without battery) 5.81 kg (with battery)

WITHOUT BATTERY AND CHARGER		
Art. no.	113 919	113 616
FAN no	400 371 806 2434	400 371 805 8512

SET INCL. BATTERY AND	CHARGER	
Included in delivery	1 x B50 Li battery (2.5Ah) 1 x C50 Li charger (3.0A)	1 x B 200 Li battery (5.0Ah) 1 x C 130 Li charger (3.0A)
Art. no.	113 938	113 860
EAN no.	400 371 806 2564	4003 7180 61727
REPLACEMENT BAR		
Art. no.	127 550	127 555 (incl. guard)

EAN no.	400 371 806 0249	400 371 806 0294
REPLACEMENT CHAIN		
Art. no.	127 549	127 200
EAN no.	400 371 806 0232	400 371 805 2329



garden tools can be used with the

batteries and chargers listed on pages 24 - 25.

Other garden tools and information on this battery range can be found on **pages 24 - 31**.



All AL-KO 18 V **BOSCH HOME &** GARDEN COMPATIBLE

garden tools can be used with the batteries and chargers listed on pages 20 - 21. Other garden tools and information on this battery range can be found on pages 20 - 23.

## **ELECTRIC CHAINSAWS**

Art. no.



EKS 2400-40 — EKI 2200-40 —

440 477

	EASY	COMFORT	PREMIUM
Bar length	35 cm	40 cm	40 cm
Power	2000 W / 230 V / 50 Hz	2400 W / 230 V / 50 Hz	2200 W / 230 V / 50 Hz
Engine layout	crossline	crossline	inline
Tank volume fuel / oil	- / 150 ml	- / 150 ml	- / 200 ml
Saw chain	3/8" / 91PJ052X	3/8" / 91PJ056X	3/8" / 91PJ056X
Chain speed	13.5 m/s	13.5 m/s	13.5 m/s
Chain tension	with tool	with tool	with tool
Chain lubrication	automatic	automatic	automatic
Chain brake	<b>✓</b>	✓	<b>✓</b>
Approx. weight	4.8 kg	5.0 kg	5.4 kg
Art. no.	112 807	112 808	112 809
EAN no.	400 371 804 2436	400 371 804 2443	400 371 804 2450
REPLACEMENT BAR			
Art. no.	413 710	413 633	413 633
REPLACEMENT CHAIN			

440 477

EKS 2000-35



440 476

### **PETROL CHAINSAWS**



	BKS 3835 🖷	BKS 4040 📥	BKS 4540 🖶
	EASY	COMFORT	PREMIUM
Bar length	35 cm	40 cm	40 cm
Power	37.2 ccm / 1.2 kW / 1.65 HP	40.1 ccm / 1.5 kW / 2.0 HP	45 ccm / 1.7 kW / 2.3 HP
Tank volume fuel / oil	390 ml / 210 ml	390 ml / 210 ml	550 ml / 260 ml
Saw chain	3/8" spec. / 91P053X	3/8" spec. / 91P057X	0.325" / 21PBX066X
Chain speed	21 m/s	21 m/s	21.2 m/s
Chain tension	with tool (incl.)	with tool (incl.)	with tool (incl.)
Chain lubrication	automatic	automatic	automatic
Chain brake	✓ (0.12 sec.)	✓ (0.12 sec.)	✓ (0.12 sec.)
Approx. weight	5.25 kg	5.3 kg	6.13 kg
Art. no.	113 185	113 186	113 187
EAN no.	400 371 804 9190	400 371 804 9206	400 371 804 9213
REPLACEMENT BAR			
Art. no.	414 516	414 519	414 349
EAN no.	-	-	-
REPLACEMENT CHAIN			
Art. no.	127 545	127 546	113 986
EAN no.	400 371 805 9809	400 371 805 9816	400 371 806 3394

## CHAINSAW ACCESSORIES



#### CHAIN OIL Mineral, 1 I

Art. no. 112 918 EAN no. 400 371 804 4843



#### **ORGANIC CHAIN OIL**

Pure vegetable-based saw chain oil, 1 l

Art. no. 113 480 EAN no. 400 371 805 6662

## PETROL TOP HANDLE CHAINSAWS



#### TOP HANDLE – FOR THE PROS ONLY!

AL-KO top handle chainsaws were specially designed for working in trees and are intended for use only by trained tree care specialists.

BKS 2625 T 🖷	BKS 2625 TSB 🖶

COMFORT	PREMIUM
25 cm	25 cm
25.4 ccm / 0.9 kW / 1.2 HP	25.4 ccm / 0.9 kW / 1.2 HP
200 ml / 140 ml	200 ml / 140 ml
3/8" spec.	1/4" spec.
21 m/s	21 m/s
with tool (incl.)	with tool (incl.)
automatic, adjustable	automatic, adjustable
✓	✓
3.2 kg	3.2 kg
113 355	113 474
400 371 805 5993	400 371 805 6600
113 363	113 475
400 371 805 6013	400 371 805 6617
113 364	113 476
400 371 805 6020	400 371 805 6624





#### ORGANIC CHAIN OIL

Pure vegetable-based saw chain oil, 5 l

Art. no. 113 530 EAN no. 400 371 805 7317



#### TWO-STROKE OIL

Low-smoke, partially synthetic, 11

Art. no. 112 896 EAN no. 400 371 804 4034

ALKO 137



# ADVANTAGES OF OUR WOOD SDI ITTERS



#### **EASILY SPLIT** FIREWOOD FOR WINTER

Splitting wood by hand with an axe is a physically demanding and timeconsuming task, with a potential risk of injuries under certain circumstances. To make your future work more comfortable and even safer, you can split your firewood with powerful wood splitters. In doing so, your stock of firewood for the winter will be built up in no time. Thanks to their proven performance, our extremely durable horizontal and vertical splitters are highly valued for producing firewood.

Looking for power: Our wood splitters work with 230 V as standard and LSV 560/8 even works with 400 V. They are able to produce a splitting force of up to 8 tonnes when splitting wood. Thanks to their compact design, our wood splitters can be stored in the tool shed, outhouse or garage. Making firewood has never been so easy!





#### **EXCEPTIONAL SAFETY**

Hand protection, 2-handed operation, wood holding tool and wood supports on the sides make using our wood splitters not only incredibly safe – they also make working with them an absolute pleasure.

Available for vertical **EASY** models.

#### PERFECTLY ADJUSTABLE

An upper guard, rapid return of the splitting blade and an adjustable holder provide the foundations for exceptional productivity.

Available for vertical **EASY** models.





#### SHELF INCLUDED

The log supports on the splitting table keep the wood in the centre of the tool. The split wood is pushed onto the splitting table and from there it is easy and safe to remove. You can even allow the wood to drop into a wheelbarrow.

Available for horizontal **EASY** models.

| 138 **ALKO ALKO** 139

## **HORIZONTAL WOOD SPLITTERS**

- ✓ Powerful wood splitters with splitting force up to
- ✓ Ideal for splitting firewood up to 520 mm in length
- Compact and portable
- Ergonomic and safe to use

## **VERTICAL WOOD SPLITTERS**

- ✓ Powerful for logs to 550 mm in length
- Extremely robust construction
- Easy to move around and store away





	LSH 370/4 ————————————————————————————————————	LSH 920/9
	EASY	EASY
Power	1.5 kW / 230 V	2.2 kW / 230 V
Max. splitting force	4 t	5 t
Max. wood diameter	50 - 250 mm	50 - 250 mm
Max. splitting length	130 - 370 mm	200 - 520 mm
Approx. weight	55 kg	61 kg
Art. no.	113 791	113 792
EAN no.	400 371 806 0768	400 371 806 0775





LSV 550/6 -	LSV 560/8 -CF
EASY	EASY
3.0 kW / 230 V	3.5 kW / 400 V
6 t	8 t
80 - 300 mm	80 - 300 mm
100 - 550 mm	100 - 550 mm
102 kg	108.8 kg
113 788	113 789
400 371 806 0744	400 371 806 0751

## WOOD **SPLITTER ACCESSORIES**



**HYDRAULIC OIL**For all wood splitters, 1 l Art. no. 112 893 EAN no. 400 371 804 4003





#### **DRAINAGE**

#### **CLEAN WATER AND WASTEWATER** SUBMERSIBLE PUMPS

Do you want to remove water from a pond, stream or reservoir? Do you want to remove or supply water from/into your swimming pool or rain barrel? Do you need help pumping out and drying your cellar quickly during flooding? Simply use one of our submersible pumps, which have been designed for various "underwater" tasks in both clean and heavily contaminated water.

## ADVANTAGES OF OUR WATER TECHNOLOGY



#### WATER PUMPS FOR INDOORS AND OUT

WATER

**TECHNOLOGY** 

Drainage, irrigation and domestic water supply - we've got them perfectly covered. Optimise the natural irrigation or drainage of your garden or use wells/cisterns to cost-effectively supply domestic water. AL-KO not only offers state-of-the-art water pumps, but also a wide variety of models. With this in mind, you'll find exactly the pump you need for your home or garden

Whether it's mains powered or a portable petrol engine pump for locations without any power or while camping. This serves as a great alternative in the event of flooding or a power cut.

All pumps have the following in common: Easy to operate, reliable, powerful, low noise and consume little power. What's more, we have an extensive range of accessories to make your day-to-day work with water pumps that much







#### WATERING

#### **GARDEN, SUBMERSIBLE PRESSURE AND** PETROL ENGINE PUMPS

Do you want to pump your irrigation water easily from a stream, pond or cistern? Do you want to cool off under your very own garden shower? Do you want to carry clean water over long distances under high pressure? If so, our garden, submersible pressure and petrol engine pumps are just right for you because they are ideal for all these tasks.





#### **WATER SUPPLIES**

#### **DOMESTIC WATER SYSTEMS / PUMPS**

Do you have a well or a cistern, and want to use it as a low-cost domestic water system? Do you want to raise the pressure in your domestic water system? Do you want to irrigate your garden easily and automatically? If so, we recommend our domestic water systems and water pumps, which provide water automatically.

142 **ALKO AL-KO** 143

### CLEAN WATER SUBMERSIBLE PUMPS







	Easy	Classic
	EASY	EASY
Power	290 W	250 W
Max. head	6 m	6 m
Max. flow rate	8000 l/h	6500 l/h
Max. submersible depth	5 m	5 m
Low suction height	5 mm	25 mm
Pump output DIAMETER	G 1 1/4" (41.9 mm)	G 1 1/4" (41.9 mm)
Cable length	10 m	10 m
Special features	<ul> <li>Float switch can be hooked on for automatic operation for manual continuous operation</li> <li>Various connection options thanks to combination adapter</li> <li>Sturdy stand with large pump base</li> </ul>	Including float switch for automatic switching on and off, and combination connection adapter to take a range of hose sizes
Approx. weight	4 kg	4 kg
Art. no.	113 961	112 820
EAN no.	400 371 806 2946	400 371 804 2672



### **ALWAYS A PERFECT FIT**

The outlet in the upper part of the pump ensures optimum cooling of the engine, especially in low-suction mode. Thanks to the universal connector, a number of different commercially available hose sizes can be fitted.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



### IDEAL FOR NARROW SPACES

The pump's slim design and integrated level switch is ideal for use in narrow shafts. Quick and easy level control with a float switch fitted directly onto the housing with manual low suction switch.

Available for **PREMIUM** model.



### DON'T JUST GO WITH THE FLOW

You have the freedom of choice with DS model submersible pumps. Thanks to the adjustable pump base and large inlet openings, it is possible to pump out large volumes of water quickly as well as to pump with a low suction height down to approx. 3 mm.

Available for all **COMFORT** and **PREMIUM** models.







SUB 10000 DSC	SUB 12000 DSComfort	SUB 13000 DS Premium
COMFORT	COMFORT	PREMIUM
450 W	550 W	650 W
7 m	8 m	8 m
8000 l/h	9500 l/h	10500 I/h
5 m	5 m	5 m
3 mm	3 mm	3 mm
G 1 1/4" (41.9 mm)	G 1 1/4" (41.9 mm)	G 1 ¼" (41.9 mm)
10 m	10 m	10 m
<ul> <li>Incredibly low suction height thanks to the easily adjustable pump base</li> <li>Optimum temperature balance during long-term operation with jacket cooling</li> </ul>	<ul> <li>Incredibly low suction height thanks to the easily adjustable pump base</li> <li>Optimum temperature balance during long-term operation with jacket cooling</li> <li>High flow rate with powerful motorisation</li> </ul>	<ul> <li>✓ Suitable for use in narrow shafts</li> <li>✓ Incredibly low suction height</li> <li>✓ Quick and easy level control</li> </ul>
5.5 kg	5.8 kg	6 kg
112 823	112 824	112 829
400 371 804 2702	400 371 804 2719	400 371 804 2764

144 ALKO 145

### WASTEWATER SUBMERSIBLE PUMPS







	DRAIN 9500 Easy	DRAIN 7000 —— Classic	
	EASY	EASY	
Power	300 W	350 W	
Max. head	6 m	6 m	
Max. flow rate	8500 l/h	7000 l/h	
Max. submersible depth	5 m	5 m	
Low suction height	25 mm	30 mm	
Pump output DIAMETER	G 1 1/4" (41.9 mm)	G 1 ¼" (41.9 mm)	
Cable length	10 m	10 m	
Special features	<ul> <li>With adjustable pump base</li> <li>Highly efficient and easy to use</li> <li>Various connection options</li> <li>Robust design with INOX stainless steel pump shaft</li> <li>Sturdy stand with large pump base</li> </ul>	<ul> <li>Housing made from corrosion-resistant, fibreglass-reinforced polypropylene with a zero-maintenance, robust electric motor</li> <li>Includes a float switch</li> <li>All water-bearing metal parts made of INOX stainless steel</li> </ul>	
Approx. weight	4 kg	4.4 kg	
Art. no.	113 962	112 821	
EAN no.	400 371 806 2953	400 371 804 2689	



### UNIVERSAL ANGLE CONNECTION

AL-KO wastewater pumps are equipped with a freely pivoting 90° angle connection to prevent unwanted kinking of the pump hose. The included combination adapter is suitable for various hose sizes.


Available for all **EASY**, **COMFORT** and **PREMIUM** models.



### SUITABLE FOR GREYWATER

Thanks to their large suction openings, the DRAIN models also pump contaminated water with particles up to 30 mm in suspension, effortlessly and smoothly.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



### LONG OPERATING TIMES

A maintenance-free motor, the specially treated motor shaft made from INOX stainless steel and the fibreglass-reinforced polypropylene housing are features which guarantee a long service life in AL-KO wastewater pumps.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.







112 826

400 371 804 2733

DRAIN 7500 Classic	DRAIN 10000	DRAIN 12000 Comfort
EASY	COMFORT	COMFORT
450 W	650 W	850 W
6 m	8 m	10 m
7500 l/h	10000 l/h	12000 l/h
5 m	5 m	5 m
30 mm	30 mm	30 mm
G 1 1/4" (41.9 mm)	G 1 ¼" (41.9 mm)	G 1 ¼" (41.9 mm)
10 m	10 m	10 m
<ul> <li>✓ Housing made from corrosion-resistant, fibreglass-reinforced polypropylene with a zero-maintenance, robust electric engine</li> <li>✓ Includes a float switch for automatically switching the pump on or off</li> <li>✓ Combination adapter suitable for various different hose sizes</li> </ul>	<ul> <li>Housing made from corrosion-resistant, fibreglass-reinforced polypropylene with a zero-maintenance, robust electric engine</li> <li>Vortex impeller technology</li> <li>Engine shaft and housing made from INOX stainless steel for extended operation</li> </ul>	<ul> <li>Housing made from corrosion-resistant, fibreglass-reinforced polypropylene with a zero-maintenance, robust electric motor</li> <li>Vortex impeller technology</li> <li>Engine shaft and housing made from INOX stainless steel for extended operation</li> <li>90° angle connection</li> </ul>
4.4 kg	5.7 kg	6.9 kg

112 825

400 371 804 2726

146 **AL-KO** 147

112 822

400 371 804 2696

### **WASTEWATER SUBMERSIBLE PUMPS** IN STAINLESS-STEEL DESIGN



### **FEATURES**

FLOAT SWITCH FOR AUTOMATICALLY SWITCHING THE PUMP ON OR OFF 90° ANGLE CONNECTION TO PREVENT UNWANTED KINKS IN THE PUMP HOSE COMBINATION ADAPTER SUITABLE FOR VARIOUS DIFFERENT HOSE SIZES



### **ALWAYS RELIABLE**

The sturdy and robust design with 4-fold seal set and corrosion-free materials means that AL-KO wastewater pumps are perfectly suited even to extreme requirements.


Available for all **COMFORT** and PREMIUM models.



### **PERFECTLY EQUIPPED**

The float switch for automatically turning the pump on or off, as well as a 90° angle connection and combination adapter for all common hose sizes ensures smooth operation.

Available for all **COMFORT** and **PREMIUM** models.



### **POWERFUL AND ROBUST**

With a flow rate up to 20,000 I/h and a maximum particulate size up to 38 mm, the **PREMIUM** pump is enormously powerful. And because its housing is made from chromenickel steel and plastic, it is permanently protected against corrosion.

Available for **PREMIUM** model.







### **DRAIN 10000**

DRAIN 15000 \_\_\_ INOX

DRAIN 20000 \_\_\_




	COMFORT	COMFORT	PREMIUM
Power	750 W	1100 W	1300 W
Max. head	9 m	11 m	10 m
Max. flow rate	10000 l/h	15000 l/h	20000 l/h
Max. submersible depth	7 m	7 m	7 m
Max. particulate size	30 mm	30 mm	38 mm
Pump output DIAMETER	G 1 ½" (47.8 mm)	G 1 ½" (47.8 mm)	G 2" (59.61 mm)
Cable length	10 m	10 m	10 m
Special features	with built-in	made from rust-free INOX stainles thermal protection switch for pro	ss steel and zero-maintenance motor tecting against overload

Thatu-wearing voicex impener				
Approx. weight	6.7 kg	6.8 kg	8.0 kg	
Art. no.	112 827	112 828	112 836	
EAN no.	400 371 804 2740	400 371 804 2757	400 371 804 2832	

148 **ALKO ALKO** 149

## COMBI UNIVERSAL SUBMERSIBLE PUMPS



#### **APPLICATION AREAS**

FOR ALL WATER REMOVAL JOBS

| HIGH FLOW RATE AND AN ABILITY TO OPERATE WITH A LOW SUCTION HEIGHT IN A SINGLE PUMP | PUMPS WASTEWATER WITH PARTICULATES UP TO 30 MM IN DIAMETER



### RELIABLE AND VERSATILE MACHINES

Thanks to the easy adjustment of the pump base, the AL-KO TWIN submersible pumps offer all the advantages of wastewater and clean water pumps, but in a single machine. Suitable for a range of applications, from quickly pumping out dirty water to removing residual water in low-suction mode.



### READY FOR ANYTHING

The integrated level switch allows the water height to be set conveniently in automatic mode; alternatively, manual operation with a low suction height is also possible.



### IMPRESSIVE UNDER THE HOOD

Robust and stainless steel shafts, zero-maintenance ball bearings lubricated for life, solid triple seals and stable housings make the AL-KO submersible pumps especially durable and reliable.








### TWIN 11000 Premium — TWIN 14000 Premium —

	PREMIUM	PREMIUM
Power	850 W	1000 W
Max. head	10 m	10 m
Max. flow rate	13500 l/h	15000 l/h
Max. Submersible depth	7 m	7 m
Low suction height	8 mm	8 mm
Max. particulate size	20 mm	30 mm
Pump output DIAMETER	G 1 ½" (47.8 mm)	G 1 ½" (47.8 mm)
Cable length	10 m	10 m
Special features	<ul> <li>Easy pump base adjustment from dirty-water to clean-water mode</li> <li>Patented combined impeller system for optimised efficiency in any operating state</li> <li>With stainless-steel intermediate shaft, robust and permanently lubricated ball bearings and seals</li> </ul>	<ul> <li>Easy pump base adjustment from dirty-water to clean-water mode (low suction height)</li> <li>Patented combined impeller system for optimised efficiency in any operating state</li> <li>With stainless-steel intermediate shaft, robust and permanently lubricated ball bearings and seals</li> <li>Integrated level switch</li> </ul>
Approx. weight	7.2 kg	8.2 kg
Art. no.	112 830	112 831
EAN no.	400 371 804 2771	400 371 804 2788

150 ALKO 151

## SUBMERSIBLE PRESSURE AND DEEP-WELL PUMPS





### **APPLICATION AREAS**

| DIRECT, POWERFUL IRRIGATION FROM WELLS AND CISTERNS

PERMANENTLY IMMERSED FOR OPERATION OF GARDEN SPRINKLERS AND OTHER IRRIGATION SYSTEMS

FOR FULLY AUTOMATIC, NOISE-FREE DOMESTIC WATER SUPPLY



### FLEXIBLE APPLICATIONS

From operating a simple lawn sprinkler to supplying complex irrigation systems and even an automatic domestic water supply — submersible pressure pumps combine the benefits of garden pumps with those of submersible pumps.

Dry running protection included.



### ROBUST AND RELIABLE

Stainless-steel filter screen in the pump inlet and wide mounting base for operation in cisterns.



### PURE POWER

Simple and tool-free switchover to various intake situations - operation with suction hose or direct suction by means of filter screen.





**DIVE 5600/44** 



	DIVE 6500/34 —	AUTOMATIC	TBP 6000/7 —
	PREMIUM	PREMIUM	PREMIUM
Power	1000 W	1200 W	1000 W
Max. head / pressure	34 m / 3.4 bar	44 m / 4.4 bar	55 m / 5.5 bar
Max. flow rate	6500 l/h	5600 l/h	6000 I/h
Max. submersible depth	7 m	7 m	10 m
Max. particulate size	0.5 mm	0.5 mm	0.5 mm
Pump hydraulics	3-stage	4-stage	7-stage
Pump output DIAMETER	G 1 ½" (47.8 mm)	G 1 ½" (47.8 mm)	G 1" (33.3 mm)
Cable length	10 m	10 m	15 m
Special features	<ul> <li>With float switch</li> <li>With tough stainless steel housing, filter screen on the pump inlet and stainless steel pump shaft</li> <li>Incl. connection for installation of a "floating extraction"</li> </ul>	<ul> <li>Automatic operation thanks to control using a pressure switch incl. dry running protection</li> <li>With tough stainless steel housing, filter screen on the pump inlet and stainless steel pump shaft</li> <li>Incl. connection for installation of a "floating extraction"</li> </ul>	<ul> <li>Can be used to provide irrigation from wells and pipes with a diameter of at least 100 mm</li> <li>Stainless-steel filter screen in the pump inlet and wide mounting base for operation in cisterns</li> <li>Includes a 20 m lowering cable</li> </ul>
Approx. weight	10 kg	11 kg	11 kg
Art. no.	113 884	113 883	113 470
EAN no.	400 371 806 2021	400 371 806 2014	400 371 805 6556

### **GARDEN PUMPS**











JET 3000 JET 3	600 -
----------------	-------

	mox diagon	
	EASY	EASY
Power	650 W	850 W
Max. head / pressure	35 m / 3.5 bar	38 m / 3.8 bar
Max. flow rate	3100 l/h	3600 l/h
Max. suction height	8 m	8 m
Pump hydraulics	1-stage	1-stage
Pump output DIAMETER	G 1" (33.3 mm)	G 1" (33.3 mm)
Special features	<ul> <li>Pressure-resistant pump head made from rust proof stainless steel</li> <li>Powerful, overload-protected engine with auto-reset feature</li> <li>Ceramic sealing system</li> </ul>	<ul> <li>Energy-efficient and self-priming</li> <li>Integrated Venturi System</li> <li>Fibreglass-reinforced pump housing, integrated, XXL filter</li> <li>Ergonomic handle</li> <li>Specially shaped hopper</li> </ul>
Approx. weight	6.3 kg	8.0 kg
Art. no.	112 838	113 797
EAN no.	400 371 804 2856	400 371 806 0812



### COMPREHENSIVE PROTECTION

The integrated dry running protection effectively protects the pump against potential damage in the absence of water. The easy-to-clean XXL filter also provides optimum protection against contamination.

Available for selected **EASY**, **COMFORT** and **PREMIUM** models.



### **VENTURI SYSTEM**

The integrated Venturi System raises the flow speed of the water by increasing the pressure. This produces a self-siphoning process without having to fill the intake hose with water beforehand.

Available for the following **EASY** model: JET 3600



### **EFFICIENT AND QUIET**

Thanks to the 5-stage, high-pressure pump system with an efficiency in excess of 30 per cent, the Jet 6000/5 Premium garden pump is not only enormously efficient, it is also surprisingly quiet with a maximum of 73 dB(A) sound emissions.

Available for **PREMIUM** model.

Incl. multifunctional key for **COMFORT** and **PREMIUM** models.









400 371 804 2917

JET 4000 — Comfort	JET 5000 Comfort	JET 6000/5 Premium
COMFORT	COMFORT	PREMIUM
1000 W	1300 W	1400 W
45 m / 4.5 bar	50 m / 5.0 bar	60 m / 6.0 bar
4000 l/h	4500 l/h	6000 l/h
8 m	8 m	8 m
1-stage	1-stage	5-stage
G 1" (33.3 mm)	G 1" (33.3 mm)	G 1" (33.3 mm)
<ul> <li>✓ Integrated dry running protection</li> <li>✓ XXL filter and check valve</li> <li>✓ High efficiency</li> <li>✓ Brass fittings and rustproof materials used in water-bearing components</li> <li>✓ Incl. filter key for simply changing the filter element</li> </ul>	<ul> <li>✓ Integrated dry running protection</li> <li>✓ XXL filter and check valve</li> <li>✓ High efficiency</li> <li>✓ Brass fittings and rustproof materials used in water-bearing components</li> <li>✓ Incl. filter key for simply changing the filter element</li> </ul>	<ul> <li>Integrated dry running protection</li> <li>Integrated XXL filter and check valve</li> <li>High pressure and flow rate</li> <li>High efficiency and exceptionally quiet operation thanks to the 5-stage pump system</li> <li>Incl. filter key for simply changing the filter element</li> </ul>
10.8 kg	11 kg	13.9 kg
112 841	112 842	112 844


400 371 804 2894

154 AL-KO

400 371 804 2887

## DOMESTIC WATER PUMPS









HWA 4000 Comfort -

		11WA 4000 001111011 -
	EASY	COMFORT
Power	850 W	1000 W
Max. head / pressure	38 m / 3.8 bar	45 m / 4.5 bar
Max. flow rate	3600 l/h	4000 l/h
Max. suction height	8 m	8 m
Cut-off pressure	3.8 bar	4.5 bar
Pump hydraulics	1-stage	1-stage
Pump output Ø	G 1" (33.3 mm)	G 1" (33.3 mm)
Special features	<ul> <li>With an innovative Venturi system</li> <li>Energy-efficient and self-priming</li> <li>Integrated, patented XXL filter</li> <li>Built-in dry running protection</li> </ul>	<ul> <li>✓ Integrated, patented XXL filter and check valve</li> <li>✓ Built-in dry running protection</li> <li>✓ With brass fittings and rustproof materials used in all components carrying water</li> <li>✓ Incl. angle connection and filter key</li> </ul>
Approx. weight	8.1 kg	11.5 kg
Art. no.	113 799	113 139
EAN no.	400 371 806 0836	400 371 804 8575



### COMPACT AND POWERFUL

Domestic water pumps are electronically controlled and have a much more compact design than domestic water systems. They pump water at a constant pressure without any fluctuations and are therefore ideal for operating sprinklers.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



### COMPREHENSIVE PROTECTION

The integrated dry running protection effectively protects the pump against potential damage in the absence of water. The easy-to-clean XXL filter also provides optimum protection against contamination.

Available for all **EASY**, **COMFORT** and **PREMIUM** models.



### **SMART CONTROL**

The intelligent, electronic controller with automatic control monitors operation of the domestic water pumps round the clock, providing optimum protection for the pump against dry running. In the event that water runs out, the pump immediately shuts down.

Available for **PREMIUM** model.

Incl. multifunctional key for **COMFORT** and **PREMIUM** models.







HWA 4500 Comfort —	HWA 6000/5 Premium
COMFORT	PREMIUM
1300 W	1400 W
50 m / 5.0 bar	60 m / 6.0 bar
4500 l/h	6000 l/h
8 m	8 m
5.0 bar	6.0 bar
1-stage	1-stage
G 1" (33.3 mm)	G 1" (33.3 mm)
<ul> <li>Integrated, patented XXL filter and check valve</li> <li>Built-in dry running protection</li> <li>With brass fittings and rustproof materials used in all components carrying water</li> <li>Incl. angle connection and filter key</li> </ul>	<ul> <li>Integrated, patented XXL filter and check valve</li> <li>Built-in dry running protection</li> <li>High efficiency and exceptionally quiet operation thanks to the 5-stage pump system</li> <li>Incl. angle connection and filter key</li> </ul>
11.5 kg	14.8 kg
113 140	113 141
400 371 804 8582	400 371 804 8599

### **DOMESTIC WATER SYSTEMS**





Incl. multifunctional key for **COMFORT** and **PREMIUM** models.





### HW 3000 **INOX Classic**





### **SURPRISINGLY** QUIET

Permanently installed in the house or basement, the HW 6000 FMS Premium domestic water system delivers all the water you need – it is also extremely quiet with maximum sound emissions of 73 dB(A).

### **EVERYTHING IN VIEW**

The FMS (flow measurement system) displays all operating states such as flow rate or pressure on the display.

### **DELIVERING UNDER ALL CIRCUMSTANCES**

The 5-stage pump technology of the HW 6000 FMS is monitored by an intelligent electronic controller that guarantees a long pump service life in conjunction with the integrated dry running protection.

	EASY	EASY
Power	650 W	850 W
Max. head / pressure	35 m / 2.8 bar	38 m / 3.8 bar
Max. flow rate	3100 l/h	3600 l/h
Max. suction height	8 m	8 m
Switch on/off pressure	1.5 bar / 2.8 bar	1.5 bar / 2.8 bar
Pump hydraulics	1-stage	1-stage
Pump output Ø	G 1" (33.3 mm)	G 1" (33.3 mm)
Pressure tank	17 I	17 I
Special features	<ul> <li>Robust standard domestic water supply unit</li> <li>Equipped with pressure gauge, pressure switch and connection cable</li> <li>Longevity ensured thanks to the robust, zero-maintenance motor with thermal overload protection</li> </ul>	<ul> <li>✓ A fully automatic domestic water supply with an innovative design</li> <li>✓ Enjoy water free of impurities with the integrated and patented XXL filter</li> <li>✓ Leak free for the long haul with its ceramic axial shaft seal</li> </ul>
Approx. weight	10.8 kg	12.6 kg
Art. no.	112 846	113 798
EAN no.	400 371 804 2931	400 371 804 0829



### **CLEAN AS A WHISTLE**

The integrated XXL filter protects the domestic water systems and the check valve perfectly against contamination, thus guaranteeing reliable operation.

Available for all **COMFORT** and **PREMIUM** models.



### **EFFICIENT AND FULLY AUTOMATIC**

Fully automatic operation, electronic monitoring and low energy consumption. ECO mode reduces this by a further 15%.

Available for all **PREMIUM** models.



### **BOILER PRESSURE MONITOR**

The intelligent, electronic control system not only monitors the operation of the domestic water system - it also regularly checks whether there is a sufficient air supply in the pressure tank, thus providing greater operational reliability and durability.

Available for all **PREMIUM** models.









HW 4000	HW 4500	HW 5000	HW 6000
FCS Comfort	FCS Comfort	FMS Premium	FMS Premium

1 03 Culliluit	1 03 Guillioit	I MS FIGHHUM	I MS FIGHHUM
COMFORT	COMFORT	PREMIUM	PREMIUM
1000 W	1300 W	1300 W	1400 W
45 m / 3.8 bar	50 m / 3.8 bar	50 m / 3.8 bar	60 m / 4.0 bar
4000 l/h	4500 l/h	4500 l/h	6000 l/h
8 m	8 m	8 m	8 m
2.0 bar / 3.5 bar	2.0 bar / 3.8 bar	2.0 bar / 3.8 bar	2.0 bar / 4.0 bar
1-stage	1-stage	1-stage	5-stage
G 1" (33.3 mm)	G 1" (33.3 mm)	G 1" (33.3 mm)	G 1" (33.3 mm)
17 I	17 I	20 I (INOX)	20 I (INOX)
<ul> <li>✓ Effective protection of the pump against dry running thanks to the flow control system (FCS)</li> <li>✓ Easy-clean XXL filter and integrated check valve</li> </ul>	<ul> <li>Effective protection against dry running thanks to the flow control system (FCS)</li> <li>Highly efficient pump hydraulics</li> <li>Brass connection fittings and rustproof materials used for all components responsible for carrying water</li> </ul>	<ul> <li>Complete protection of the pump against dry running thanks to the FMS</li> <li>Optional ECO mode</li> <li>Lower frequency of operation thanks to the high-volume reserve tank with pressure monitor</li> </ul>	<ul> <li>Complete protection of the pump against dry running thanks to the FMS</li> <li>Optional ECO mode</li> <li>More power and performance, effective working and a low noise level</li> </ul>
17.9 kg	18.0 kg	17.5 kg	20.8 kg
112 849	112 850	112 851	112 852
400 371 804 2962	400 371 804 2979	400 371 804 2986	400 371 804 2993

| 158 **AL-KO AL-KO** 159



# PETROL ENGINE PUMPS

#### **MAKE A SPLASH!**

Whether watering the allotment or pumping out water tanks, ponds, swimming pools or drying out your cellar during flooding - this water pump hour, the AL-KO petrol engine pumps are the perfect solution when you need to pump high volumes of water without an electricity supply.

The easy-to-start AL-KO 4-stroke engine with overhead valves (OHV technology) are extremely efficient. This is proven by their high performance is always ready for action. With pump feed rates of up to 30,000 litres per at relatively low fuel consumption. The petrol water pump meets the highest standards, whilst offering unrivalled performance over extended periods.

#### **APPLICATION AREAS**

- HAS NO NEED FOR A POWER SUPPLY CONNECTION, MAKING IT EXCEPTIONALLY USEFUL FOR MOBILE IRRIGATION AND WHEN **DEALING WITH FLOODS**
- I MOBILE AND VERSATILE FOR USE ON LARGE STRETCHES OF LAND AND ALLOTMENTS
- HIGHLY EFFECTIVE AT PUMPING LARGE AMOUNTS OF WATER IN NO TIME



### **POWERFUL AND PORTABLE**

Whether watering the allotment or pumping out remote water reservoirs - the self-priming, petrol engine pumps from AL-KO are always ready for



### **POWERFUL AND EFFICIENT**

The easy-to-start AL-KO 4-stroke engines with overhead valves (OHV) are extremely efficient. This is proven by their high performance at low fuel consumption.



### **EVERYTHING UNDER** CONTROL

Both models are highly portable thanks to the carrying handle (BMP 14001) and the sturdy tubular-steel frame (BMP 30000).





BMP 14001 🖷 B	MP 30000 📥
---------------	------------

	COMFORT	PREMIUM
CC / Power	80 ccm / 1.7 kW / 3600 rpm	196 ccm / 4.1 kW / 3600 rpm
Max. head / pressure	36 m / 3.6 bar	27 m / 2.7 bar
Max. flow rate	12000 l/h	30000 l/h
Max. suction height	6 m	6 m
Fuel tank volume	1.6	3.6
Max. feed temperature	35°C	35°C
Pump output Ø	G 1"	G 2"
Included in delivery	Connectors for intake and pressure lines	Suction filter cage, connector
Approx. weight	13.5 kg	26 kg
Art. no.	113 793	113 563
EAN no.	400 371 806 0805	400 371 805 7638

### **ACCESSORIES**



#### 4-STROKE **ENGINE OIL** SAE 30, 0.61

Art. no. 112 888 EAN no. 400 371 804 3952



#### **ENGINE OIL SERVICE KIT**

3-part kit with suction pump, tank and funnel

Art. no. 113 807 EAN no. 400 371 806 1413

160 **ALKO** 

### **PUMP ACCESSORIES**



| 162 **AL-KO** 

### **GARDEN PUMP** PREFILTER TYPE 100

Protects against sand and other suspended solids. With two 1"/1" threaded adapters and one 1/3/4" threaded adapter

Art. no. 113 720 EAN no. 400 371 806 0331



### **DOMESTIC WATER SYS-**TEM PREFILTER 250/1"

With two 1"/1" and one 1/3/4" threaded adapter, one extension 1/1" and washable screen insert

Art. no. 113 721 EAN no. 400 371 806 0348



#### PLASTIC FILTER ELEMENT

For all pump models with integrated XXL filter

Art. no. 112 549 EAN no. 400 371 803 7562



FILTER ELEMENT For Jet, HWA and HW 3600

Art. no. 113 811 EAN no. 400 371 806 1017

FILTER ELEMENT

FILTER ELEMENT

250/1", plastic, washable, 80

microns for sand and solids

EAN no. 400 371 806 0324

For domestic water system prefilter

For garden pump prefilter type 100,

plastic, washable, 80 microns for

**TYPE 100** 

sand and solids

Art. no. 113 718 EAN no. 400 371 806 0300

250/1"

Art. no. 113 719

**PLASTIC** 



#### HYDROCONTROL

Turns your garden pump into a domestic water pump with 2x G 1" external thread

Art. no. 112 478 EAN no. 400 371 803 6299





#### **PVC HOSE**

6 m long, G 1" (Ø 33.3 mm)

Art. no. 106 980 EAN no. 400 371 801 4464



#### PVC HOSE

6 m long, G 1½" (Ø 47.8 mm)

Art. no. 106 979 EAN no. 400 371 801 4457



### **PVC HOSE**

6 m long, G 11/4" (Ø 41.9 mm)

Art. no. 110 135 EAN no. 400 371 801 5553



#### SUCTION HOSE

4 m long, G 3/4" (Ø 26.4 mm) Incl. check valve

Art. no. 110 005 EAN no. 400 371 801 4532



#### **SUCTION KIT**

7 m long, G 1" (Ø 33.3 mm) with brass connections, Incl. check valve

Art. no. 110 795 EAN no. 400 371 802 5293



### POWER GENERATORS



## ADVANTAGES OF OUR POWER GENERATORS



### WHEREVER, WHENEVER

With greater freedom in leisure activities, as well as an increase in natural disasters, there's never been a more important time to invest in independent, stationary energy sources — and that goes for individuals too. The solution: a grid-independent power generator that uses a petrol engine to provide electricity whenever and wherever. You can use it to power your electronic devices while at a remote holiday destination or provide electricity after a storm to pump out your basement and/or clean up storm damage. To find out which generator will meet your needs, take a look at the type label on the device you want to power. In other words: The higher the capacity of the connected load, the higher the power output must be of the respective generator.

Another important factor is the required power quality. This means: If a stable voltage is required to operate sensitive devices such as computers, you'll need an inverter; if you only want to operate light sources and machinery, a framed generator will suffice. AL-KO electricity generators let you operate electrical devices independently of the public power grid. Due to their special construction and resistance to fluctuations in engine rpm, and because they generate a very stable frequency, inverters are ideal for highly sensitive devices such as laptops and television sets.

## FRAMED GENERATORS

### **APPLICATION AREAS**

| SUITABLE FOR SITES WITH NO POWER SOURCE | GARDEN SHEDS, E.G. FOR LIGHTING | ADVERSE WEATHER EVENTS AND FLOODING

#### **BENEFITS**

| HIGH PERFORMANCE | IDEAL FOR THE OPERATION OF COMMON POWER TOOLS AND LIGHTING SYSTEMS

### **INVERTERS**

#### **APPLICATION AREAS**

CAMPING AND CARAVANNING
BOATING AND MOTOR SPORTS
ALLOTMENTS AND RECREATION

#### BENEFITS

COMPACT, LIGHT AND QUIET
MOBILE AND FUEL-EFFICIENT
IDEAL FOR ELECTRONIC DEVICES
SUCH AS COMPUTERS, TV'S OR AIR-CONDITIONERS









2000i 🖶 2500-C ⋅**□** 3500-C 🖜 6500 D-C COMFORT COMFORT COMFORT **PREMIUM** Device type Framed generator Framed generator Framed generator Inverters 4-stroke / 196 ccm 4-stroke / 212 ccm 4-stroke / 389 ccm 4-stroke / 79 ccm Engine 2.0 kW / max. 2.2 kW 2.8 kW / max. 3.1 kW 5.0 kW / max. 5.5 kW 1.6 kW / max. 1.8 kW **Power** 8.5 hours Max. operating time 10.5 hours 14 hours 5 hours 15 I 25 I 4 I Tank volume (petrol) 15 I Max. sound power 95 dB(A) 96 dB(A) 97 dB(A) 64 dB(A) 2 x 230V, 1x CEE / 2 x 230V / 2 x 230V / 1 x 230V / Sockets / connections 1 x 12V (8.3A) 1 x 12V (8.3A) 1 x 12V (8.3A) 1 x 12V (8.3A) Length x width x height 59 x 43 x 48 cm 59 x 43 x 48 cm 67 x 54 x 54 cm 49 x 28 x 45 cm Approx. weight 45 kg 50 kg 88 kg 21 kg Art. no. 130 930 130 933 130 931 130 932 EAN no. 576 972 052 0179 576 972 052 0186 576 972 052 0193 576 972 052 0209

## POWER GENERATORS ACCESSORIES



### POWER GENERATOR Wheel Set

With handles for comfortable transport. For 2500-C, 3500-C, 6500 D-C

Art. no.113 346 EAN no. 400 371 805 5610



#### PRECISION SNOWBLOWING

The discharge chute can be manually turned by up to 190 degrees. This means that the snow lands exactly where you want it. Depending on the model, the snow is discharged up to 15m away.

Available for all **EASY**, **COMFORT** and **PREMIUM** 



#### PERFECTLY CLEARED

With the clearing paddle in contact with the ground, pavements and driveways are swept clean - without any residual snow being left behind. At the same time, this clearing paddle serves as a forward drive.

Available for all EASY. COMFORT and PREMIUM models.

#### **EASY STARTING**

The clearly arranged cockpits, winter-resistant engines and the heated handles on selected models provide more comfortable working conditions. The 230V electric starter (depending on the model) effortlessly starts the engine. Selected models can also be started with a recoil rope.


Available for selected **EASY**, **COMFORT** and **PREMIUM** models.



### **ADVANTAGES OF OUR SNOWBLOWERS**

#### POWER YOUR WAY THROUGH THE SNOW

With the handy snowblowers from AL-KO, tedious manual snow shovelling has come to an end. They feature a powerful engine, which swiftly takes a lot of work off your hands with utmost efficiency. Our selection ranges from a small battery-powered unit through to a large petrol machine, which effortlessly clears great quantities of snow with its powerful engine.





### **SAFETY FIRST**

The large, coarse-tread rubber tyres on the petrol snowblowers, or the crawler tracks, ensure optimum traction and easy manoeuvrability even in the most adverse conditions. With up to 6 forward and 2 reverse gears, the speed of the wheel drive can also be easily adjusted.

Available for selected **COMFORT** and **PREMIUM** models.

166 **ALKO ALKO** 167









	ST 4048 III	SnowLine 46 E	SnowLine 560 II
	COMFORT	EASY	COMFORT
For areas up to	approx. 300 m <sup>2*</sup>	approx. 150 m²	400 m²
Engine	<b>AFKO</b> 36 A <b>III</b>	Electric	4-stroke
Power	Li-lon 36V (max. 40V) 4.0Ah / 5.0Ah / 8.0Ah**	2000W / 230V	182 ccm / 4.0 kW
Starter system	E-start	E-start	Recoil start
Working width	48 cm	46 cm	56 cm
Intake height	20 cm	20 cm	30 cm
Max. discharge distance	6 m	6 m	10 - 12 m
Discharge adjustment	180°, manual	190°, manual	190°, manual
Conveyor technology	Paddle, 1-stage	Paddle, 1-stage	Screw/scoop wheel, 2-stage
Gears	-	-	5 forward / 2 reverse
Drive	-	-	Pneumatic tyres
Tank volume (petrol)	-	-	31
Heated handles	-	-	-
Headlights	✓	-	-
Approx. weight	13.5 kg (without battery) 14.9 kg (with battery)	14.5 kg	65 kg
Art. no. (without battery and charger)	113 591	112 932	112 933
EAN no. (without battery and charger)	400 371 805 7959	400 371 804 5147	400 371 804 5154


CET IN	CI	DATTE	DV VND	CHARGER

1 x B 200 Li battery (5.0Ah) 1 x C 130 Li charger (3.0A) Included in delivery 113 830 Art. no. EAN no. 400 371 806 1260

### **SNOWBLOWERS ACCESSORIES**

168 **ALKO** 













SnowLine 620 E II	SnowLine 620 E III	SnowLine 700 E	SnowLine 760 TE
COMFORT	PREMIUM	PREMIUM	PREMIUM
500 m <sup>2</sup>	500 m <sup>2</sup>	800 m²	1000 m²
4-stroke	4-stroke	4-stroke	4-stroke
212 ccm / 4.4 kW	302 ccm / 6.2 kW	375 ccm / 7.8 kW	420 ccm / 9.0 kW
Recoil start / electric, 230 V			
62 cm	62 cm	70 cm	76 cm
51 cm	51 cm	54.5 cm	54.5 cm
10 - 15 m	10 - 15 m	15 m	15 m
190°, manual	190°, manual	190°, manual	190°, manual
Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage
5 forward / 2 reverse	6 forward / 2 reverse	6 forward / 2 reverse	6 forward / 2 reverse
Pneumatic tyres	Pneumatic tyres	Pneumatic tyres	Crawler tracks
31	4	6.5 I	6.5 I
✓	✓	✓	✓
✓	✓	✓	✓
83 kg	96 kg	118 kg	126 kg
112 935	113 067	112 931	112 930
400 371 804 5178	400 371 804 7370	400 371 804 5130	400 371 804 5123



SNOW CHAINS 2-part set for SnowLine 560 - 620 Art. no. 112 902 EAN no. 400 371 804 4096

### 2-PART SET FOR **SNOWLINE 700 E**

Art. no. 112 985 EAN no. 400 371 804 5970



#### 4-STROKE **SNOWBLOWER OIL** 5W 30 0.61

Art. no.112 899

EAN no. 400 371 804 4065



### AL-KO FOR KIDS



### LITTLE ONES CAN GET THEIR FINGERS JUST AS GREEN

Take our garden toys wherever you fancy. Regardless of whether your favourite is the mighty pedal tractor with flip-up bonnet that the kids can let off some steam on or the mini garden set.

Our range offers quality developed with little ones in mind, perfect for them to let loose on. Our kid's lawnmower perfectly imitates the mowing sound in the grass catcher box and as such makes young gardeners feel like they are doing a splendid job.







#### **MINIMOWER**

Kid's lawnmower with grass catcher box and mowing sound, approx. weight 1.0 kg

Art. no. 112 733 EAN no. 400 371 804 1309



Children's garden set with a variety of items, approx. weight 0.8 kg

Art. no. 112 875 EAN no. 400 371 804 3792





#### **TRAILER**

Trailer suitable for the KidTrac, approx. weight 1.5 kg

Art. no. 112 876 EAN no. 400 371 804 3815



#### **KID TRAC**

Pedal tractor with flip-up bonnet, approx. weight 6.5 kg

Art. no. 112 877 EAN no. 400 371 804 3822

170 ALKO 171

## GARDENING EQUIPMENT TECHNICAL DATA

Page	Name	Art. no.	Category	Sound pressure level measured	Sound power level measured	Sound power level guaranteed	Uncertainty factor	Vibration value	K-value
				LpA [dB(A)]	LwA [dB(A)]	LwA [dB(A)]	KpA [dB(A)]	ahw (m/s²)	(m/s²)
ROB(	OTIC LAWNMOWE	RS							
36	Robolinho® 300 E	119 991	EASY	-	58.0	60.0	-	-	-
36	Robolinho® 500 E	119 950	EASY	-	58.0	60.0	-	-	-
37	Robolinho® 500 W	119 925	COMFORT	-	58.0	60.0	-	-	-
37	Robolinho® 1150 W	119 965	PREMIUM	-	58.0	60.0	-	-	-
ΙΔ\Λ/	NMOWERS								
	RY LAWNMOWERS								
41	34.8 Li	113 540	EASY	67.0	87.0	90.0	3.0	3.4	1.5
44	3.22 Li Easy	113 857	EASY	70.0	82.0	83.0	0.7	2.5	1.5
44	3.82 Li Easy	113 842	EASY	74.0	86.0	87.0	1.4	2.5	1.5
45	38.2 Li Comfort	113 843			86.0	87.0	0.7	2.5	1.5
45 47	382 Li Premium 42.9 Li	113 844 113 694	PREMIUM	76.0 71.4	86.0 91.4	87.0 92.0	0.7	2.5 < 2.5	1.5 1.5
47	42.9 Li SP	113 694	EASY	80.4	91.4	91.0	0.8	< 2.5	1.5
47	46.9 Li SP	113 714	EASY	80.4	90.4	91.0	0.6	< 2.5	1.5
52	42.2 Li	119 977	COMFORT		88.9	90.0	2.0	6.0	2.0
52	46.2 Li SP	119 978	COMFORT		89.1	90.0	2.0	6.0	2.0
53	46.2 Li SP-W	119 979	COMFORT		69.1	90.0	2.0	6.0	2.0
53	512 Li VS-W	119 980	PREMIUM		94.2	96.0	2.0	6.0	2.0
	IC LAWNMOWERS								
56	Classic 3.22 SE	112 805	EASY	74.0	94.0	96.0	2.0	6.0	1.0
56	Classic 3.82 SE	112 856	EASY	74.0	94.0	96.0	2.0	6.0	1.0
56	3.22 E Easy	113 849	EASY	74.0	94.1	95.0	3.0	0.8	1.5
57	3.82 E Easy	113 850	EASY	72.7	92.7	94.0	3.0	0.9	1.5
57	32.2 E Comfort	113 851	COMFORT		94.0	96.0	3.0	0.2	1.5
57	38.2 E Comfort	113 852	COMFORT	73.4	93.4	95.0	3.0	0.9	1.5
57	46.4 E Comfort	113 103	COMFORT	74.0	94.0	95.0	2.0	6.0	2.0
PETROL	. LAWNMOWERS								
61	Easy 4.20 P-S	113 794	EASY	74.5	94.5	96.0	3.0	8.16	1.5
61	Easy 4.60 SP-S	113 795	EASY	73.9	93.9	96.0	3.0	8.16	1.5
61	Easy 5.10 SP-S	113 796	EASY	74.6	94.6	98.0	3.0	7.51	1.5
64	Comfort 42.1 P-A	119 998	COMFORT		94.2	95.0	2.0	6.0	2.0
64	Comfort 42.1 SP-A	119 993	COMFORT	75.0	95.0	96.0	2.0	6.0	2.0
64	Comfort 46.0 SP-A	119 936	COMFORT	74.4	94.4	95.0	2.0	6.0	2.0
65	Comfort 46.0 SP-A Plus	119 938	COMFORT	74.3	94.3	95.0	2.0	6.0	2.0
65	Comfort 46.0 SP-B	119 937	COMFORT	75.1	95.1	96.0	2.0	6.0	2.0
65	Comfort 46.0 SPI-A	119 940	COMFORT	73.4	93.4	95.0	2.0	6.0	2.0
65	Comfort 46.0 SPI-B	119 939	COMFORT	73.5	93.5	95.0	2.0	6.0	2.0
66	Comfort 51.0 P-A	119 941	COMFORT	76.8	96.8	98.0	2.0	6.0	2.0
66	Comfort 51.0 SP-A	119 944	COMFORT		96.8	98.0	2.0	6.0	2.0
67	Comfort 51.0 SP-B	119 942	COMFORT	75.8	95.8	96.0	2.0	6.0	2.0
67	Comfort 51.0 SP-B Plus	119 943	COMFORT		95.8	96.0	2.0	6.0	2.0
70	Premium 470 SP-A	119 946	PREMIUM		93.4	95.0	2.0	6.0	2.0
70	Premium 473 SP-B	123 028	PREMIUM		0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
71	Premium 473 VS-B	123 029	PREMIUM		0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
71	Premium 470 SP-H	119 968	PREMIUM	74.0	94.6	96.0	2.0	6.0	2.0

172 **ALKO** 

Page	Name	Art. no.	Category	Sound pressure level	Sound power level measured	Sound power level guaranteed	Uncertainty factor	Vibration value	K-value
				measured LpA [dB(A)]	LwA [dB(A)]	LwA [dB(A)]	KpA [dB(A)]	ahw (m/s²)	(m/s²)
LAW	NMOWERS								
PETROL	LAWNMOWERS								
72	Premium 521 SP-A	119 997	PREMIUM	76.0	96.0	98.0	2.0	6.0	2.0
72	Premium 523 SP-B	123 030	PREMIUM	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
72	Premium 520 VS-B	119 949	PREMIUM	77.0	97.0	98.0	2.0	6.0	2.0
73	Premium 520 SP-H	119 969	PREMIUM	76.8	96.8	98.0	2.0	6.0	2.0
73 73	Premium 521 VS-H Premium 520 VSI-B	119 994	PREMIUM	76.8 77.0	96.8 97.0	98.0 98.0	2.0	6.0	2.0
		119 948	PREMION	77.0	97.0	90.0	2.0	0.0	2.0
	CH MOWERS								
77	468 P-A BIO Silver	119 836	COMFORT		94.8	96.0	2.0	6.0	2.0
77	468 SP-A BIO Silver	119 835	COMFORT	74.7	94.7	95.0	2.0	6.0	2.0
TRA	CTORS								
80	Easy 15-93.2 HDS-A	123 013	EASY	77.1	97.1	100.0	2.0	4.0	2.0
80	Easy 15.93.2 HD-A	123 014	EASY	78.7	98.7	100.0	2.0	4.0	2.0
81	Comfort 18-111.2 HDS	123 015	COMFORT	79.0	99.0	100.0	2.0	4.0	2.0
81	Comfort 18-103.2 HD	123 016	COMFORT	79.6	99.6	100.0	2.0	4.0	2.0
SCAF	RIFIERS								
BATTER	RY SCARIFIERS								
86	SF 4036	113 574	COMFORT	82.0	90.0	96.0	6.0	5.0	1.5
ELECTR	IIC SCARIFIERS								
86	32.5 VE Basic Care Classic	113 242	EASY	78.0	98.0	99.0	1.0	8.0	1.5
86	38 E Combi Care Comfort	112 800	COMFORT	86.0	93.0	99.0	6.0	8.0	1.5
87	36.8 Combi Care Comfort	113 573	COMFORT	84.0	92.0	97.0	5.0	6.0	1.5
87	36 E Combi Care Comfort	113 465	COMFORT	81.0	90.0	94.0	4.0	3.0	1.5
PETROL	SCARIFIERS								
87	38 P Combi Care Comfort	112 799	COMFORT	88.0	97.0	99.0	2.0	10.0	1.5
SCY	THE MOWERS								
89	BM 875 III	113 617	COMFORT	87.4	97.0	99.0	2.0	16.07	6.43
TDIA	MERS AND BRUS	⊔∩ПТТ	EDC						
		псотт	ENO						
BATTER	Y TRIMMER								
92	GT 2000	113 701	EASY	73.8	94.0	96.0	2.0	2.5	2.5
92	GT 2025	113 535	EASY	73.8	94.0	96.0	2.0	2.5	2.5
93	GT 1825	113 924	COMFORT		0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
93	GT 4030	113 608	COMFORT	/U.b	90.6	96.0	3.0	2.5	1.5
	CONTRACTOR OF THE SECOND STREET								
94	GTE 350 Classic	112 928	EASY	85.8	94.0	96.0	2.0	3.15	2.5
94 94	GTE 450 Comfort GTE 550	112 929	COMFORT		94.0	96.0	2.0	3.15	2.5
94	BC 1000 E	112 926 112 923	COMFORT PREMIUM	80.1	94.0 94.0	96.0 96.0	2.0	3.15 4.3	2.5 1.5
95	BC 1200 E	112 923	PREMIUM	80.5	94.0	96.0	2.5	4.3	1.5
	BRUSHCUTTERS								
96	BC 223 L-S	113 691	EASY	102.0	110.0	112.0	2.0	7.5	2.25
96	BC 223 B	113 692	EASY	102.0	110.0	112.0	2.0	7.5	2.25
96	BC 330 L	113 757	EASY	98.5	111.0	113.0	2.0	8.3	1.5
	BC 330 B	113 758	EASY	98.5	111.0	113.0	2.0	7.9	1.5
97	20 000 2								4 -
97	BC 400 L	113 759	COMFORT	98.5	112.0	114.0	2.0	7.41	1.5
		113 759 113 784 113 785	COMFORT COMFORT PREMIUM	98.5	112.0 112.0 113.0	114.0 114.0 115.0	2.0 2.0 2.0	7.41 5.0 8.85	1.5 1.5 1.5

Subject to technical changes. \*U.R. = on request


Page	Name	Art. no.	Category	Sound pressure level measured LpA [dB(A)]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value ahw (m/s²)	K-value
MIII	TI-TOOL			1- 1- ( /1	t. ( /1	Į. ( /J	1 1 (7)	. ( ,	( '''
	RY MULTI-TOOL MT 40	_	_	_	_	_	_	_	-
		440.044		04.0	00.0	00.0	0.0	.0.5	4.5
101	GTA 4030 BCA 4030	113 614 113 615	COMFORT		93.0 93.0	96.0 96.0	3.0	≤2.5	1.5 1.5
101	CSA 4020	113 612	COMFORT		92.3	93.0	0.5	≤4.4 ≤ 2.5	1.5
101	HTA 4045	113 613	COMFORT		92.3	94.0	1.5	≤ 2.5	1.5
	L MULTI-TOOL BC 260 MT	110 010		01.0	02.0	0 1.0	1.0	22.0	1.0
102	BC 260 MT	113 787	COMFORT	0 R **	0.R.**	0.R.**	0.R.**	0.R.**	0.R.**
	BLOWERS AND				0.11.	0.11.	0.11.	0.11.	0.11.
		_							
106	LB 2060 LB 1860	113 537 113 922	EASY	74.0	85.0 87.2	88.0	3.0	2.0	0.5
106 106	LB 4060	113 922	COMFORT		95.5	89.0 96.0	1.5 3.0	0.9 2.0	1.5 1.5
107	LBV 4090	113 662	PREMIUM		99.5	102.0	3.0	<1.91	1.5
		110 002		00.0	00.0	102.0	0.0	(1.01	1.0
нері	GE TRIMMERS								
BATTER	RY HEDGE TRIMMERS								
110	HT 2000	113 700	EASY	90.0	84.5	87.0	2.5	1.5	1.5
110	HT 2050	113 536	EASY	90.0	84.5	87.0	2.5	1.5	1.5
111	HT 1845	113 939	COMFORT	78.0	88.4	91.0	2.0	1.8	1.5
111	HT 4055	113 609	COMFORT	64.2	84.2	87.0	3.0	2.5	1.5
	RIC HEDGE TRIMMERS	110.070		22.2	20.0	100.0			
112	HT 440 Basic Cut	112 679	EASY	86.0	99.0	100.0	-	2.2	-
112	HT 550 Safety Cut	112 680	COMFORT	86.0	97.0	98.0	-	2.9	-
MUL	TI-CUTTERS								
113	GS 7.2 Li	113 371	COMFORT	75.0	78.0	79.0	1.0	≤2.5	1.5
PRU	NERS & LONG R	EACH HE	DGE TRIM	<b>IMERS</b>					
115	HTA 2050	113 539	EASY	80.0	91.0	93.0	2.0	2.5	1.5
115	CSA 1820	113 926	COMFORT		0.R.**	0.R.**	0.R.**	0.R.**	0.R.**
115	HTA 1845	113 925	COMFORT	0.R.**	0.R.**	0.R.**	0.R.**	0.R.**	0.R.**
HAN	DY BATTERY TO	OLS							
118	HS 2015	113 625	EASY	4.0	95.0	98.0	3.0	11.76	1.5
119	MB 2010	113 625	EASY	62.5	82.5	-	3.0	1.85	1.5
119	PS 2035	113 697	EASY	45.4	56.4	-	3.0	0.182	1.5
119	PW 2040	113 859	EASY	75.1	86.1	91.1	3.0	0.84	1.5
120	CSM 1815	114 016	COMFORT	х	Х	Х	Х	Х	Χ
120	PS 1815	113 923	COMFORT	78.5	89.5	95.0	5.0	13.0	1.5
120	AR 1835	113 921	COMFORT	60.0	71.9	73.0	1.0	0.5	1.5
121	TL 1820	113 928	COMFORT		74.0	0.R.**	2.5	0.3	1.5
121	PW 1850	113 929	COMFORT	0.R.**	0.R.**	0.R.**	0.R.**	0.R.**	0.R.**
CULT	ΓIVATORS								
PETROL	L CULTIVATORS								
124	MH 360	113 969	EASY	82.0	91.1	92.0	2.0	L.H.:* 4.94 R.H.:* 3.25	1.5
124	MH 540	113 970	COMFORT	74.3	96.0	97.0	1.5	L. H.:* 0.554 R. H.:* 0.428	1.5
125	MH 770	113 971	COMFORT	74.3	96.0	97.0	1.5	L. H.:* 0.372 R. H.:* 0.584	1.5
125	MH 1150	113 972	PREMIUM	76.3	98.0	99.0	1.5	L. G.:* 0.442 R. G.:* 0.468	1.5

Page	Name	Art. no.	Category	Sound pressure level measured LpA [dB(A)]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor  KpA [dB(A)]	Vibration value ahw (m/s²)	K-value (m/s²)
SHRE	EDDERS								
130	MH 2500 SLICE	113 871	EASY	97.0	105.2	106.2	0.R.**	_	_
130	MH 2810	113 872	COMFORT	93.9	102.0	104.0	2.0	_	-
130	LH 2810	113 873	COMFORT	77.8	87.0	90.0	2.0	-	-
131	TCS 2500	119 954	PREMIUM	102.0	113.0	115.0	2.0	-	-
CHAI	NSAWS								
BATTER	Y CHAINSAWS								
134	CS 1825	113 919	COMFORT	81.0	91.6	94.0	2.3	4.2	1.5
134	CS 4030	113 616	COMFORT	87.0	98.5	101.0	2.5	2.1/2.4	2.0
ELECTR	IC CHAINSAWS								
135	EKS 2000-35	112 807	EASY	96.0	108.0	110.0	3.0	5.05	3.0
135	EKS 2400-40	112 808	COMFORT	95.0	108.0	110.0	3.0	5.95	3.0
135	EKI 2200-40	112 809	PREMIUM	94.0	106.0	108.0	3.0	5.06	3.0
PETROL	CHAINSAWS								
136	BKS 3835	113 185	EASY	97.6	108.4	112.0	3.0	6.2/11.3	1.5
136	BKS 4040	113 186	COMFORT	99.5	110.1	113.0	3.0	8.5/9.0	1.5
136	BKS 4540	113 187	PREMIUM	99.5	112.4	115.0	3.0	8.9/10.7	1.5
137	BKS 2625 T	113 355	COMFORT	87.3	106.5	110.0	3.0	5.8/12.1	1.5
137	BKS 2625 TSB	113 474	PREMIUM	87.3	106.5	110.0	3.0	5.8/12.1	1.5
W00	D SPLITTERS								
140	LSH 370/4	113 791	EASY	89.8	91.0	96.0	3.0	-	3.0
140	LSH 520/5	113 792	EASY	89.8	92.7	95.7	3.0	-	3.0
141	LSV 550/6	113 788	EASY	89.8	94.4	97.4	3.0	-	3.0
141	LSV 560/8	113 789	EASY	77.8	90.6	93.6	3.0	-	3.0
	ER GENERATORS	100.000				05.0			
165	2500-C	130 930	COMFORT		93.0	95.0	-	-	-
165	3500-C	130 931	COMFORT		94.0	96.0	-	_	_
165 165	6500 D-C 2000i	130 932 130 933	PREMIUM		95.0 84.0	97.0 86.0	_	_	_
	WBLOWERS	130 933	PREIVIIOIVI	-	04.0	00.0	_	_	_
BATTER	Y SNOWBLOWER								
168	ST 4048	113 591	COMFORT	77.0	87.0	90.0	3.0	5.0	1.5
ELECTR	IC SNOWBLOWERS								
168	SnowLine 46 E	112 932	EASY	86.0	95.0	97.0	2.0	2.5	1.5
PETRO <u>L</u>	SNOWBLOWERS								
168	SnowLine 560 II	112 933	COMFORT	91.0	100.0	102.0	2.0	6.0	2.0
169	SnowLine 620 E II	112 935	COMFORT		101.0	103.0	2.0	4.5	1.5
169	SnowLine 620 E III	113 067	PREMIUM		100.0	102.0	2.5	4.5	1.5
169	SnowLine 700 E	112 931	PREMIUM		103.0	105.0	2.0	6.0	2.0
	SnowLine 760 TE	112 930	PREMIUM	040	104.0	106.0	2.0	6.0	2.0

\*L. H.:Left handle, R. H.: Right handle Subject to technical changes. \*\*O.R. = on request

## WATER TECHNOLOGY TECHNICAL DATA


Page	Name	Art. no.	Category	Length [cm]	Width [cm]	Height [cm]	opening height [cm]	Drain height [cm]	height with angle adapter [cm]	intensity level measured LwA [dB(A)]	power level guaranteed LwA [dB(A)]	factor  KpA [dB(A)]
SUB	MERSIBLI	E PUM	PS									
CLEAN WATER SUBMERSIBLE PUMPS												
144	SUB 8500 Easy	113 961	EASY	19.52	15.57	26.06	-	9.4	17.1	-	-	-
144	SUB 6500 Classic	112 820	EASY	21.3*	15.00	27.40	-	4.50	12.00	-	-	-
145	SUB 10000 DS Comfort	112 823	COMFORT	18.70	1900	29.30	-	27.50	37.50	-	-	-
145	SUB 12000 DS Comfort	112 824	COMFORT	18.70	1900	29.30	-	27.50	37.50	-	-	-
145	SUB 13000 DS Premium	112 829	PREMIUM	22.70	1900	31.00	-	29.00	39.00	-	-	-
WASTE	WASTEWATER SUBMERSIBLE PUMPS											
146	DRAIN 9500 Easy	113 962	EASY	19.52	15.57	26.06	-	11.6	19.3	-	-	-
146	DRAIN 7000 Classic	112 821	EASY	21.3*	15.20	30.8*	-	6.00	11.00	-	-	-
147	DRAIN 7500 Classic	112 822	EASY	21.3*	15.20	30.8*	-	6.00	11.00	-	-	-
147	DRAIN 10000 Comfort	112 825	COMFORT	24.2*	1900	35.30	-	5.50	11.00	-	-	-
147	DRAIN 12000 Comfort	112 826	COMFORT	23.9*	1900	35.30	-	5.50	11.00	-	-	-
149	DRAIN 10000 INOX	112 827	COMFORT	18.50	20.50	32.60	-	7.50	13.90	-	-	-
149	DRAIN 15000 INOX	112 828	COMFORT	18.50	20.50	36.60	-	7.50	13.00	-	-	-
149	DRAIN 20000 HD	112 836	PREMIUM	23.20	23.20	37.40	-	8.00	16.00	-	-	-
СОМВІ	COMBI UNIVERSAL SUBMERSIBLE PUMPS											
151	TWIN 11000 Premium	112 830	PREMIUM	25.3*	19.30	31.70	_	6.50	12.50	-	-	-



112 831 **PREMIUM** 29.2\* 19.10 34.40 -

113 884 **PREMIUM** 22.0 22.0 43.0


113 883 **PREMIUM** 22.0 22.0 46.0 -



12.50

50.0

					В	A	1	2	3			
Page	Name	Art. no.	Category	<b>Length</b> [cm]	Width [cm]	Height [cm]	Intake opening height [cm]	Outlet height [cm]	Outlet height with angle adapter [cm]	Sound intensity level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]
GAR	DEN PUM	PS										
154	JET 3000 INOX Classic	112 838	EASY	35.50	19.50	21.50	13.70	19.50	27.50	74.0	76.0	-
154	JET 3600	113 797	EASY	35.50	19.50	21.50	13.00	18.50	26.50	74.0	76.0	-
155	JET 4000 Comfort	112 841	COMFORT	47.60	20.80	35.0*	6.30	27.00	-	74.0	78.0	-
155	JET 5000 Comfort	112 842	COMFORT	47.60	20.80	35.0*	6.30	27.00	35.00	76.0	78.0	-
155	JET 6000/5 Premium	112 844	PREMIUM	51.40	20.80	35.0*	6.30	27.00	35.00	71.0	73.0	-
DOM	IESTIC WA	ATER P	UMPS									
156	HWA 3600	113 799	EASY	35.50	19.50	21.50	13.00	18.50	26.50	74.0	76.0	-
156	HWA 4000 Comfort	113 139	COMFORT	47.60	20.80	35.00	6.30	27.00	35.00	74.0	76.0	-
157	HWA 4500 Comfort	113 140	COMFORT	47.60	20.80	35.00	6.30	27.00	35.00	76.0	78.0	-
157	HWA 6000/5 Premium	113 141	PREMIUM	51.50	17.00	25.10	6.30	27.00	35.00	71.0	73.0	-
DON	IESTIC WA	ATER S	SYSTEMS									
158	HW 3000 INOX Classic	112 846	EASY	43.50	27.00	50.50	42.50	48.50	56.50	74.0	76.0	-
158	HW 3600	113 798	EASY	45.33	27.30	53.89	34.19	52.39	-	74.0	76.0	-
159	HW 4000 FCS Comfort	112 849	COMFORT	47.80	28.40	64.70*	35.50	56.50	64.50	74.0	78.0	-
159	HW 4500 FCS Comfort	112 850	COMFORT	47.80	28.40	64.70*	36.50	57.50	65.50	76.0	78.0	-
159	HW 5000 FMS Premium	112 851	PREMIUM	47.80	28.40	64.70*	36.50	57.50	65.50	76.0	78.0	-
159	HW 6000 FMS Premium	112 852	PREMIUM	51.60	28.40	64.70*	36.50	57.50	65.50	71.0	73.0	-
PETROL ENGINE PUMPS												
161	BMP 14001*** Comfort	113 793	COMFORT	42.70	33.20	36.3	16.00	27.00	-	96.0	98.0	-
161	BMP 30000** Premium	113 563	PREMIUM	54.50	42.00	38.00	11.00	29.00	-	102.0	104.0	_



Subject to technical changes.

TWIN 14000

6500/34 DIVE 5600/44

SUBMERSIBLE PRESSURE AND DEEP-WELL PUMPS

<sup>\*</sup> Including angle adapter

<sup>\*\*</sup> Sound pressure level measured LpA [dB(A)]: 87

<sup>\*\*\*</sup> Sound pressure level measured LpA [dB(A)]: 91



## OUR EXPERTISE IS IN YOUR SAFETY AND COMFORT

AL-KO Gardentech stands for the highest level of quality. For example, our products stand out with their impressive durability, even when they are in frequent use. However, wear and tear or repairs may require replacement of parts. In such cases, you should always choose AL-KO genuine spare parts and accessories. Because top quality and guaranteed safety can only be expected from components which match the technical and quality characteristics of every AL-KO product down to the finest detail.

That's why, in Germany, most of the necessary genuine spare parts and accessories can be purchased at any time. This is a service which keeps downtime for your equipment to a minimum. Moreover, using AL-KO genuine spare parts and accessories is the only way to ensure that all mutually optimised appliance components are at full functionality and to guarantee the high quality and reliability of the AL-KO product. Indeed, the product warranty is only effective, and in case of repair will only remain

valid, provided AL-KO genuine spare parts and accessories are used. Our AL-KO genuine spare parts have other benefits as well. Each improvement made to the series-produced products is conferred to the associated genuine spare parts. Whether it's a simple screw or a sophisticated control board, all genuine AL-KO and solo® by AL-KO parts are designed based on a wealth of expertise acquired through many decades of manufacturing prowess.

Our authorised service partners can also benefit from using AL-KO genuine spare parts and accessories. Components that always fit perfectly ensure short repair times and enable cost-effective repair jobs.

In brief: Safe, high-quality and always right — with AL-KO genuine spare parts and accessories, you'll always make the right choice for repairs or maintenance. That forms the basis for the lasting and reliable use of the products.





